

**alta 580**

**Mid back swivel**  
**5-star polished aluminum base and arms**  
**Adjustable height**

Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25⅝"	33½"-36½"	2 yd	30.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	1.8 m	2.79 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2303	2343	2499	2535	2552	2588	2623	2637	2668	2695	2726	2766	2921

**alta 580F**

**Mid back swivel**  
**5-star polished aluminum base and arms**  
**Fixed height**

Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅝"	36"	2 yd	30.0'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	1.8 m	2.79 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2303	2343	2499	2535	2552	2588	2623	2637	2668	2695	2726	2766	2921

**alta 580K**

**Mid back swivel**  
**5-star matte black powder coat base and arms**  
**Adjustable height**

Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25⅝"	33½"-36½"	2 yd	30.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	1.8 m	2.79 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2453	2493	2649	2685	2702	2738	2773	2787	2818	2845	2876	2916	3071

## alta 582



**Mid back swivel**  
**5-star polished aluminum base and arms**  
**Adjustable height**

Upholstered back pad  
 Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat, back, and arm pads  
 yardage: 2.0 yds. leather: 30.0 sq. ft.  
 B) One fabric or leather for back pad and welt  
 yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25¾"	33½"-36½"	3.0 yd	43.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	2.8 m	4.0 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2735	2795	3029	3082	3109	3162	3215	3235	3282	3322	3369	3429	3662

## alta 582F



**Mid back swivel**  
**5-star polished aluminum base and arms**  
**Fixed height**

Upholstered back pad  
 Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat, back, and arm pads  
 yardage: 2.0 yds. leather: 30.0 sq. ft.  
 B) One fabric or leather for back pad and welt  
 yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25¾"	36"	3.0 yd	43.5'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	2.8 m	4.0 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2735	2795	3029	3082	3109	3162	3215	3235	3282	3322	3369	3429	3662

**alta 582K**

**Mid back swivel**  
**5-star matte black powder coat base and arms**  
**Adjustable height**

Upholstered back pad  
 Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat, back, and arm pads  
 yardage: 2.0 yds. leather: 30.0 sq. ft.  
 B) One fabric or leather for back pad and welt  
 yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25¾"	33½"-36½"	3.0 yd	43.5'	57 lbs	28.98/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	2.8 m	4.0 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2885	2945	3179	3232	3259	3312	3365	3385	3432	3472	3519	3579	3812

**alta 584**

**Mid back swivel**  
**5-star polished aluminum base**  
**Adjustable height**

Leather with perforated leather back pad  
 Cantilevered arms with leather arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.  
 Consult [Bernhardttextiles.com](http://Bernhardttextiles.com) for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

- A) Rogue or Essential leather for seat, back, arm pads and back pad welt  
 leather: 30.0 sq. ft.  
 B) Pique pattern in Rogue or Essential leather for back pad  
 perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25¾"	33½"-36½"	-	-	57 lbs	28.98/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

COL
3013

alta 584F



Mid back swivel  
5-star polished aluminum base and arms  
Fixed height

Leather with perforated leather back pad  
Cantilevered arms with leather arm pads  
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.  
Consult [Bernhardttextiles.com](http://Bernhardttextiles.com) for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

- Leather Requirements:
- A) Rogue or Essential leather for seat, back, arm pads and back pad welt  
leather: 30.0 sq. ft.
  - B) Pique pattern in Rogue or Essential leather for back pad  
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅝"	36"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	-	-	25.9 kg	.82 cu

COL
3013

**alta 584K**
**Mid back swivel**  
**5-star matte black powder coat base and arms**  
**Adjustable height**

Leather with perforated leather back pad  
 Cantilevered arms with leather arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.  
 Consult [Bernhardtextiles.com](http://Bernhardtextiles.com) for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

**Leather Requirements:**

- A) Rogue or Essential leather for seat, back, arm pads and back pad welt  
 leather: 30.0 sq. ft.  
 B) Pique pattern in Rogue or Essential leather for back pad  
 perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25⅞"	33½"-36½"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

COL

3163

**alta 581**
**High back swivel**  
**5-star polished aluminum base and arms**  
**Adjustable height**

Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25⅞"	36"-39⅞"	2.5 yd	32.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	2.3 m	2.97 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2450	2500	2695	2739	2762	2806	2850	2867	2906	2939	2978	3028	3223

**alta 581F**
**High back swivel**  
**5-star polished aluminum base and arms**  
**Fixed height**

Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅝"	38⅝"	2.5 yd	32.0'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	2.3 m	2.97 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2450	2500	2695	2739	2762	2806	2850	2867	2906	2939	2978	3028	3223

**alta 581K**
**High back swivel**  
**5-star matte black powder coat base and arms**  
**Adjustable height**

Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25⅝"	36¾"-39¾"	2.5 yd	32.0'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	2.3 m	2.97 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2600	2650	2845	2889	2912	2956	3000	3017	3056	3089	3128	3178	3373

## alta 583



**High back swivel**  
**5-star polished aluminum base and arms**  
**Adjustable height**

Upholstered back pad  
 Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat, back, and arm pads  
 yardage: 2.5 yds. leather: 32.0 sq. ft.  
 B) One fabric or leather for back pad and welt  
 yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25¼"	36¾"-39¾"	3.5 yd	45.5'	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2930	3000	3273	3335	3366	3428	3490	3514	3568	3615	3669	3739	4012

## alta 583F



**High back swivel**  
**5-star polished aluminum base and arms**  
**Fixed height**

Upholstered back pad  
 Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat, back, and arm pads  
 yardage: 2.5 yds. leather: 32.0 sq. ft.  
 B) One fabric or leather for back pad and welt  
 yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25¼"	38¾"	3.5 yd	45.5'	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2930	3000	3273	3335	3366	3428	3490	3514	3568	3615	3669	3739	4012

**alta 583K**
**High back swivel**  
**5-star matte black powder coat base and arms**  
**Adjustable height**

Upholstered back pad  
 Cantilevered arms with upholstered arm pads  
 Synchro tilt mechanism with gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat, back, and arm pads  
 yardage: 2.5 yds. leather: 32.0 sq. ft.  
 B) One fabric or leather for back pad and welt  
 yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25¼"	36¾"-39¾"	3.5 yd	45.5'	57 lbs	28.98/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	3.2 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3080	3150	3423	3485	3516	3578	3640	3664	3718	3765	3819	3889	4162

**alta 585**
**High back swivel**  
**5-star polished aluminum base**  
**Adjustable height**

Leather with perforated leather back pad  
 Cantilevered arms with leather arm pads  
 Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.  
 Consult [Bernhardttextiles.com](http://Bernhardttextiles.com) for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

- A) Rogue or Essential leather for seat, back, arm pads and back pad welt  
 leather: 32.0 sq. ft.  
 B) Pique pattern in Rogue or Essential leather for back pad  
 perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24-27"	25½"	25¼"	36¾"-39¾"	-	-	57 lbs	28.98/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu

COL
3226



alta 585F



High back swivel  
5-star polished aluminum base and arms  
Fixed height

Leather with perforated leather back pad  
Cantilevered arms with leather arm pads  
Synchro tilt mechanism with fixed height

Inside seat width: 19½", Inside seat depth: 19¾", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.  
Consult [Bernhardttextiles.com](http://Bernhardttextiles.com) for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

- Leather Requirements:
- A) Rogue or Essential leather for seat, back, arm pads and back pad welt  
leather: 32.0 sq. ft.
  - B) Pique pattern in Rogue or Essential leather for back pad  
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	25⅝"	38⅞"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	-	-	25.9 kg	.82 cu

COL
3226

alta 585K



High back swivel  
5-star matte black powder coat base and arms  
Adjustable height

Leather with perforated leather back pad  
Cantilevered arms with leather arm pads  
Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 19¼", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad.  
Consult [Bernhardttextiles.com](http://Bernhardttextiles.com) for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

- Leather Requirements:
- A) Rogue or Essential leather for seat, back, arm pads and back pad welt  
leather: 32.0 sq. ft.
  - B) Pique pattern in Rogue or Essential leather for back pad  
perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	25⅝"	36⅝-39⅝"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu

COL

3376

chantal 1025



Mid back swivel  
5-star polished aluminum or matte black powder coat base  
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 17¼", Inside seat depth: 18", Inside arm height: 7½"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat  
yardage: 1.0 yds. leather: 15.0 sq. ft.

B) One fabric or leather for inside back and arms, outside back and sides  
yardage: 2.5 yds. leather: 40.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼-22¼"	25¼-29¼"	25½"	26"	33-37"	3.0 yd	40.0'	48 lbs	27.56'/1
464-565 mm	641-743 mm	648 mm	660 mm	838-940 mm	2.7 m	3.7 sqm	21.8 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1953	2013	2247	2300	2327	2380	2433	2453	2500	2540	2587	2647	2880

sku

1025

base finish

polished aluminum standard, OR

specify powder coat, upcharge \$100

Kmatte black

chloe 1022



Mid back armless swivel  
5-star polished aluminum base  
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17⅝"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat  
yardage: 1.0 yds. leather: 15.0 sq. ft.

B) One fabric or leather for inside back and outside back  
yardage: 2.0 yds. leather: 35.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼"-22¼"	-	24¼"	26"	31⅝" - 35⅝"	2.25 yd	35.0'	47 lbs	27.56'/1
464-565 mm	-	616 mm	660 mm	803-905 mm	2.1 m	3.3 sqm	21.3 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1594	1639	1814	1854	1874	1914	1954	1969	2004	2034	2069	2114	2289

sku

1

0

2

2

base finish

polished aluminum standard, OR  
specify powder coat, upcharge \$100  
K matte black

duet 570



Mid back swivel  
5-star polished aluminum base  
Tubular chrome arms  
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19⅝", Inside seat depth: 17⅝", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"-19⅝"	24-26¼"	24¼"	24⅝"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1759	1809	2004	2048	2071	2115	2159	2176	2215	2248	2287	2337	2532

**duet 571**

**Mid back swivel**  
**5-star matte black powder coat base**  
**Tubular chrome arms**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24¼"	24¾"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1859	1909	2104	2148	2171	2215	2259	2276	2315	2348	2387	2437	2632

**duet 572**

**Mid back swivel**  
**5-star polished aluminum base**  
**Tubular chrome arms**  
**Adjustable height**

Upholstered with horizontal quilting

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

Horizontal stripes and two-way patterns are not recommended for application on this product.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24¼"	24¾"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2205	2255	2450	2494	2517	2561	2605	2622	2661	2694	2733	2783	2978

**duet 573**

**Mid back swivel**  
**5-star matte black powder coat base**  
**Tubular chrome arms**  
**Adjustable height**

Upholstered with horizontal quilting  
 Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

Horizontal stripes and two-way patterns are not recommended for application on this product.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24½"	24¾"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2305	2355	2550	2594	2617	2661	2705	2722	2761	2794	2833	2883	3078

**duet 574**

**Mid back swivel**  
**5-star polished aluminum base**  
**Polished stainless steel flat arms**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24½"	24¾"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2057	2107	2302	2346	2369	2413	2457	2474	2513	2546	2585	2635	2830

**duet 574K**

**Mid back swivel**  
**5-star matte black powder coat base**  
**Matte black powder coat flat arms**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24¼"	24⅞"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2207	2257	2452	2496	2519	2563	2607	2624	2663	2696	2735	2785	2980

**duet 575**

**Mid back swivel**  
**5-star matte black powder coat base**  
**Polished stainless steel flat arms**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24¼"	24⅞"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2157	2207	2402	2446	2469	2513	2557	2574	2613	2646	2685	2735	2930

**duet 576**

**Mid back swivel**  
**5-star polished cast aluminum base**  
**Polished stainless steel flat arms**  
**Adjustable height**

Upholstered with horizontal quilting

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24¼"	24⅞"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2531	2581	2776	2820	2843	2887	2931	2948	2987	3020	3059	3109	3304

**duet 576K**

**Mid back swivel**  
**5-star matte black powder coat base**  
**Matte black power coat flat arms**  
**Adjustable height**

Upholstered with horizontal quilting  
 Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24½"	24¾"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2681	2731	2926	2970	2993	3037	3081	3098	3137	3170	3209	3259	3454

**duet 577**

**Mid back swivel**  
**5-star matte black powder coat base**  
**Polished stainless steel flat arms**  
**Adjustable height**

Upholstered with horizontal quilting  
 Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19½", Inside seat depth: 17¾", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-19½"	24-26¾"	24½"	24¾"	32¾"-35½"	2.5 yd	35.0'	50 lbs	22.25'/1
435-505 mm	610-679 mm	616 mm	632 mm	832-902 mm	2.3 m	3.3 sqm	22.6 kg	.63 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2631	2681	2876	2920	2943	2987	3031	3048	3087	3120	3159	3209	3404

**kylo 600**

**Mid back swivel**  
**5-star polished aluminum base**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17¾", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24¼"-27¼"	25½"	24¾"	34-37"	2.5 yds	40.5 m	40 lbs	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	864-940 mm	2.3 m	3.8 sqm	18.1 kg	.78 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2029	2079	2274	2318	2341	2385	2429	2446	2485	2518	2557	2607	2802



**kylo 600K**
**Mid back swivel**  
**5-star matte black powder coat base**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24¼"-27¼"	25½"	24⅞"	34"-37"	2.5 yds.	40.5'	40 lbs.	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	864-940 mm	2.3 m	3.8 sqm	18.1 kg	.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2129	2179	2374	2418	2441	2485	2529	2546	2585	2618	2657	2707	2902

**kylo 602**
**High back swivel**  
**5-star polished aluminum base**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24¼"-27¼"	25½"	24⅞"	37¼"-40¾"	2.6 yds.	42.0'	41 lbs.	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	959-1035 mm	2.4 m	4.0 sqm	19.0 kg	.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2214	2266	2469	2515	2538	2584	2630	2648	2688	2723	2763	2815	3018

**kylo 602K**
**High back swivel**  
**5-star matte black powder coat base**  
**Adjustable height**


Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼", Inside seat depth: 17⅞", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"-20½"	24¼"-27¼"	25½"	24⅞"	37¼"-40¾"	2.6 yds.	42.0'	41 lbs.	27.55'/1
445-521 mm	616-692 mm	648 mm	632 mm	959-1035 mm	2.4 m	4.0 sqm	19.0 kg	.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2314	2366	2569	2615	2638	2684	2730	2748	2788	2823	2863	2915	3118

**I.a.m. 586**
**Mid back armless swivel**  
**5-star polished aluminum base**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift


Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 20¾", Inside seat depth 17½"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼-21¼"	-	24¾"	24¼"	33¾-37¾"	1.75 yd	24.0'	50 lbs	28.98'/1
438-540 mm	-	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1782	1817	1954	1985	2000	2031	2062	2074	2101	2125	2152	2187	2323

**I.a.m. 587**
**Mid back armless swivel**  
**5-star matte black powder coat base**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 20¾", Inside seat depth 17½"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½-21¼"	-	24¾"	24¼"	33¾-37¾"	1.75 yd	24.0'	50 lbs	28.98'/1
438-540 mm	-	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1882	1917	2054	2085	2100	2131	2162	2174	2201	2225	2252	2287	2423

## I.a.m. 588



**Mid back swivel**  
**5-star polished aluminum base and arms**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 20¾", Inside seat depth 17½", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼-21¼"	24½-28½"	24¾"	24¼"	33¾-37¾"	1.75 yd	24.0'	50 lbs	28.98'/1
438-540 mm	622-724 mm	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1955	1990	2127	2158	2173	2204	2235	2247	2274	2298	2325	2360	2496

## I.a.m. 589



**Mid back swivel**  
**5-star matte black powder coat base and arms**  
**Adjustable height**

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Outback standard with saddle stitch detail around the perimeter for fabric upholstered shells. Leather and leather alternative upholstered shells have saddle stitching accentuating the "V" detail on outback.

Inside seat width 20¾", Inside seat depth 17½", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼-21¼"	24½-28½"	24¾"	24¼"	33¾-37¾"	1.75 yd	24.0'	50 lbs	28.98'/1
438-540 mm	622-724 mm	629 mm	616 mm	857-959 mm	1.6 m	2.2 sqm	22.7 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2105	2140	2277	2308	2323	2354	2385	2397	2424	2448	2475	2510	2646

## lava 594



**Swivel**  
**5-star polished aluminum base**  
**Molded polypropylene shell**  
**Adjustable Height**

Upholstered seat pad  
 Molded polypropylene shell in Mist (RAL 7047)  
 Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20½", Inside seat depth: 19", Inside arm height: 7½"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18-22¼"	25¼-29½"	27⅞"	24½"	33¼"-37½"	1.0 yd	18.0'	41 lbs	28.98'/1
457-565 mm	641-749 mm	689 mm	622 mm	845-953 mm	.91 m	1.67 sqm	18.59 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1871	1891	1969	1987	1996	2014	2031	2038	2054	2067	2083	2103	2180

## prelude 1577



**Mid back swivel**  
**5-star polished aluminum base**  
**Upholstered**  
**Adjustable height**

Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 18¼", Inside seat depth: 17¾", Inside arm height: 7¾"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat  
 yardage: 1.0 yds. leather: 16.5 sq. ft.  
 B) One fabric or leather for inside back and outside back  
 yardage: 2.75 yds. leather: 37.0 sq. ft.

All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17¼" - 20¼"	25⅞-28⅞"	24⅞"	23⅞"	31-34"	2.75 yds.	53.0'	40.5 lbs.	22.04'/1
438-514 mm	638-714 mm	632 mm	600 mm	787-864 mm	3.43 m	4.46 sqm	18.15 kg.	.624 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1654	1709	1923	1972	1997	2046	2094	2113	2156	2192	2235	2290	2504

## sku

1	5	7	7
---	---	---	---

## base finish

**PA** polished aluminum standard, OR

**specify powder coat, upcharge \$150**

**WH** satin white

**EC** ecru

**LA** latte

**GR** graphite

**BZ** bronze

**IG** iron grey

**SG** sage green

**RD** black red

**BK** matte black

## renn 610



**Mid back swivel**  
**5-star polished aluminum or powder coat base**  
**Adjustable height**

Weight activated mechanism with adjustable height gas pneumatic lift

Inside seat width: 19¼"; Inside seat depth: 18¼"; Inside arm height: 6½"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat  
yardage: 1.5 yds. leather: 24.3 sq. ft.  
B) One fabric or leather for inback and outback  
yardage: 1.5 yds. leather: 24.3 sq. ft.  
C) One fabric or leather for arm wrap  
yardage: 1.5 yds. leather: 24.3 sq. ft.

SCS Indoor Advantage™ Gold certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼" -21¼"	25½" -28½"	26"	27¼"	35¼"-38¼"	4.0 yds	65.0'	59 lbs.	29.59'/1
476-552 mm	648-724 mm	660 mm	692 mm	895-972 mm	3.7 m	6.0 sqm	26.8 kg	.83 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1696	1776	2088	2159	2194	2265	2336	2363	2425	2479	2541	2621	2932

sku

6	1	0
---	---	---

base finish

**PA** polished aluminum standard, OR

**specify powder coat, upcharge \$100**

**WH** satin white

**EC** ecru

**LA** latte

**GR** graphite

**BZ** bronze

**IG** iron grey

**SG** sage green

**RD** black red

**BK** matte black

## rice 558



**Mid back swivel**  
**5-star polished aluminum base and arms**  
**Adjustable height**

Loop arms with upholstered arm pads

Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼"; Inside seat depth: 19¾"; Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	37¾"-40¾"	2.75 yd	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	708 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2253	2308	2522	2571	2596	2645	2693	2712	2755	2791	2834	2889	3103

rice 559



High back swivel  
5-star polished aluminum base  
Polished aluminum arms  
Adjustable height

Loop arms with upholstered arm pads  
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19¾", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	40¾"-43¾"	3.0 yd	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2507	2567	2801	2854	2881	2934	2987	3007	3054	3094	3141	3201	3434

rice 560



Mid back swivel  
5-star polished aluminum base and arms  
Adjustable height

Loop arms with black neoprene arm pads  
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19¾", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	37¾"-40¾"	2.75 yd	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	708 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2159	2214	2428	2477	2502	2551	2599	2618	2661	2697	2740	2795	3009

rice 561



High back swivel  
5-star polished aluminum base  
Polished aluminum arms  
Adjustable height

Loop arms with black neoprene arm pads  
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19%", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	40%-43¾"	3.0 yd	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2428	2488	2722	2775	2802	2855	2908	2928	2975	3015	3062	3122	3355

rice 562



Mid back swivel  
5-star black plastic base  
Polished aluminum arms  
Adjustable height

Loop arms with upholstered arm pads  
Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 20½", Inside seat depth: 18¾", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	37%-40¾"	2.75 yd	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1987	2042	2256	2305	2330	2379	2427	2446	2489	2525	2568	2623	2837

rice 563



High back swivel  
5-star black plastic base  
Polished aluminum arms  
Adjustable height

Loop arms with upholstered arm pads  
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19%", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	40%-43½"	3.0 yd	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2358	2418	2652	2705	2732	2785	2838	2858	2905	2945	2992	3052	3285

rice 564



Mid back swivel  
5-star black plastic base  
Polished aluminum arms  
Adjustable height

Loop arms with black neoprene arm pads  
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19%", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	37%-40½"	2.75 yd	45.0'	57 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	956-1032 mm	2.5 m	4.2 sqm	25.9 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1908	1963	2177	2226	2251	2300	2348	2367	2410	2446	2489	2544	2758



rice 565



High back swivel  
5-star black plastic base  
Polished aluminum arms  
Adjustable height

Loop arms with black neoprene arm pads  
Swivel/tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 20¼", Inside seat depth: 19%", Inside arm height: 6¾"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"-21½"	24¾"-27¾"	25¾"	27¾"	40¾"-43¾"	3.0 yd	52.7'	60 lbs	28.98'/1
460-537 mm	619-695 mm	645 mm	629 mm	1032-1108 mm	2.7 m	4.9 sqm	27.2 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2282	2342	2576	2629	2656	2709	2762	2782	2829	2869	2916	2976	3209

trava 615



Swivel  
5-star polished aluminum or powder coat base and arms  
Upholstered  
Adjustable height

Swivel/tilt mechanism with adjustable height gas pneumatic lift


Inside seat width: 20¼", Inside seat depth: 18½"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and back cushion  
yardage: 2.0 yds. leather: 33.0 sq. ft.  
B) One fabric or leather for shell  
yardage: 2.0 yds. leather: 33.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.



Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18¼"-21½"	24¾" - 27¾"	27¼"	23¾"	32¾"-36"	2.5 yds	40.5'	40 lbs	28.99'/1
464-546 mm	625 - 708 mm	692 mm	603 mm	832-914 mm	2.3 m	3.7 sqm	18.1 kg	.82 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1800	1850	2045	2089	2112	2156	2200	2217	2256	2289	2328	2378	2573

sku

6 | 1 | 5 |

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge \$150

WH satin white

AL matte aluminum

EC ecru

LA latte

GR graphite

BZ bronze

IG iron grey

SG sage green

RD black red

BK matte black

valera 608C



Mid back swivel  
5-star polished aluminum or powder coat base  
Oak veneer back  
Upholstered seat  
Adjustable height

Tilt mechanism with adjustable height gas pneumatic lift.

Inside seat width: 20", Inside seat depth: 18", Inside arm height: 7½"

Available in all oak finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

SCS Indoor Advantage™ Gold and Level 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½" - 20½"	24⅞"-27⅞"	24⅞"	22⅞"	29⅞"-32⅞"	1.0 yd	18.0' sq. ft.	38 lbs	29.0'/1
445-521 mm	632-708 mm	632 mm	581 mm	746-822 mm	.92 m	1.7 sqm	17.3 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1781	1801	1879	1897	1906	1924	1941	1948	1964	1977	1993	2013	2090

sku

608C

base finish

PA

polished aluminum standard, OR

specify powder coat, upcharge \$100

WH

satin white

EC

ecru

LA

latte

GR

graphite

BZ

bronze

IG

iron grey

RD

black red

BK

matte black

valera 608W



Mid back swivel  
5-star polished aluminum or powder coat base  
Walnut veneer back  
Upholstered seat  
Adjustable height

Tilt mechanism with adjustable height gas pneumatic lift.

Inside seat width: 20", Inside seat depth: 18", Inside arm height: 7½"

Available in all walnut finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

SCS Indoor Advantage™ Gold and Level 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½" - 20½"	24⅞"-27⅞"	24⅞"	22⅞"	29⅞"-32⅞"	1.0 yd	18.0' sq. ft.	38 lbs	29.0'/1
445-521 mm	632-708 mm	632 mm	581 mm	746-822 mm	.92 m	1.7 sqm	17.3 kg	.82 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1892	1912	1990	2008	2017	2035	2052	2059	2075	2088	2104	2124	2201

sku

6

0

8

W

base finish

PA

polished aluminum standard, OR

specify powder coat, upcharge \$100

WH

satin white

GR

graphite

RD

black red

EC

ecru

BZ

bronze

BK

matte black

LA

latte

IG

iron grey