Casino Seating System Specification Guide

Standard Features




Casino is a modular seating system comprised of eleven unique modules which may be used interchangeably to create an unlimited number of configurations. All Casino configurations must include an end module on each end of the configuration.


Casino is fully upholstered with leveling non-marring glides. All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

All necessary ganging brackets are included and pre-installed.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information

Please visit Bernhardtdesign.com for a complete library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.





When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Product Selection

Casino modules can be used interchangeably to create a variety of modular options. A end module is required for all configurations. Specify a connecting module when a 45˚ or 90˚ angle is needed. **Casino modules may not be used as a freestanding unit**. See modular options below.


A. End Modules

All Casino configurations must include an end module on each configuration. All modules are available in fabric or leather. End modules can not be used as freestanding units.




B. 45˚ Connecting Modules

45˚ connecting modules are used in conjunction with end modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.




C. 90˚ Connecting Modules

90˚ connecting modules are used in conjunction with end modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.



D. Straight Connecting Module

Connecting modules are used in conjunction with end modules. Straight connecting modules may not be used at the end of a configuration or as a freestanding unit.



When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Casino Seating System Sample Configurations Overview



1



2



3



4




5




6



7



8



9



10



11



12



13




14

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Casino Seating System Sample Configurations


	Sku	Description
1	**4971**	Left End Facing Module
	4972	Right End Facing Module






	Sku	Description
2	**4971**	Left End Facing Module
	4970	Straight Connector
	4972	Right End Facing Module






	Sku	Description
3	**4975**	Two-seat. Left End Facing Module
	4981	45˚ Curved Connector
	4976	Two-seat. Right End Facing Module







	Sku	Description
4	**4977**	Three-seat. Left End Facing Module
	4982	45˚ Inverted Curved Connector
	4972	Right End Facing Module





	Sku	Description
5	**4975**	Two-seat, Left End Facing Module
	4982	45˚ Inverted Curved Connector (2)
	4976	Two-seat, Right End Facing Module







When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Casino Seating System Sample Configurations


	Sku	Description
6	**4977**	Three-seat. Left End Facing Module
	4982	45˚ Inverted Curved Connector
	4976	Two-seat. Right End Facing Module




	Sku	Description
7	**4977**	Three-seat. Left End Facing Module
	4981	45˚ Curved Connector
	4976	Two-seat. Right End Facing Module




	Sku	Description
8	**4975**	Two-seat. Left End Facing Module
	4982	45˚ Inverted Curved Connector
	4978	Three-seat. Right End Facing Module



	Sku	Description
9	**4975**	Two-seat. Left End Facing Module
	4979	Square Corner Connector
	4978	Three-seat. Right End Facing Module



	Sku	Description
10	**4975**	Two-seat. Left End Facing Module
	4980	90˚ Curved Connector
	4970	Single Straight Connector
	4980	90˚ Curved Connector
	4976	Two-seat. Right End Facing Module




When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Casino Seating System Sample Configurations

Sku	Description

11






Sku	Description
4975	Two-seat. Left End Facing Module
4980	90˚ Curved Connector
4972	Right End Facing Module


12






Sku	Description
4976	Two-seat. Right End Facing Module
4982	45˚ Inverted Curved Connector (4)
4975	Two-seat. Left End Facing Module


13






Sku	Description
4977	Three-seat. Left End Facing Module
4982	45˚ Inverted Curved Connector
4970	Single Straight Connector
4980	90˚ Curved Connector
4976	Two-seat. Right End Facing Module

14






Sku	Description
4977	Three-seat. Left End Facing Module
4982	45˚ Inverted Curved Connector
4970	Single Straight Connector
4981	45˚ Curved Connector
4976	Two-seat. Right End Facing Module

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

casino 4971



Left end facing module
Fully upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	37"	36¼"	28¼"	6.0 yds	100.0'	90 lbs	32.10'/1
432 mm	-	940 mm	921 mm	718 mm	5.5 m	9.3 sqm	40.8 kg	0.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2641	2761	3241	3361	3428	3521	3628	3681	3775	3855	3948	4081	4548

casino 4972



Right end facing module
Fully upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	37"	36¼"	28¼"	6.0 yds	100.0'	90 lbs	32.10'/1
432 mm	-	940 mm	921 mm	718 mm	5.5 m	9.3 sqm	40.8 kg	0.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2641	2761	3241	3361	3428	3521	3628	3681	3775	3855	3948	4081	4548

casino 4975



Two-seat
Left end facing
Fully upholstered module

All necessary ganging brackets are included and pre-installed


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	69"	36¼"	28¼"	8.5 yds	138.0'	145 lbs	80.67'/1
432 mm	-	1753 mm	921 mm	718 mm	7.8 m	12.8 sqm	65.7 kg	2.28 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4572	4742	5422	5592	5687	5819	5970	6046	6178	6291	6424	6612	7274

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

casino 4976



Two-seat
Right end facing module
Fully upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	69"	36¼"	28¼"	8.5 yds	138.0'	145 lbs	80.67'/1
432 mm	-	1753 mm	921 mm	718 mm	7.8 m	12.8 sqm	65.7 kg	2.28 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4572	4742	5422	5592	5687	5819	5970	6046	6178	6291	6424	6612	7274

casino 4977



Three-seat
Left end facing module
Fully upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	100½"	36¼"	28¼"	12.25 yds	200.0'	220 lbs	97.97'/1
432 mm	-	2553 mm	921 mm	718 mm	11.2 m	18.6 sqm	99.8 kg	2.77 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5800	6045	7025	7270	7407	7597	7815	7924	8114	8278	8468	8740	9693

casino 4978



Three-seat
Right end facing module
Fully upholstered

All necessary ganging brackets are included and pre-installed


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	100½"	36¼"	28¼"	12.25 yds	200.0'	220 lbs	97.97'/1
432 mm	-	2553 mm	921 mm	718 mm	11.2 m	18.6 sqm	99.8 kg	2.77 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5800	6045	7025	7270	7407	7597	7815	7924	8114	8278	8468	8740	9693

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

casino 4970



Straight connector
Fully upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	32¾"	36¼"	28¼"	5.3 yds	100.0'	76 lbs	32.10'/1
432 mm	-	832 mm	921 mm	718 mm	4.8 m	9.3 sqm	34.5 kg	0.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2290	2396	2820	2926	2985	3068	3162	3209	3292	3362	3445	3562	3975

casino 4979



Corner connector
Fully upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	37¾"	37¾"	28¼"	6.7 yds	120.0'	113 lbs	32.10'/1
432 mm	-	959 mm	959 mm	718 mm	6.1 m	11.1 sqm	51.3 kg	0.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3166	3300	3836	3970	4045	4149	4268	4328	4432	4521	4626	4774	5296

casino 4980



90° Curved connector
Fully upholstered

All necessary ganging brackets are included and pre-installed


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	74½"	41¼"	28¼"	8.0 yds	130.0'	95 lbs	47.67'/1
432 mm	-	1892 mm	1048 mm	718 mm	7.3 m	12.1 sqm	43.1 kg	1.35 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4572	4732	5372	5532	5621	5746	5888	5959	6084	6190	6315	6492	7115

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

casino 4981



45° Curved connector
FullC upholstered


All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	40"	37⅝"	28¼"	5.3 yds	100.0'	84 lbs	32.10'/1
432 mm	-	1016 mm	956 mm	718 mm	4.8 m	9.3 sqm	38.1 kg	0.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2641	2747	3171	3277	3336	3419	3513	3560	3643	3713	3796	3913	4326

casino 4982



45° Inverted curved connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	-	45¾"	38⅜"	28¼"	5.5 yds	100.0'	80 lbs	48.16'/1
432 mm	-	1162 mm	973 mm	718 mm	5.0 m	9.3 sqm	36.3 kg	1.37 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2641	2751	3191	3301	3363	3448	3546	3595	3680	3754	3839	3961	4389

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.