04/25

335

### Item Seating System Specification Guide

Item seating modules are fully upholstered and are designed to create freefloating design configurations. Item modules twist, rise and fall in their design creating a final assembly sculptured from both the plan and elevation views. Item is offered in 10 different modules that range in shape and heights. Variations in heights within the item modular group makes it necessary to use only the modules with corresponding heights together. Modules cannot be mated to either A or D sides. All necessary ganging brackets are included and pre-installed. Fabric on corner module will be railroaded. If modules are used in a configuration with the corner module, specify fabric railroaded. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

### Illustration showing ONLY the low lounge modules for Item.



#### Illustration showing both the low and the taller transition modules for Item.

Item's change in height adds to the palette of creativity that already exists within the sectional group. Shaded modules show the tall and transitional modules. Note: Tall and low modules must be paired with a unit with a matching height. The "C" height will only fit to other "C" height modules as the "B" height will only work with corresponding "B" height units.



Item Seating System Sample Configurations		Sku	Description
1	423%"	5900L	Left Arm Module
	76%"	5900R	Right Arm Module
2	1051/8"	5900L 5901CL 5900R	Left Arm Module Center Low Module Right Arm Module
3	67"	5900L	Left Arm Module
	105½"	5902NW	Narrow Back Wedge (3)
	150½"w x 67"d	5900R	Right Arm Module

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

item



item 5900L

#### Left arm module Fully upholstered



### All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	er	Wei	ght	Cu	ibes/Qty
16¾"		25%	3		38"		42	3/8"	291⁄8"		5.8 yds.	101.0'		105	lbs.	32	.10'/1
425 mm	mm 645 mm			965	mm	10	76 mm	740 mm		5.3 m	9.4 sq	m	47.6	6 kg	.9′	1 cu.	
СОМ	COI	-	1	2		3		4	5	6	7	8	9		10		11
3318	343	4	3886	398	39	4040		4143	4246	4285	4375	4453	454	3	4659		5110

#### item 5900R

#### Right arm module Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric		Leathe	r	Wei	ght	Cu	bes/Qty
16¾"		25%	3		38"		42	3/8"	291⁄8"		5.8 yds.		101.0'		105	lbs.	32.	.10'/1
425 mm				965	mm	10	76 mm	740 mm		5.3 m		9.4 sqr	n	47.6	6 kg	.91	cu.	
СОМ	COL	-	1	2		3		4	5	6	7	8		9		10		11
3318	343	4	3886	398	39	4040		4143	4246	4285	4375	44	53	454	3	4659		5110

#### item 5901CL

#### Center low module Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage<sup>TM</sup> Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	er	Wei	ght	Cub	es/Qty
16¾"		-			29½	•	37	1⁄4"	291⁄8"		4.8 yds.	87.0'		85 I	bs.	32.1	10'/1
425 mm				750	mm	94	6 mm	740 mm		4.4 m	8.1 sq	m	38.5	ō kg	.91	cu.	
СОМ	COL	_	1	2		3		4	5	6	7	8	9		10	1	1
2287	238	3	2757	284	12	2885		2970	3055	3087	3162	3226	330	1	3397	3	3770



04/25

item 5902WW

# Wide back wedge module Fully upholstered

#### All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cu	ibes/Qty
16¾"		-			38"		36	5/8"	291⁄8"		4.8 yds.	87.0'		85 I	bs.	32	.10'/1
425 mm					965	mm	93	0 mm	740 mm		4.4 m	8.1 sqr	n	38.5	ō kg	.9′	1 cu.
СОМ	COI	_	1	2		3		4	5	6	7	8	9		10		11
2287	238	3	2757	284	42	2885		2970	3055	3087	3162	3226	330	1	3397		3770

#### item 5902NW

#### Narrow back wedge module Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cube	es/Qty
16¾"		-			37¼		35	3/4"	291⁄8"		4.5 yds.	87.0'		75 I	bs.	32.1	0'/1
425 mm				946	mm	90	8 mm	740 mm		4.2 m	8.1 sqr	n	38.5	ō kg	32.1	0'/1	
СОМ	со	_	1	2		3		4	5	6	7	8	9		10	11	1
2287	237	7	2727	280	)7	2847		2927	3007	3037	3107	3167	323	7	3327	36	677

#### item 5904L



#### Run-off left module Fully upholstered

uny upriorstereu

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	er	Wei	ght	Cubes/Qty
16¾"		-			64¼	•	36	1⁄8"	291⁄8"		7.5 yds.	116.0'		121	lbs.	68.33'/1
425 mm	5 mm -			1632	? mm	91	8 mm	740 mm		6.9 m	10.8 s	qm	54.9	9 kg	1.93 cu.	
СОМ	coi	_	1	2		3		4	5	6	7	8	9		10	11
3318	346	8	4052	418	35	4252		4385	4518	4568	4685	4785	490	2	5052	5635

item 5904R

#### Run-off right module Fully upholstered



### All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cul	bes/Qty
16¾"		-			64¼	"	36	1/8"	291⁄8"		7.5 yds.	116.0'		121	lbs.	68.	33'/1
425 mm					1632	2 mm	91	8 mm	740 mm		6.9 m	10.8 s	qm	54.9	) kg	1.9	3 cu.
СОМ	COI	_	1	2		3		4	5	6	7	8	9		10		11
3318	346	8	4052	418	35	4252		4385	4518	4568	4685	4785	490	2	5052	Ę	5635

#### item 5905

Corner module Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leath	er	We	ght	Cubes/Qty
16¾"		-			47¼		47	1⁄4"	291⁄8"		7.5 yds.	120.0		195	lbs.	100.22'/1
425 mm	25 mm -			1200	) mm	12	00 mm	740 mm		6.9 m	11.1	sqm	88.0	) kg	2.84 cu.	
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
3318	346	8	4052	418	35	4252		4385	4518	4568	4685	4785	490	)2	5052	5635

#### item 5901CH

#### Center high module Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	er	Wei	ght	Cubes/	Qty
16¾"		-			38"		37	"1/4"	311/8"		5.0 yds.	88.0'		85 I	bs.	32.10'/	1
425 mm				965	mm	94	6 mm	740 mm		4.6 m	8.2 sq	m	38.5	ō kg	32.10'/	1	
СОМ	coi	-	1	2		3		4	5	6	7	8	9		10	11	
2287	238	7	2776	286	65	2910		2999	3087	3121	3199	3265	334	3	3443	3832	2



item5903LW

#### Low left - high right wedge module Fully upholstered

### All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heig	ght	Arm	Height		W		D		Н		Fabric	Leath	er	We	ight	С	ubes/Qty
16¾"		-			38"		371	4"	311/8"		4.7 yds.	87.0'		85	lbs.	32	2.10'/1
425 mm				965 n	nm	946	6 mm	740 mr	m	4.3 sqm	8.1 so	Im	38.	5 kg	.9	1 cu.	
СОМ	CO	L	1	2		3		4	5	6	7	8	9		10		11
2287	238	1	2747	28	31	2872	2	2956	3039	3071	3144	3207	3280	)	3374		3739

#### item 5903RW

#### Low right - high left wedge module Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Сι	ubes/Qty
16¾"		-			38"		36	5/8"	311/8"		4.7 yds.	87.0'		85 I	bs.	32	.10'/1
425 mm	25 mm -			965	mm	93	0 mm	740 mm		4.3 sqm	8.1 sq	n	38.5	ō kg	.9 <sup>.</sup>	1 cu.	
СОМ	со	_	1	2		3		4	5	6	7	8	9		10		11
2287	238	1	2747	283	31	2872		2956	3039	3071	3144	3207	328	0	3374		3739