Item Seating System Specification Guide

Standard Features



The Item modular seating system contains ten modules that were designed to create freeflowing design configurations. Item modules twist, rise and fall in their design creating a final assembly sculptured from both the plan and elevation views.

Modular heights range from 19⅛" to 31⅛ requiring modules with corresponding heights to be paired together.

All necessary ganging brackets are included and pre-installed. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

Fabric on corner module will be railroaded. If modules are used in a configuration with the corner module, specify fabric railroaded.

Item is SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Please visit Bernhardtdesign.com for a complete library of 2D, 3D and Revit models. You may als contact your local sales representative orthe Bernhardt Design Coprorate Office for specification assistance.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Item Seating System Product Overview

The Item product overview below shows examples of some of the different modules within the collection and their connecting heights. Item modules can only connect to another module of the same connecting height. Some modules feature a low and high connecting side which allows for more flexibility in creating modular configurations.


Low Lounge Modules - Connecting Height 29⅛"



Low and Tall Transition Modules - Connecting Heights 29⅛" and 31⅛"


Items low and tall transition modules change in height adds to the palette of creativity that exists within the sectional group. Low and tall modules must be paired with a module with a matching height.


The 31⅛" height will only pair to other 31⅛" height modules, as the 29⅛" height will only pair with corresponding 29⅛" height modules. Note: Shaded modules show the tall and transitional modules.





Item Seating System Sample Configurations

	Sku	Description
1	**5900L**	Left Arm Module
	5900R	Right Arm Module
2	**5900L**	Left Arm Module
	5901CL	Center Low Module
	5900R	Right Arm Module
3	**5900L**	Left Arm Module
	5902NW	Narrow Back Wedge (3)
	5900R	Right Arm Module
4	**5900L**	Left Arm Module
	5902WW	Wide Wedge Module (4)
	5900R	Right Arm Module






















When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.


Item Seating System Sample Configurations


	Sku	Description
5	**5900L**	Left Arm Module
	5901CL	Center Low Module
	5904R	Run-off Right Module






	Sku	Description
6	**5900L**	Left Arm Module
	5901CL	Center Low Module
	5905	Corner Module
	5901CL	Center Low Module
	5900R	Right Arm Module







	Sku	Description
7	**5900L**	Left Arm Module
	5902NW	Narrow Back Wedge (2)
	5904R	Run-off Right Module







	Sku	Description
8	**5900L**	Left Corner Module
	5903LW	Low Left Wedge Module
	5901CH	Center High Module
	5903RW	Low Right Wedge Module
	5902NW	Narrow Back Wedge Module (2)
	5904R	Run-Off Right Module







	Sku	Description
9	**5900L**	Left Corner Module
	5901CL	Center Low Module
	5903LW	Low Left Wedge Module
	5903RW	Low Right Wedge Module
	5900R	Right Corner Module






	Sku	Description
10	**5900L**	Left Corner Module
	5903LW	Low Left Wedge Module
	5901CH	Center High Module
	5903RW	Low Right Wedge Module
	5900R	Right Corner Module





When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

item 5900L



Left arm module
Fully upholstered

All necessary ganging brackets are included and pre-installed


Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	25⅜"	38"	42⅜"	29⅛"	5.8 yds.	101.0'	105 lbs.	32.10'/1
425 mm	645 mm	965 mm	1076 mm	740 mm	5.3 m	9.4 sqm	47.6 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3418	3534	3998	4114	4179	4269	4372	4424	4514	4591	4682	4810	5262

item 5900R



Right arm module
Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	25⅜"	38"	42⅜"	29⅛"	5.8 yds.	101.0'	105 lbs.	32.10'/1
425 mm	645 mm	965 mm	1076 mm	740 mm	5.3 m	9.4 sqm	47.6 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3418	3534	3998	4114	4179	4269	4372	4424	4514	4591	4682	4810	5262

item 5901CL



Center low module
Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	29½"	37¼"	29⅛"	4.8 yds.	87.0'	85 lbs.	32.10'/1
425 mm	-	750 mm	946 mm	740 mm	4.4 m	8.1 sqm	38.5 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2356	2452	2836	2932	2986	3060	3146	3188	3263	3327	3402	3508	3882

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

item 5902WW



Wide back wedge module
Fully upholstered

All necessary ganging brackets are included and pre-installed


Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	38"	36⅝"	29⅛"	4.8 yds.	87.0'	85 lbs.	32.10'/1
425 mm	-	965 mm	930 mm	740 mm	4.4 m	8.1 sqm	38.5 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2356	2452	2836	2932	2986	3060	3146	3188	3263	3327	3402	3508	3882

item 5902NW



Narrow back wedge module
Fully upholstered

All necessary ganging brackets are included and pre-installed


Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	37¼"	35¾"	29⅛"	4.5 yds.	87.0'	75 lbs.	32.10'/1
425 mm	-	946 mm	908 mm	740 mm	4.2 m	8.1 sqm	38.5 kg	32.10'/1

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2356	2446	2806	2896	2946	3016	3096	3136	3206	3266	3336	3436	3786

item 5904L



Run-off left module
Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	64¼"	36⅛"	29⅛"	7.5 yds.	116.0'	121 lbs.	68.33'/1
425 mm	-	1632 mm	918 mm	740 mm	6.9 m	10.8 sqm	54.9 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3418	3568	4168	4318	4402	4518	4652	4718	4835	4935	5052	5218	5802

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

item 5904R



Run-off right module
Fully upholstered

All necessary ganging brackets are included and pre-installed


Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	64¼"	36⅛"	29⅛"	7.5 yds.	116.0'	121 lbs.	68.33'/1
425 mm	-	1632 mm	918 mm	740 mm	6.9 m	10.8 sqm	54.9 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3418	3568	4168	4318	4402	4518	4652	4718	4835	4935	5052	5218	5802

item 5905



Corner module
Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	47¼"	47¼"	29⅛"	7.5 yds.	120.0'	195 lbs.	100.22'/1
425 mm	-	1200 mm	1200 mm	740 mm	6.9 m	11.1 sqm	88.0 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3418	3568	4168	4318	4402	4518	4652	4718	4835	4935	5052	5218	5802

item 5901CH



Center high module
Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	38"	37¼"	31⅛"	5.0 yds.	88.0'	85 lbs.	32.10'/1
425 mm	-	965 mm	946 mm	740 mm	4.6 m	8.2 sqm	38.5 kg	32.10'/1

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2356	2456	2856	2956	3012	3090	3179	3223	3301	3368	3445	3556	3945

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

item5903LW



Low left - high right wedge module
Fully upholstered

All necessary ganging brackets are included and pre-installed


Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	38"	37¼"	31⅛"	4.7 yds.	87.0'	85 lbs.	32.10'/1
425 mm	-	965 mm	946 mm	740 mm	4.3 sqm	8.1 sqm	38.5 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2356	2450	2826	2920	2973	3046	3129	3171	3244	3307	3380	3484	3850

item 5903RW



Low right - high left wedge module
Fully upholstered

All necessary ganging brackets are included and pre-installed

Specify fabric railroaded when used with item 5905 corner module.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	-	38"	36⅝"	31⅛"	4.7 yds.	87.0'	85 lbs.	32.10'/1
425 mm	-	965 mm	930 mm	740 mm	4.3 sqm	8.1 sqm	38.5 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2356	2450	2826	2920	2973	3046	3129	3171	3244	3307	3380	3484	3850

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.