cp.1 6501/6501B



Loop stitch cording
Upholstered

6501 Polished stainless steel base
6501B Brushed stainless steel base

A loop stitch cording traces the perimeter of the chair. Contrasting thread options are available. For thread color options reference CP.1/ Stitching on bernhardtdesign.com.

All Bernhardt Textiles leathers are suitable for application on this product. Firm, non-flexible leathers are not recommended. Available in leather, coated fabrics, suede, or felt only.

SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16⅜"	-	27"	33¼"	28½"	3.7 yds.	50.0'	45 lbs.	21.82'/1
416 mm	-	686 mm	845 mm	724 mm	3.4 m	4.6 sqm	20.4 kg	.62 cu.

COM	COL	1	2	6	7
3917	3991	4287	4361	4559	4616

cp.1 6501K



Matte black powder coat base
Loop stitch cording
Upholstered

A loop stitch cording traces the perimeter of the chair. Contrasting thread options are available. For thread color options reference CP.1/ Stitching on bernhardtdesign.com.

All Bernhardt Textiles leathers are suitable for application on this product. Firm, non-flexible leathers are not recommended. Available in leather, coated fabrics, suede or felt only.

SCS Indoor Advantage™ Gold and LEVEL® 1 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16⅜"		27"	33¼"	28½"	3.7 yds.	50.0'	45 lbs.	21.82'/1
416 mm		686 mm	845 mm	724 mm	3.4 m	4.6 sqm	20.4 kg	.62 cu.

COM	COL	1	2	6	7
4268	4342	4638	4712	4910	4967

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cp.1 6503/6503B



Ottoman
Loop stitch cording
Quilted seat

6503 Polished stainless steel base
6503B Brushed stainless steel base

Base dimensions: 23⅛"w x 18¾"d x 13½"h

A loop stitch cording traces the perimeter of the ottoman. Contrasting thread options are available. For thread color options reference CP.1/Stitching on Bernhardtdesign.com.

Available in leather, coated fabrics, suede or felt only. Firm, non-flexible leathers not recommended.

SCS Indoor Advantage™ Gold and LEVEL® 2 Certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15⅞"	-	26¾"	22"	15⅞"	2.2 yds.	27.0'	31 lbs.	11.46'/1
391 mm	-	680 mm	559 mm	403 mm	2.0 m	2.5 sqm	14.1 kg	.32 cu.

COM	COL	1	2	4	6	7
2190	2234	2410	2454	2513	2572	2606

cp.1 6503K



Ottoman
Matte black powder coat base
Loop stitch cording
Quilted seat

Base dimensions: 23⅛"w x 18¾"d x 13½"h

A loop stitch cording traces the perimeter of the ottoman. Contrasting thread options are available. For thread color options reference CP.1/Stitching on bernhardtdesign.com.

Available in leather, leather alternatives, suede or felt only. Firm, non-flexible leathers not recommended.


SCS Indoor Advantage™ Gold and LEVEL® 2 Certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15⅞”	-	26¾”	22”	15⅞”	2.2 yds.	27.0’	31 lbs.	11.46’/1
391 mm	-	680 mm	559 mm	403 mm	2.0 m	2.5 sqm	15.2 kg	.32 cu.

COM	COL	1	2	4	6	7
2362	2406	2582	2626	2685	2744	2778

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cp.1 6505/6505B



Two-seat bench
Loop stitch cording
Quilted seat
6505 Polished stainless steel base
6505B Brushed stainless steel base

Base dimensions: 50¼"w x 18½"d x 13⅞"h

A loop stitch cording traces the perimeter of the bench. Contrasting thread options are available. For thread color options reference CP.1/Stitching on bernhardtdesign.com.


Available in leather, leather alternatives, suede or felt only. Firm, non-flexible leathers not recommended.

SCS Indoor Advantage™ Gold and LEVEL® 2 Certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16⅜"	-	56½"	26½"	16⅜"	3.6 yds	49.0'	60 lbs	17.11'/1
416 mm	-	1435 mm	673 mm	416 mm	3.3 m	4.6 sqm	27.3 kg	.48 cu

COM	COL	1	2	4	6	7
4032	4104	4392	4464	4560	4656	4712

cp.1 6505K



Two-seat bench
Matte black powder coat base
Loop stitch cording
Quilted seat

Base dimensions: 50¼"w x 18½"d x 13⅞"h

A loop stitch cording traces the perimeter of the bench. Contrasting thread options are available. For thread color options reference CP.1/Stitching on bernhardtdesign.com.

Available in leather, leather alternatives, suede or felt only. Firm, non-flexible leathers not recommended.

SCS Indoor Advantage™ Gold and LEVEL® 2 Certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16⅜”	-	56½”	26½”	16⅜”	3.6 yds	49.0’	60 lbs	17.11’/1
416 mm	-	1435 mm	673 mm	416 mm	3.3 m	4.6 sqm	27.3 kg	.48 cu

COM	COL	1	2	4	6	7
4384	4456	4744	4816	4912	5008	5064

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.