BERNHARDT design

cp.4 credenzas price list

november 2023

cp.4

BERNHARDT design

index	2
veneer selections	3-4
design selections + powder coat selections	5
collection overview	6
72" credenzas	7
84" credenzas	8
90" credenzas	9
96" credenzas	10-11
108" credenzas	12-13
120" credenzas	14
tops - glass	15
trash/recycling bin	16
accessories	17
terms and conditions	18-20
guaranteed freight	21
guaranteed freight - canada	22

SCS Indoor Advantage TM Gold and LEVEL $^{\circledcirc}$ 1 certified. See terms and conditions for additional environmental information.

Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

ASH Ash

Rift Cut



Standard Finish

870 871 839 837 860 861 865 836 866

805 **ASH** Select Finishes

845

M73 M72 M75 M76 M77 M74

M71

MPL Maple

Flat Cut



Standard Finish

871 860 861 837 836 823 865 805 866 839 872 845

870

OAK Oak

Rift Cut



Standard Finish

871 870 839 837 860 861 865 836 866 845 872 805

OAK Select Finishes

M72 M75 M73 M74 M76 M77 M71

PLD Paldao

Quarter Cut



Standard Finish

871 860 823 872 861 866 870 839

WLT Walnut

Flat Cut



Standard Finish

872 861 823 870

860 866 839

ASH Ash



871


























ASH Select Finishes









845







Veneer Selections

MPL Maple





OAK Select Finishes



PLD Paldao



WLT Walnut





Design Selections

Veneer Selections



FL 3/4" Flat Edge

Glass Selections - Tops

PF Polished Flat Edge

GPW Back-Painted White Glass - 1/2" thick

Etched Back-Painted White Glass - 1/2" thick

Etched Back-Painted Black Glass - 3/8" thick

Finishes


A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code.

Standard Finish



SS Polished Stainless Steel

Base Selections



Cp.4 bases are available in polished stainless steel and a variety of powder coat finishes.

Pull/Hardware Selections



TB Black Tab

TC Chrome Tab

TW Satin White Powder Coat Tab

TG Graphite Powder Coat Tab

TZ Bronze Powder Coat Tab

TI Iron Grey Powder Coat Tab

TR Black Red Powder Coat Tab

Powder Coat Finishes - Upcharges apply.













WH Satin White

GR Graphite

BZ Bronze

IG Iron Grey

RD Black Red

BK Matte Black

Optional Powder Coat Colors - RAL


- Lead Time Three weeks additional lead-time after color approval
- Net Up-charge \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity None
- · Approval Sample Cost None
- Combining Products One up-charge is applicable for multiple products on a single purchase order when they are in the same color


Custom Powder Coat Colors

- · Lead Time Eight weeks additional lead-time after color approval
- Net Upcharge \$3000 for solid custom colors
- Net Upcharge To be quoted upon request for metallic custom colors
- Minimum Order Quantity None
- Approval Sample Cost None
- Combining Products One up-charge is applicable for multiple products on a single purchase order when they are in the same color


Note: Metal finish colors may vary between separately ordered skus

Cp.4 Credenzas






Front View





Section View



Side View

Front View

Trash/Recycling Bin

Slideout, dual compartment trash/recycling bin

Bin ships assembled

Includes: (1) open-top 30 liter bin and (1) open-top 19 liter bin

Overall size: 16%"w x 181/4"d x 17%"h, Gray LLDPE

1" square adhesive backed trash and recycled icons included 👶 👣

for optional on-site installation.



AV Equipment Rack

Rack max weight capacity: 200 lbs.

Removable AV rack.


9 usable rack spaces Usable Depth: 16" Usable Width: 181/2"



Glass Detail

Bernhardt Design offers a glass tops for placement on top of any Cp.4 credenza. A 1/2" thick glass top is offered in back-painted white and etched back-painted white. A 3/8" thick glass top is offered in etched back-painted black glass.

When installing, position the glass top 1/2" from the front and sides, keeping it flush with the back of the credenza.







all storage units come with 1 adjustable shelf.

av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

						ASH ash MPL maple OAK oak	
	description	sku	W	d	h	WLT walnut	PLD palda
	storage unit	CCN	72	20	291/2	\$ 9012	\$ 10454
	(1) 24"w storage unit, trash/recycling compatible(1) 24"w two-drawer unit, standard and deep storage(1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CCT	72	20	291/2	9470	10986
	(1) 24"w av unit with vent panel(1) 24"w two-drawer unit, standard and deep storage(1) 24"w av unit with vent panelselect av options below						
	storage unit	CDN	72	20	291/2	9124	10584
	 (1) 24"w storage unit, trash/recycling compatible (1) 24"w open shelf over standard storage drawers (1) 24"w storage unit, trash/recycling compatible no av option available 						
	storage unit	CEN	72	20	291/2	9012	10454
	(1) 24"w storage unit, trash/recycling compatible(1) 24"w open shelf over deep storage drawer(1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CET	72	20	291/2	9470	10986
	(1) 24"w av unit with vent panel(1) 24"w open shelf over deep storage drawer(1) 24"w av unit with vent panel select av options below						
pecification codes exam	ple: C4S-SKU-TBVB		material/fir	nish code e	example:	BK MPL 80	5

specification	1 codes example: C4	2-2KU-1BAR		materiai/finish code example:	BK MPL 805
series	sku	pull finish	av options	base finish	material finish
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TI bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	VB vents FL fan left upcharge \$385 FR fan right pcharge \$385 FB fan both upcharge \$770 00 none	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash see pages 3-4 MPL maple OAK oak WLT walnut PLD paldao
C 4 S	- -				



all storage units come with 1 adjustable shelf.

av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

						ASH ash MPL maple	
	description	sku	w	d	h	OAK oak WLT walnut	PLD paldao
	storage unit	CAL	84	20	291/2	\$ 9200	\$ 10672
	(1) 24"w storage unit, trash/recycling compatible(1) 36"w storage unit(1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CAU	84	20	291/2	9658	11204
	(1) 24"w av unit with vent panel(1) 36"w storage unit(1) 24"w av unit with vent panelselect av options below						
	storage unit	CCL	84	20	291/2	9200	10672
	(1) 24"w storage unit, trash/recycling compatible(1) 36"w two-drawer unit, standard and deep storage(1) 24"w storage unit, trash/recycling compatibleno av option available						
	storage unit	CEL	84	20	291/2	9200	10672
	(1) 24"w storage unit, trash/recycling compatible(1) 36"w open shelf over deep storage drawer(1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CEU	84	20	291/2	9658	11204
	(1) 24"w av unit with vent panel(1) 36"w open shelf over deep storage drawer(1) 24"w av unit with vent panelselect av options below						
specification codes example:	C4S-SKU-TBVB		material/fin		example:	BK MPL 80	5

specification code	s example: C4S-S	KU-TBVB		material/finish code example:	BK MPL 8	05
series	sku	pull finish	av options	base finish	material	finish
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TZ bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	FL fan left upcharge \$385 FR fan right upcharge \$385 FB fan both upcharge \$770 00 none	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut PLD paldao	see pages 3-4



all storage units come with 1 adjustable shelf.

av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

					ASH ash MPL maple OAK oak	
 description	sku	W	d	h	WLT walnut	PLD paldao
storage unit	CAK	90	20	291/2	\$ 9386	\$ 10888
(1) 24"w storage unit, trash/recycling compatible(2) 21"w storage units(1) 24"w storage unit, trash/recycling compatible						
storage unit with av compatibility	CAV	90	20	291/2	9844	11420
(1) 24"w av unit with vent panel(2) 21"w storage units(1) 24"w av unit with vent panel select av options below						
storage unit	СНК	90	20	291/2	9688	11239
(1) 24"w two-drawer unit, standard and deep storage(2) 21"w storage units(1) 24"w two-drawer unit, standard and deep storage no av option available						

specification code	s example: C4S-S	KU-TBVB		material/finish code example:	BK MPL 8	05
series	sku	pull finish	av options	base finish	material	finish
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TZ bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	FL fan left upcharge \$385 FR fan right upcharge \$385 FB fan both upcharge \$770 00 none	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut PLD paldao	see pages 3-4



all storage units come with 1 adjustable shelf. av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

						ASH ash MPL maple OAK oak	
	description	sku	w	d	h	WLT walnut	PLD paldao
	storage unit	CAJ	96	20	291/2	\$ 10439	\$ 12110
	(4) 24"w storage units, trash/recycling compatible						
	storage unit with av compatibility	CAW	96	20	291/2	10897	12641
	(4) 24"w av units with vent panel select av options below						
	storage unit	CCJ	96	20	291/2	10439	12110
	 (1) 24"w storage unit, trash/recycling compatible (2) 24"w two-drawer units, standard and deep storage (1) 24"w storage unit, trash/recycling compatible no av option available 						
	storage unit	CEJ	96	20	291/2	10439	12110
	(1) 24"w storage unit, trash/recycling compatible(2) 24"w open shelves over deep storage drawer(1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CEW	96	20	291/2	10897	12641
	(1) 24"w av unit with vent panel(2) 24"w open shelves over deep storage drawers(1) 24"w av unit with vent panelselect av options below						
specification codes example:			material/fir			BK MPL 80	

specification co	les example: C4S-S	SKU-TBVB		material/finish code example:	BK MPL 805
series	sku pull finish		av options	base finish	material finish
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TI bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	VB vents FL fan left upcharge \$385 FR fan right upcharge \$385 FB fan both upcharge \$770 00 none	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash see pages 3-4 MPL maple OAK oak WLT walnut PLD paldao
C 4 S -	-				





all storage units come with 1 adjustable shelf.

av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

description	sku	w	d	h	ASH ash MPL maple OAK oak WLT walnut	PLD paldad
storage unit	CHJ	96	20	291/2	\$ 10626	\$ 12327
(1) 24"w two-drawer unit, standard and deep storage(2) 24"w storage units(1) 24"w two-drawer unit, standard and deep storage no av option available						

specification codes example: C4S-SKU-TBVB			material/finish code example:	BK MPL 805		
series	sku	pull finish	av options	base finish	material finish	
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TZ bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	VB vents FL fan left upcharge \$385 FR fan right on none upcharge \$385 upcharge \$385 upcharge \$770	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut PLD paldao	4





all storage units come with 1 adjustable shelf.

av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

						ASH ash MPL maple OAK oak	
	description	sku	w	d	h	WLT walnut	PLD paldao
	storage unit	CAH	108	20	291/2	\$ 10926	\$ 12675
	(1) 24"w storage unit, trash/recycling compatible (2) 30"w storage units (1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CAX	108	20	291/2	11383	13205
	(1) 24"w av unit with vent panel(2) 30"w storage units(1) 24"w av unit with vent panel select av options below						
	storage unit	ССН	108	20	291/2	10926	12675
	(1) 24"w storage unit (2) 30"w two-drawer units, standard and deep storage (1) 24"w storage unit no av option available	ge					
	storage unit	СЕН	108	20	291/2	10926	12675
	(1) 24"w storage unit, trash/recycling compatible (2) 30"w open shelves over deep storage drawers (1) 24"w storage unit, trash/recycling compatible						
U	storage unit with av compatibility	CEX	108	20	291/2	11383	13205
	(1) 24"w av unit with vent panel(2) 30"w open shelves over deep storage drawers(1) 24"w av unit with vent panelselect av options below						
specification codes ex	ample: C4S-SKU-TBVB		material/fin	ish code e	example:	BK MPL 80	95
series sk	·		base fini			material	finish
cp.4	TW satin white powder coat tab FR fan right upcha	rge \$385 rge \$385 rge \$770	powder WH sati		arge \$350 wder coat	ASH ash MPL maple OAK oak WLT walnut	see pages 3-4

TZ bronze powder coat tab TI iron grey powder coat tab

TR black red powder coat tab

TB matte black powder coat

GR graphite powder coat BZ bronze powder coat

IG iron grey powder coat

RD black red powder coat **BK** matte black powder coat PLD paldao

C 4 S -





all storage units come with 1 adjustable shelf. av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

					ASH ash MPL maple OAK oak	
 description	sku	w	d	h	WLT walnut	PLD paldao
storage unit	CCX	108	20	291/2	\$ 12058	\$ 13988
 (1) 24"w storage unit, trash/recycling compatible (2) 30"w two-drawer units, standard and deep storage (1) 24"w storage unit, trash/recycling compatible select av options below 						

specification	codes example: (C4S-SKU-TBVB		material/finish code example:	BK MPL 80)5
series	sku	pull finish	av options	base finish	material	finish
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TZ bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	FL fan left upcharge \$385 FR fan right upcharge \$385 FB fan both upcharge \$770 00 none	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut PLD paldao	see pages 3-4
C 4 S	_	<u>-</u>				



all storage units come with 1 adjustable shelf.

av units come with vent panel. av equipment rack and accessories are specified separately. trash/recycling units are specified separately, install only within 24" storage doors.

	description	sku	w	d	h	ASH ash MPL maple OAK oak WLT walnut	PLD paldao
	storage unit	CAF	120	20	291/2	\$ 11639	\$ 13502
	(1) 24"w storage unit, trash/recycling compatible (2) 36"w storage units (1) 24"w storage unit, trash/recycling compatible						
ı	storage unit with av compatibility	CAY	120	20	291/2	12097	14033
	(1) 24"w av unit with vent panel(2) 36"w storage units(1) 24"w av unit with vent panelselect av options below						
	> storage unit	CEF	120	20	291/2	11639	13502
	(1) 24"w storage unit, trash/recycling compatible (2) 36"w open shelves over deep storage drawers (1) 24"w storage unit, trash/recycling compatible						
	storage unit with av compatibility	CEY	120	20	291/2	12097	14033
	(1) 24"w av unit with vent panel(2) 36"w open shelves over deep storage drawers(1) 24"w av unit with vent panelselect av options below						
	> storage unit	CHF	120	20	291/2	11843	13738
	(1) 24"w two-drawer unit, standard and deep storage (2) 36"w storage units (1) 24"w two-drawer unit, standard and deep storage no av option available						
specification codes example:	C4S-SKU-TBVB		material/fin	ish code e	example:	BK MPL 80	05
series sku	pull finish av options		base fini		•	material	finish

series	sku	pull finish	av options	base finish	material	finish
cp.4		TC chrome tab select same finish as base finish TW satin white powder coat tab TG graphite powder coat tab TZ bronze powder coat tab TI iron grey powder coat tab TR black red powder coat tab TB matte black powder coat	VB vents FL fan left upcharge \$385 FR fan right upcharge \$385 FB fan both upcharge \$770 00 none	PS polished stainless steel powder coat upcharge \$350 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut PLD paldao	see pages 3-4
C 4 S	<u> -</u>					



11/23

tops - glass

position the glass top 1/2" from front and sides keeping it flush with the back of the credenza glass will rest on the surface of the credenza wood top

	description	sku	w	d	specifiucations	GPW back-painted white glass	l	GEB etched back-painted black glass
	glass top	GLN GLL	71 83	19½ 19½	use with 72" credenza	\$ 2325 2691	\$ 2855 3322	\$ 3713 4306
	½" glass top - specify code GPW or GEW	GLK	89	191/2	use with 90" credenza	2871	3547	4605
	3/8" glass top - specify code GEB	GLJ	95	191/2	use with 96" credenza	3052	3772	4906
		GLH	107	191/2	use with 108" credenza	3419	4222	5498
		GLF	119	191/2	use with 120" credenza	3787	4690	6098

specification	n codes example: C4S-SKU	material/finish code example:	PF GPW
series	sku	edge	material
cp.4		PF polished flat	GPW back-painted white glass GEW etched back-painted white glass GEB etched back-painted black glass
C 4 S			



trash/recycling bin

trash/recycling bin	T30	16%	181⁄4	17%	\$ 1205	
description	sku	w	d	h	price	



Slideout, dual compartment trash/recycling bin Rack ships assembled

Includes: (1) open-top 30 liter bin and (1) open-top 19 liter bin Gray LLDPE

1" square adhesive backed trash and recycled icons included for optional on-site installation.



specification codes example: ACS-SKU series sku

	description	sku	W	d	h	specifications	pric
	av equipment rack	VCU	191⁄4	16	16%	use with standard height credenzas	\$ 1208
	use with av credenzas install within inside door units rack max weight capacity: 200 matte black powder coat field assembled and installed specify separately the ACS-VS	0 lb.	191/4	16	223/4	use with serving height credenzas	1810
	av shelf	VSJ	19	153/8	31/2	use with standard and serving height credenzas	31
	mounts to rack rails slots for securing components hardware included usable depth: 15½" usable width: 18½" matte black powder coat specify separately the ACS-VC	·					
	vent panel	VP1	19	2	51/4		215
	matte black powder coat perfincluded with av units replacement use only	orated steel	, 64% o	oen			
	fan	FN2	19	2	51/4		447
	OFAN fan output: 50 CFM 115V, <30dBA matte black powder coat 50" 15A grounded cord					when plugged in. rchase the fan thermostatic switch controller FTS .	
	fan thermostatic switch controller	FTS Note:	4 Recomn	25/8 nende	8½ d use wi	ith FN2 fan unit to regulate temperature.	916
	(4) outlet for controller thermostatic probe 9' 15A grounded cord					- ·	
<u> </u>	wire clip kit	WMP	15/8	7/8	11/2		117
	(5) 1/2" cable clamps						



Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchant ability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 − Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

BERNHARDT design

Bernhardt Design is a registered trademark of Bernhardt Furniture Company of Lenoir, NC.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- •Minimum of half truckload
- •Delivery site accessible by a 53' trailer
- •Complete delivery site address with contact name and on-site phone number
- ·Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	6%	\$150
Zone 5	7%	\$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- •Minimum of half truckload
- •Delivery site accessible by a 53' trailer
- •Complete delivery site address with contact name and on-site phone number
- ·Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

