Mirador Seating System Specification Guide

Standard Features



Mirador is a modular seating product comprised of 63 unique modules, which may be used interchangeably to create an unlimited number of configurations. To select the modules that are appropriate for your application use the Four Step Selection Process shown on the next page.

Mirador is fully upholstered with a polished cast aluminum frame with levelers and non-marring glides.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.

See terms and conditions for instructions on tagging COM. Specify fabric railroaded when used with Item 5905 corner module.

All necessary ganging brackets are included and pre-installed.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Please visit Bernhardtdesign.com for a complete library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.

Mirador Seating System Specification Guide

Four Step Selection Process


To specify Mirador configurations follow our Four Step Selection process.


The process includes;
1. Front Selection
2. Arm Selection
3. End Selection
4. Connecting Module Selection

Step 1 - Front Selection


Two and Three-seat modules offer two different front styles.


A - Flared Front





B - Non-Flared Front







Step 2 - Arm Selection


Two and Three-seat modules are available with and without arms.


A - Arm Module





B - Armless Module






When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.


Mirador Seating System Specification Guide

Step 3 - End Selection


Two and Three-seat modules are available with three unique ends: straight end, open angle end and closed angle end.. The selection of an end is used to achieve different angles

A - Straight Ends are specified for creating a configuration in a straight line 180º.







B - Open Angle Ends are specified for opening up a configuration and achieving an angle which is greater than 180º.




Open Angle modules are wider in the front and narrower at the back.




C - Closed Angle Ends are specified for closing up a configuration and achieving an angle which is less than 180º.




Closed Angle modules are narrower in the front and wider at the back.




Modules with different end conditions may be connected to achieve the appropriate angle.




Straight / Straight




Straight / Open




Straight / Closed




Closed / Straight / Open



Straight / Closed / Open



Closed / Closed / Straight




Open / Open / Straight

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.


Mirador Seating System Specification Guide

Step 4 - Connecting Module Selection

A - Specify these connecting modules to achieve a desired length. - Or - For a desired length, specify these connecting modules.



B - Specify these connection modules to achieve a desired angle. - or - For a desired angle, specifiy these connecting modules.



Connecting module overview: There are twelve unique connecting modules available to alter both the length and the angle of a configuration.

Straight Connecting Modules



Open Angle Connecting Modules



Closed Angle Connecting Modules





When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Mirador Seating System Sample Configurations

Sku	Description


1






Sku	Description
8028AL	Two-seat Module Left Armless. Straight End
8029AR	Two-seat Module Right Armless Straight End


2






Sku	Description
8010AL	Three-seat Module Left Arm Facing. Straight End
8011AR	Three-seat Module. Right Arm Facing. Straight End


3






Sku	Description
8012CL	Two-seat Module. Left Arm Facing. Closed Angle End
8021CR	Three-seat Armless Module. Closed Angle End.


4






Sku	Description
8026BL	Three-seat Left Armless. Open Angle End
8033A	Inside Quarter Round
8027BR	Three-seat Armless. Open Angle End.

5






Sku	Description
8016BL	Left Arm
8031B	Connecting Module
8017BR	Right Arm


When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Mirador Seating System Sample Configurations

Sku	Description


6






8010CL	Left Arm
8033A	Inside Quarter Round
8023CR	Right Armless


7






8016AL	Left Arm
8035A	Corner
8017AR	Right Arm


8





8034A	Outside Quarter Round (4)
8031A	Connecting Module (2)

9




8011AR	Right Arm
8033A	Inside Quarter Round (2)
8032A	Connecting One-Seat (2)
8031A	Connecting Two-Seat
8030A	Connecting Three-Seat
8034A	Outside Quarter Round (2)
8012AL	Left Arm


When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Mirador Seating System Product Overview


Flared Front Sofa and Settee



Non-Flared Front Sofa and Settee



Connecting Module




When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front sofa - arm



mirador 8010AL



Three-seat module
Left arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼ -34¼"	29"	11.25 yds.	160.0'	221 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794-870 mm	737 mm	10.3 m	14.9 sqm	100.5 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7016	7916	8141	8266	8441	8641	8741	8916	9066	9241	9491	10366

mirador 8010BL



Three-seat module
Left arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	103"	31¼ -34¼"	29"	11.25 yds.	160.0'	221 lbs.	97.97'/1
419 mm	546-737 mm	2616 mm	794-870 mm	737 mm	10.3 m	14.9 sqm	100.5 kg	2.78 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7016	7916	8141	8266	8441	8641	8741	8916	9066	9241	9491	10366

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front sofa - arm



mirador 8010CL



Three-seat module
Left arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼ -34¼"	29"	11.25 yds.	160.0'	224 lbs.	97.97'/1
419 mm	546-737 mm	2438 mm	794-870 mm	737 mm	10.3 m	14.9 sqm	101.8 kg	97.97'/1

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7016	7916	8141	8266	8441	8641	8741	8916	9066	9241	9491	10366

mirador 8011AR



Three-seat module
Right arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½-29"	96"	31¼ -34¼"	29"	11.25 yds.	160.0'	221 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794-870 mm	737 mm	10.3 m	14.9 sqm	100.5 kg	2.88 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7016	7916	8141	8266	8441	8641	8741	8916	9066	9241	9491	10366

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front sofa - arm



mirador 8011BR



Three-seat module
Right arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	103"	31¼ -34¼"	29"	11.25 yds.	160.0'	224 lbs.	97.97'/1
419 mm	546-737 mm	2616 mm	794-870 mm	737 mm	10.3 m	14.9 sqm	101.8 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7016	7916	8141	8266	8441	8641	8741	8916	9066	9241	9491	10366

mirador 8011CR



Three-seat module
Right arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼ -34¼"	29"	11.25 yds.	160.0'	221 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794-870 mm	737 mm	10.3 m	14.9 sqm	100.5 kg	2.88 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7016	7916	8141	8266	8441	8641	8741	8916	9066	9241	9491	10366

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front settee - arm



mirador 8012AL



Two-seat module
Left arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼" -34¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794-870 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

mirador 8012BL



Two-seat module
Left arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	73"	31¼ -34¼"	29"	8.5 yds.	144.0'	155 lbs.	80.67'/1
419 mm	21½ -29"	1854 mm	794-870 mm	737 mm	7.8 m	13.4 sqm	70.5 kg	2.28 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138


When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front settee - arm



mirador 8012CL





Two-seat module
Left arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼ -34¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794-870 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

mirador 8013AR





Two-seat module
Right arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼ -34¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794-870 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138


When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front settee - arm



mirador 8013BR





Two-seat module
Right arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	73"	31¼ -34¼"	29"	8.5 yds.	144.0'	155 lbs.	80.67'/1
419 mm	546-737 mm	1854 mm	794-870 mm	737 mm	7.8 m	13.4 sqm	70.5 kg	2.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

mirador 8013CR





Two-seat module
Right arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼ -34¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794-870 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front sofa - armless



mirador 8020AL



Three-seat armless module
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼ -34¼"	29"	10.25 yds.	150.0'	200 lbs.	101.65'/1
419 mm	-	2438 mm	794-870 mm	737 mm	9.4 m	14.0 sqm	90.9 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

mirador 8020BL



Three-seat armless module
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	103"	31¼ -34¼"	29"	10.25 yds.	150.0'	205 lbs.	97.97'/1
419 mm	-	2616 mm	794-870 mm	737 mm	9.4 m	14.0 sqm	93.2 kg	2.77 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front sofa - armless



mirador 8020CL



Three-seat armless module
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼ -34¼"	29"	10.25 yds.	150.0'	200 lbs.	101.65'/1
419 mm	-	2438 mm	794-870 mm	737 mm	9.4 m	14.0 sqm	90.9 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

mirador 8021AR



Three-seat armless module
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼ -34¼"	29"	10.25 yds.	150.0'	200 lbs.	101.65'/1
419 mm	-	2438 mm	794-870 mm	737 mm	9.4 m	14.0 sqm	90.9 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.



mirador 8021BR



Three-seat armless module
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 q. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	103"	31¼ -34¼"	29"	10.25 yds.	150.0'	205 lbs.	97.97'/1
419 mm	-	2616 mm	794-870 mm	737 mm	9.4 m	14.0 sqm	93.2 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

mirador 8021CR



Three-seat armless module
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼ -34¼"	29"	10.25 yds.	150.0'	200 lbs.	101.65'/1
419 mm	-	2438 mm	794-870 mm	737 mm	9.4 m	14.0 sqm	90.9 kg	2.87 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front settee - armless



mirador 8022AL



Two-seat armless module
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼ -34¼"	29"	7.5 yds.	100.0'	142 lbs.	68.33'/1
419 mm	-	1676 mm	794-870 mm	737 mm	6.9 m	9.3 sqm	64.5 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

mirador 8022BL



Two-seat armless module
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73"	31¼ -34¼"	29"	7.5 yds.	100.0'	147 lbs.	80.67'/1
419 mm	-	1854 mm	794-870 mm	737 mm	6.9 m	9.3 sqm	66.8 kg	2.28cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front settee - armless



mirador 8022CL



Two-seat armless module
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼ -34¼"	29"	7.5 yds.	100.0'	142 lbs.	68.33'/1
419 mm	-	1676 mm	794-870 mm	727 mm	6.9 m	9.3 sqm	64.5 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

mirador 8023AR



Two-seat armless module
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼ -34¼"	29"	7.5 yds.	100.0'	142 lbs.	68.33'/1
419 mm	-	1676 mm	794-870 mm	737 mm	6.9 m	9.3 sqm	64.5 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

flared front settee - armless



mirador 8023BR



Two-seat armless module
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73"	31¼ -34¼"	29"	7.5 yds.	100.0'	147 lbs.	80.67'/1
419 mm	-	1854 mm	794-870 mm	737 mm	6.9 m	9.3 sqm	66.8 kg	2.28cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

mirador 8023CR



Two-seat armless module
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼ -34¼"	29"	7.5 yds.	100.0'	142 lbs.	68.33'/1
419 mm	-	1676 mm	794-870 mm	737 mm	6.9 m	9.3 sqm	64.5 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front sofa - arm



mirador 8016 BL



Three-seat module
Left arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	103"	31¼"	29"	11.2 yds.	168.0'	225 lbs.	97.97'/1
419 mm	546-737 mm	2616 mm	794 mm	737 mm	10.3 m	15.6 sqm	102.3 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7011	7891	8111	8234	8405	8600	8698	8869	9016	9187	9431	10287

mirador 8016AL



Three-seat module
Left arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼"	29"	11.2 yds.	168.0'	220 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794 mm	737 mm	10.3 m	15.6 sqm	100.0 kg	2.87 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7011	7891	8111	8234	8405	8600	8698	8869	9016	9187	9431	10287

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front sofa - arm



mirador 8016CL



Three-seat module
Left arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼"	29"	11.2 yds.	168.0'	220 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794 mm	737 mm	10.3 m	15.6 sqm	100.0 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7011	7891	8111	8234	8405	8600	8698	8869	9016	9187	9431	10287

mirador 8017AR



Three-seat module
Right arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼"	29"	11.2 yds.	168.0'	220 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794 mm	737 mm	10.3 m	15.6 sqm	100.0 kg	2.87 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7011	7891	8111	8234	8405	8600	8698	8869	9016	9187	9431	10287

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front sofa - arm



mirador 8017BR



Three-seat module
Right arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	103"	31¼"	29"	11.2 yds.	168.0'	225 lbs.	97.97'/1
419 mm	546-737 mm	2616 mm	794 mm	737 mm	10.3 m	15.6 sqm	102.3 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7011	7891	8111	8234	8405	8600	8698	8869	9016	9187	9431	10287

mirador 8017CR



Three-seat module
Right arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 5.75 yds. leather: 95.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	96"	31¼"	29"	11.2 yds.	168.0'	220 lbs.	101.65'/1
419 mm	546-737 mm	2438 mm	794 mm	737 mm	10.3 m	15.6 sqm	100.0 kg	2.87 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6791	7011	7891	8111	8234	8405	8600	8698	8869	9016	9187	9431	10287

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front settee - arm



mirador 8018AL



Two-seat module
Left arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

mirador 8018BL



Two-seat module
Left arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	73"	31¼"	29"	8.5 yds.	144.0'	157 lbs.	80.67'/1
419 mm	546-737 mm	1854 mm	794 mm	737 mm	7.8 m	13.4 sqm	71.4 kg	2.28 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front settee - arm



mirador 8018CL



Two-seat module
Left arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

mirador 8019AR



Two-seat module
Right arm facing
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front settee - arm



mirador 8019BR



Two-seat module
Right arm facing
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	73"	31¼"	29"	8.5 yds.	144.0'	157 lbs.	80.67'/1
419 mm	546-737 mm	1854 mm	794 mm	737 mm	7.8 m	13.4 sqm	71.4 kg	2.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

mirador 8019CR



Two-seat module
Right arm facing
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arm
yardage: 4.25 yds. leather: 70.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	21½ -29"	66"	31¼"	29"	8.5 yds.	144.0'	152 lbs.	68.33'/1
419 mm	546-737 mm	1676 mm	794 mm	737 mm	7.8 m	13.4 sqm	69.1 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.



mirador 8026AL





Three-seat armless
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼"	29"	10.2 yds.	150.0'	201 lbs.	101.65'/1
419 mm	-	2438 mm	794 mm	737 mm	9.4 m	14.0 sqm	91.4 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

mirador 8026BL





Three-seat armless
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	103"	31¼"	29"	10.2 yds.	150.0'	206 lbs.	97.97'/1
419 mm	-	2616 mm	794 mm	737 mm	9.4 m	14.0 sqm	93.6 kg	2.77 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front sofa - armless



mirador 8026CL



Three-seat armless
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼"	29"	10.2 yds.	150.0'	201 lbs.	101.65'/1
419 mm	-	2438 mm	794 mm	737 mm	9.4 m	14.0 sqm	91.4 kg	101.65'/1

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

mirador 8027AR



Three-seat armless
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼"	29"	10.2 yds.	150.0'	201 lbs.	101.65'/1
419 mm	-	2438 mm	794 mm	737 mm	9.4 m	14.0 sqm	91.4 kg	2.87 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front sofa - armless



mirador 8027BR



Three-seat armless
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	103"	31¼"	29"	10.2 yds.	150.0'	206 lbs.	97.97'/1
419 mm	-	2616 mm	794 mm	737 mm	9.4 m	14.0 sqm	93.6 kg	97.97'/1

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

mirador 8027CR



Three-seat armless
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.5 yds. leather: 73.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	96"	31¼"	29"	10.2 yds.	150.0'	201 lbs.	101.65'/1
419 mm	-	2438 mm	794 mm	737 mm	9.4 m	14.0 sqm	91.4 kg	2.87 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
5826	6031	6851	7056	7170	7330	7512	7603	7763	7899	8059	8286	9084

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front settee - armless



mirador 8028AL



Two-seat armless
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼"	29"	7.5 yds.	100.0'	146 lbs.	68.33'/1
419 mm	-	1676"	794"	737"	6.9 m	9.3 sqm	66.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

mirador 8028BL



Two-seat armless
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73"	31¼"	29"	7.5 yds.	100.0'	151 lbs.	80.67'/1
419 mm	-	1854 mm	794 mm	737 mm	6.9 m	9.3 sqm	68.6 kg	2.28 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front settee - armless



mirador 8028CL



Two-seat armless
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼"	29"	7.5 yds.	100.0'	146 lbs.	68.33'/1
419 mm	-	1676 mm	794 mm	737 mm	6.9 m	9.3 sqm	66.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

mirador 8029AR



Two-seat armless
Straight end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼"	29"	7.5 yds.	100.0'	146 lbs.	68.33'/1
419 mm	-	1676 mm	794 mm	737 mm	6.9 m	9.3 sqm	66.4 kg	1.93 cu.


COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

non-flared front settee - armless



mirador 8029BR



Two-seat armless
Open angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73"	31¼"	29"	7.5 yds.	100.0'	151 lbs.	80.67'/1
419 mm	-	1854 mm	794 mm	737 mm	6.9 m	9.3 sqm	68.6 kg	2.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

mirador 8029CR



Two-seat armless
Closed angle end
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	66"	31¼"	29"	7.5 yds.	100.0'	146 lbs.	68.33'/1
419 mm	-	1676 mm	794 mm	737 mm	6.9 m	9.3 sqm	66.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5003	5603	5753	5837	5953	6087	6153	6270	6370	6487	6653	7237

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

mirador 8030A



Three-seat armless
Straight ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside ba ck and outside back
yardage: 5.5 yds. leather: 90.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	90"	31¼"	29"	11.0 yds.	160.0'	210 lbs.	101.65'/1
419 mm	-	2280 mm	794 mm	737 mm	10.0 m	14.9 sqm	95.5 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5630	5850	6730	6950	7073	7244	7439	7537	7708	7855	8026	8270	9126

mirador 8030B



Three-seat armless
Open angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 5.5 yds. leather: 90.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	103"	31¼"	29"	11.0 yds.	160.0'	220 lbs.	97.97'/1
419 mm	-	2616 mm	794 mm	737 mm	10.0 m	14.9 sqm	100.0 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5630	5850	6730	6950	7073	7244	7439	7537	7708	7855	8026	8270	9126

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

mirador 8030C





Three-seat armless
Closed angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 7.5 yds. leather: 122.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 5.5 yds. leather: 90.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	90"	31¼"	29"	11.0 yds.	160.0'	200 lbs.	101.65'/1
419 mm	-	2286 mm	794 mm	737 mm	10.0 m	14.9 sqm	90.9 kg	2.87 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5630	5850	6730	6950	7073	7244	7439	7537	7708	7855	8026	8270	9126

mirador 8031A





Two-seat armless
Straight ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.0 yds. leather: 65.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	60"	31¼"	29"	7.7 yds.	108.0'	139 lbs.	68.33'/1
419 mm	-	1524 mm	794 mm	737 mm	7.1 m	10.0 sqm	63.2 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4815	5435	5590	5677	5797	5935	6004	6124	6228	6348	6520	7123

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

mirador 8031B



Two-seat armless
Open angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.0 yds. leather: 65.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	74"	31¼"	29"	7.7 yds.	108.0'	149 lbs.	80.67'/1
419 mm	-	1880 mm	794 mm	737 mm	7.1 m	10.0 sqm	67.7 kg	2.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4815	5435	5590	5677	5797	5935	6004	6124	6228	6348	6520	7123

mirador 8031C



Two-seat armless
Closed angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 5.5 yds. leather: 90.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 4.0 yds. leather: 65.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	60"	31¼"	29"	7.7 yds.	108.0'	129 lbs.	68.33'/1
419 mm	-	1524 mm	794 mm	737 mm	7.1 m	10.0 sqm	58.6 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4815	5435	5590	5677	5797	5935	6004	6124	6228	6348	6520	7123

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

mirador 8032A



Armless
Straight ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 2.5 yds. leather: 41.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	30"	31¼"	29"	4.0 yds.	50.0'	68 lbs.	36.09'/1
419 mm	-	762 mm	794 mm	737 mm	3.7 m	4.6 sqm	30.9 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3110	3190	3510	3590	3635	3697	3768	3804	3866	3919	3982	4070	4382

mirador 8032B



Armless
Open angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 2.5 yds. leather: 41.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	44"	31¼"	29"	4.0 yds.	50.0'	71 lbs.	68.33'/1
419 mm	-	1118 mm	794 mm	737 mm	3.7 m	4.6 sqm	32.2 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3110	3190	3510	3590	3635	3697	3768	3804	3866	3919	3982	4070	4382

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

mirador 8032C



Armless
Closed angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 2.5 yds. leather: 41.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	30"	31¼"	29"	4.0 yds.	50.0'	58 lbs.	22.69'/1
419 mm	-	762 mm	794 mm	737 mm	3.7 m	4.6 sqm	26.4 kg	.64 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3110	3190	3510	3590	3635	3697	3768	3804	3866	3919	3982	4070	4382

mirador 8033A



Armless
Closed angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 6.0 yds. leather: 98.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 6.0 yds. leather: 98.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	77"	31¼"	29"	8.5 yds.	120.0'	153 lbs.	80.67'/1
419 mm	-	1956 mm	794 mm	737 mm	7.8 m	11.2 sqm	69.5 kg	2.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5606	6286	6456	6551	6683	6834	6910	7042	7155	7288	7476	8138

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

connecting module

mirador 8034A



Armless
Open angle ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 6.0 yds. leather: 98.0 sq. ft.
B) One fabric or leather for inside back and outside back
yardage: 3.0 yds. leather: 50.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73"	31¼"	29"	6.3 yds.	80.0'	135 lbs.	80.67'/1
419 mm	-	1854 mm	794 mm	737 mm	5.8 m	7.4 sqm	61.4 kg	2.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5436	5562	6066	6192	6262	6360	6472	6528	6626	6710	6808	6948	7438

mirador 8035A



Corner connector
Straight ends
Polished aluminum leg
Upholstered

All necessary ganging brackets are included and pre-installed
May not be used at the end of a configuration or as a freestanding unit

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat cushion
yardage: 4.5 yds. leather: 73.0 sq. ft.
B) One fabric or leather for inside back, outside back and side arms
yardage: 3.75 yds. leather: 61.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	38"	38"	29"	6.0 yds.	98.0'	81 lbs.	32.10'/1
419 mm	-	965 mm	965 mm	737 mm	3.7 m	5.6 sqm	36.8 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3689	3809	4289	4409	4476	4569	4676	4729	4823	4903	4996	5129	5596

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.