

prisma  
price list

january 2025

---

index	2
lamine selections	3
veneer selections	4-5
edge style selections + powder coat finishes	6
overview + base	7
tops	8-10

**mediatrac™ power**

---

power overview	11
4-trac power system	12
grommet placement kits	13
grommet kits	14-20
wire management	20
extron® AAP modules	21-22
terms and conditions	23-25
guaranteed freight	26
guaranteed freight - canada	27

**Laminate Selections**

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


**PLL Solid Laminate**

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

**20% Upcharge**

- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



**WGL Woodgrain Laminate**

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



**Veneer Selections**


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.


When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

**MPL Maple**  
Flat Cut



- Standard Finish  
871 860 861  
837 836 823  
865 805 866  
872 839 845  
870


**OAK Oak**  
Rift Cut



- Standard Finish  
871 870 839  
837 860 861  
865 836 866  
872 805 845


- Select Finishes  
M73 M72 M75  
M74 M76 M77  
M71

**PLD Paldao**  
Quarter Cut



- Standard Finish  
871 860 823  
872 861 866  
870 839

**WLT Walnut**  
Flat Cut




- Standard Finish  
872 861  
870 823  
860 866  
839

**MPL Maple**



**OAK Oak**



**OAK Select Finishes**



---

**Veneer Selections**

**PLD Paldao**



871



872



870



860



861



839



823



866

**WLT Walnut**



872



870



860



839



861



823



866

### Edge Style Selections

#### Laminates



FL 1/4" Flat

#### Veneers



FL 1/4" Flat

### Powder Coat Finishes

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code.

#### Standard Finish



PA Polished Aluminum


#### Powder Coat Finishes - Upcharges apply.



WH Satin White



GR Graphite



BZ Bronze



IG Iron Grey



RD Black Red




BK Matte Black


#### Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color


**Prisma Table**




The Prisma meeting table collection features faceted aluminum legs that can be mounted in two different positions. The legs can be positioned either on the long side of a top or on the short end side. The placement will be determined by the top that is specified. See the specific top size desired for the appropriate number of legs required. Prisma legs are specified individually and shipped in separate cartons for field installation. Legs are available in polished aluminum and a variety of powder coat finishes. Prisma tops are specifically constructed to accommodate the Prisma bases. Tops are specified separately. Prisma tops are 1¼" thick with flat edge.



The Mediatrac™ grommet system is available to address the needs for power and communications at the worksurface. However, the Prisma leg does not have wire management capabilities to the floor. A VGS or a VGW cable management sock will need to be specified to conceal wiring or cables extending to the floor. Note that the Prisma tops are reinforced with steel angle recessed into the top. Prisma does not utilize the Mediatrac rail system for cable and equipment management.



SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

	description	sku	w	d	h	weight	specifications	price
	<b>prisma leg</b>  aluminum non-skid fixed glide pre-machined side or end mount worksurfaces 102" and longer requires 6 legs	ZGA	3¾	5½	28¾	10		\$ 646

specification codes example: PSS-ZGA

series	sku
prisma	
P   S   S   -	Z   G   A

material + finish code example: PA

leg finish
PA polished aluminum
<b>powder coat upcharge \$50</b>
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat



tops pre-machined for short end or long side leg installation  
specify legs separately  
veneer grain runs long direction on tables 60" - 84" length  
specify grommet placement when ordering top  
specify grommets and power separately

description	sku	l	w	h	weight	specifications	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao
							FL	FL	FL
<b>18" d console top</b>									
	ZG9	60	18	1 1/4	45	<b>short end</b> installation; specify 4 ZGA legs	\$ 2117	\$ 2371	\$ 2751
	ZG8	72	18	1 1/4	50	<b>short end</b> installation; specify 4 ZGA legs	2418	2703	3136
<b>30" d rectangular top</b>									
	ZHA	60	30	1 1/4	80	<b>short end</b> installation; specify 4 ZGA legs	2243	2514	2917
	ZHB	66	30	1 1/4	90	<b>short end</b> installation; specify 4 ZGA legs	2507	2805	3254
	ZHC	72	30	1 1/4	100	<b>short end</b> installation; specify 4 ZGA legs	2969	3323	3855
	ZCA	60	30	1 1/4	80	<b>long side</b> installation; specify 4 ZGA legs	2243	2514	2917
	ZCB	66	30	1 1/4	90	<b>long side</b> installation; specify 4 ZGA legs	2507	2805	3254
	ZCC	72	30	1 1/4	100	<b>long side</b> installation; specify 4 ZGA legs	2969	3323	3855
<b>36" d rectangular top</b>									
	ZJD	60	36	1 1/4	45	<b>short end</b> installation; specify 4 ZGA legs	2463	2761	3203
	ZJE	66	36	1 1/4	50	<b>short end</b> installation; specify 4 ZGA legs	2930	3280	3805
	ZJF	72	36	1 1/4	45	<b>short end</b> installation; specify 4 ZGA legs	3161	3538	4105
	ZJG	78	36	1 1/4	45	<b>short end</b> installation; specify 4 ZGA legs	3396	3802	4411
	ZJH	84	36	1 1/4	45	<b>short end</b> installation; specify 4 ZGA legs	3647	4088	4743
	ZDD	60	36	1 1/4	45	<b>long side</b> installation; specify 4 ZGA legs	2463	2761	3203
	ZDE	66	36	1 1/4	50	<b>long side</b> installation; specify 4 ZGA legs	2930	3280	3805
	ZDF	72	36	1 1/4	50	<b>long side</b> installation; specify 4 ZGA legs	3161	3538	4105
	ZDG	78	36	1 1/4	50	<b>long side</b> installation; specify 4 ZGA legs	3396	3802	4411
	ZDH	84	36	1 1/4	50	<b>long side</b> installation; specify 4 ZGA legs	3647	4088	4743

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
top		FL 1 1/4" flat	PS prisma	000 none see page 14-19 for location codes
P   S   S   -	-	F   L	P   S	

material + finish code example: MPL 867

top material	top finish
PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao	see pages 3-5



tops pre-machined for short end or long side leg installation  
 specify legs separately  
 veneer grain runs long direction on tables 60" - 84" length  
 veneer grain runs short direction on tables 102" length and greater  
 tables 102" length and larger require 6 ZGA legs  
 specify grommet placement when ordering top  
 specify grommets and power separately



description	sku	l	w	h	weight	specifications	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao	
							FL	FL	FL	
<b>42"d rectangular top</b> 	ZKM	72	42	1¼	120	<b>short end</b> installation; specify 4 ZGA legs	\$ 3731	\$ 4176	\$ 4845	
	ZKN	78	42	1¼	130	<b>short end</b> installation; specify 4 ZGA legs	4015	4494	5214	
	ZKO	84	42	1¼	140	<b>short end</b> installation; specify 4 ZGA legs	4302	4814	5585	
	ZEM	72	42	1¼	120	<b>long side</b> installation; specify 4 ZGA legs	3731	4176	4845	
	ZEN	78	42	1¼	130	<b>long side</b> installation; specify 4 ZGA legs	4015	4494	5214	
	ZEO	84	42	1¼	140	<b>long side</b> installation; specify 4 ZGA legs	4302	4814	5585	
	ZEP	102	42	1¼	170	<b>long side</b> installation; specify 6 ZGA legs	5153	5771	6695	
	ZEQ	108	42	1¼	180	<b>long side</b> installation; specify 6 ZGA legs	5438	6090	7065	
	ZER	114	42	1¼	190	<b>long side</b> installation; specify 6 ZGA legs	5723	6414	7441	
	ZES	120	42	1¼	200	<b>long side</b> installation; specify 6 ZGA legs	6014	6732	7810	
	<b>48"d rectangular top</b> 	ZLT	72	48	1¼	120	<b>short end</b> installation; specify 4 ZGA legs	4505	5042	5849
		ZLU	78	48	1¼	130	<b>short end</b> installation; specify 4 ZGA legs	4794	5363	6222
ZLV		84	48	1¼	140	<b>short end</b> installation; specify 4 ZGA legs	5074	5684	6594	
ZFT		72	48	1¼	120	<b>long side</b> installation; specify 4 ZGA legs	4505	5042	5849	
ZFU		78	48	1¼	130	<b>long side</b> installation; specify 4 ZGA legs	4794	5363	6222	
ZFV		84	48	1¼	140	<b>long side</b> installation; specify 4 ZGA legs	5074	5684	6594	
ZFW		102	48	1¼	170	<b>long side</b> installation; specify 6 ZGA legs	5914	6625	7685	
ZFX		108	48	1¼	180	<b>long side</b> installation; specify 6 ZGA legs	6358	7119	8259	
ZFY		114	48	1¼	190	<b>long side</b> installation; specify 6 ZGA legs	6548	7335	8509	
ZFZ		120	48	1¼	200	<b>long side</b> installation; specify 6 ZGA legs	6886	7713	8948	

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
top		FL 1¼" flat	PS prisma	000 none see page 14-19 for location codes
P   S   S   -	-	F   L	P   S	

material + finish code example: MPL 867

top material	top finish
PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao	see pages 3-5



specify legs separately  
specify grommet placement when ordering top  
specify grommets and power separately

description	sku	l	w	h	weight	specifications	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut	PLD paldao
							FL	FL	FL
<b>round top</b>									
	ZA5	42	42	1¼	75	specify 4 ZGA legs	\$ 2074	\$ 2324	\$ 2696
	ZA6	48	48	1¼	95	specify 4 ZGA legs	2481	2779	3224
	ZA7	54	54	1¼	115	specify 4 ZGA legs	2925	3271	3795
<b>square top</b>									
	ZA2	36	36	1¼	65	specify 4 ZGA legs	1706	1912	2218
	ZA3	42	42	1¼	75	specify 4 ZGA legs	1818	2033	2359
	ZA4	48	48	1¼	95	specify 4 ZGA legs	1947	2180	2529

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
top		FL 1¼" flat	PS prisma	000 none see page 14-19 for location codes
P   S   S   -	-	F   L	P   S	

material + finish code example: MPL 867


top material	top finish
PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao	see pages 3-5

### Mediatrac1™

Mediatrac1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, and corian lids.


Mediatrac1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.



**Note: End user installation will be required per individual SKU. Power specified separately. See pages 14-20 for grommet codes.**


### Mediatrac1 Options

#### 8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

#### 8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame


#### 24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

### Mediatrac1 Grommet Kits (Includes the Following)

#### Power Module



Number and configuration of grommet modules determined by the grommet code

#### Jumper (if required)



Jumper are determined by the length of the top specified

#### Connector + H-Block



Will be included in kit when the 4-trac option is specified

#### Power Infeed Options




72" 4-Trac Power Infeed with 20 amp plug



20 amp receptacle  
4-Trac Only



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug




15 amp receptacle




72" 3/8" Hardwire Whip

### Mediatrac1 Dimensional Specifications



**Mediatrac1™ 4-Trac Power System**




Mediatrac1 Grommets Using Electrical 4-Trac Power System


- Power Infeed
- Power Module Whip
- Modular Connector
- Jumper
- Power Drop
- Power Module
- H-Block



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.


4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


### Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




### Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on  
*(make sure that this grommet code matches the code used when ordering your top)*
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the **field**.



#### Ordering Example:

**84" x 48" Table Top**  
**Walnut veneer, 870 finish**  
**M08 Grommet Code with 4trac corded power**  
**Walnut Door/Brushed Aluminum Trim**




specification codes example: **MGS-M08-4TC084**

series	sku	power option	table length
top		<b>CRD</b> corded <b>HWD</b> hardwired <b>4TC</b> four trac corded <b>4TH</b> four trac hardwired	<b>084</b> <b>102</b> <b>108</b> <b>114</b> <b>120</b>
M   G   S   -	M   0   8   -	4   T   C	0   8   4

material + finish code example: **BA WLT 870**

frame finish	lid material	lid finish
<b>BA</b> brushed aluminum <b>WH</b> satin white powder coat <b>GR</b> graphite powder coat <b>BZ</b> bronze powder coat <b>IG</b> iron grey powder coat <b>RD</b> black red powder coat <b>BK</b> matte black powder coat <b>powder coat upcharge \$175</b>	<b>ALM</b> aluminum <b>PLL</b> solid laminate <b>WGL</b> woodgrain laminate <b>MPL</b> maple <b>OAK</b> oak <b>WLT</b> walnut <b>PLD</b> paldao	see pages 3-5
B   A	W   L   T	8   7   0

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.  
Kits include all jumpers and necessary components based on table length and power option.  
Grommet kits ship separately from tops.

sku	specifications	frame material
<b>M01</b>	<b>36" - 48" Square Table      42" - 54" Round Table</b>  (1) 3" single round pass through grommet kit  	<b>ALM</b> aluminum  \$ 154
<b>M02</b>	<b>60" - 120" Table</b>  (2) 3" single round pass through grommet kits  	308
<b>M33</b>	<b>60" - 120" Table</b>  (3) 3" single round pass through grommet kits  	462

specification codes example: ACS-SKU





series	sku
top	
A   C   S   -	-

material + finish code example: BA

frame finish
BA brushed aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
<b>M03</b>	<b>36" - 48" Square Table      42" - 54" Round Table</b> (1) 8" double door mediatrac grommet 	\$ 1999	\$ 2250	\$ 3125
<b>M03</b>	<b>60" - 120" Table</b> (1) 8" double door mediatrac grommet 	1999	2250	3125
<b>M04</b>	<b>60" - 120" Table</b> (2) 8" single door mediatrac grommets 	2749	2999	5062
<b>P04</b>	<b>60" - 120" Table</b> same information as M04 (1) 1" dia. grommet for microphone 	2875	3125	5186

specification codes example: MGS-SKU-CRD060


series	sku	power option	table length
top		<b>CRD</b> corded	<b>036 078</b>
		<b>HWD</b> hardwired	<b>042 084</b>
		<b>4TC</b> four trac corded	<b>048 102</b>
		<b>4TH</b> four trac hardwired	<b>054 108</b>
			<b>060 114</b>
			<b>066 120</b>
			<b>072</b>

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
<b>BA</b> brushed aluminum	<b>ALM</b> aluminum	see pages 3-5
<b>WH</b> satin white powder coat	<b>PLL</b> solid laminate	
<b>GR</b> graphite powder coat	<b>WGL</b> woodgrain laminate	
<b>BZ</b> bronze powder coat	<b>MPL</b> maple	
<b>IG</b> iron grey powder coat	<b>OAK</b> oak	
<b>RD</b> black red powder coat	<b>WLT</b> walnut	
<b>BK</b> matte black powder coat	<b>PLD</b> paldao	

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
<b>M06</b>	<b>60" - 120" Table</b>	\$ 2813	\$ 3063	\$ 4186
(1) 24" double door mediatrac grommet 				

specification codes example: MGS-SKU-CRD060

series	sku	power option	table length
top		CRD corded	060 102
		HWD hardwired	066 108
		4TC four trac corded	072 114
		4TH four trac hardwired	078 120
			084





material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
<b>powder coat upcharge \$75</b>	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		



Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
<b>M05</b>	<b>60" - 120" Table</b>  (2) 8" double door mediatrac grommets 	\$ 3624	\$ 3874	\$ 5997
<b>P05</b>	<b>60" - 120" Table</b>  same information as M05 (1) 1" dia. grommet for microphone 	3749	3998	6123
<b>M07</b>	<b>84" - 120" Table</b>  (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4374	4874	7872
<b>M08</b>	<b>84" - 120" Table</b>  (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	5124	5623	8684

specification codes example: MGS-SKU-CRD060



series	sku	power option	table length
top		<b>CRD</b> corded	<b>060</b> 102
		<b>HWD</b> hardwired	<b>066</b> 108
		<b>4TC</b> four trac corded	<b>072</b> 114
		<b>4TH</b> four trac hardwired	<b>078</b> 120
			<b>084</b>

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
<b>BA</b> brushed aluminum	<b>ALM</b> aluminum	see pages 3-5
<b>WH</b> satin white powder coat	<b>PLL</b> solid laminate	
<b>GR</b> graphite powder coat	<b>WGL</b> woodgrain laminate	
<b>BZ</b> bronze powder coat	<b>MPL</b> maple	
<b>IG</b> iron grey powder coat	<b>OAK</b> oak	
<b>RD</b> black red powder coat	<b>WLT</b> walnut	
<b>BK</b> matte black powder coat	<b>PLD</b> paldao	

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
<b>M12</b>	<b>108" - 120" Table</b> (2) 24" double door mediatrac grommets 	\$ 5636	\$ 6135	\$ 7810
<b>P12</b>	same information as M12 (1) 1" dia. grommet for microphone 	5762	6261	7935

specification codes example: MGS-SKU-CRD0108

series	sku	power option	table length
top		CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired	108 114 120
M   G   S   -	-		


material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum powder coat upcharge \$150 WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ALM aluminum PLL solid laminate WGL woodgrain laminate MPL maple OAK oak WLT walnut PLD paldao	see pages 3-5

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
<b>M10</b>	<b>102" - 120" Table</b> (3) 8" double door mediatrac grommets	\$ 5436	\$ 5936	\$ 8995







specification codes example: MGS-SKU-CRD0108

series	sku	power option	table length
top		CRD corded	102
		HWD hardwired	108
		4TC four trac corded	114
		4TH four trac hardwired	120

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
<b>powder coat upcharge \$225</b>	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		








description	sku	w	d	h	weight specifications	price
 <p><b>wire management system</b></p> <p>gray, nylon mesh, 2¾" diameter zippered wire management cover mounting bracket not designed as table support bracket dimensions: 8¾" w x 4¾"d x 1¼"h cover dimensions: 2¾" w x 2¾"d x 247⁄8"h</p>	VGS	8¾	4¾	261⁄8		\$ 378
 <p><b>wire management snake</b></p> <p>black or silver finish flexible cable management system weighted metal base specify finish code BK or SV</p>	VGW	2½	2½	30		198
 <p><b>wire clip</b></p> <p>hooks onto mediatrac™ rail smoke polycarbonate finish 4 included with each table</p>	VNZ	6	2¼	1¾		75
 <p><b>wire management kit</b></p> <p>12 multi wire clips 8 wire clips black</p>	WMK	1 5⁄8	7⁄8	1½		201

specification codes example: ACS-SKU

series	sku
accessories  A   C   S   -	







finish code example: PA

finish
BK black SV silver  

description	sku	w	d	h		price
 <p><b>power strip</b></p> <p>6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed</p>	VNY	12¼	2	1¾		\$ 546
 <p><b>blank plate</b></p> <p>Extron® AAP blank plate with black powder coat finish single space insert</p>	VGG	3½	-	5⁄8		161
 <p><b>cable pass-through module</b></p> <p>Extron® AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish</p>	VGY	3½	-	1¾		459
 <p><b>phone/data module</b></p> <p>Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert</p>	VGD	3½	-	5⁄8		346
 <p><b>phone/data module</b></p> <p>Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert</p>	V GK	3½	-	5⁄8		277
 <p><b>phone/data module</b></p> <p>Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert</p>	V GP	3½	-	5⁄8		384
 <p><b>phone/data module</b></p> <p>Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert</p>	V GL	3½	-	5⁄8		384

specification codes example: ACS-SKU

series	sku
accessories	
A   C   S   -	

description	sku	w	d	h	price
 <p><b>phone/data module</b></p> <p>Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert</p>	VGQ	3½	-	1¾	\$ 523
 <p><b>computer/audio/video module</b></p> <p>Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert</p>	VG3	3½	-	5⁄8	384
 <p><b>control/computer module</b></p> <p>Extron® AAP two USB A female to female barrels single space insert</p>	VGR	3½	-	5⁄8	384
 <p><b>power plate charging module</b></p> <p>type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert</p>	VG9	3½	-	5⁄8	1316
 <p><b>usb charging module</b></p> <p>Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert</p>	VGU	3½	-	5⁄8	746
 <p><b>computer/audio/video module</b></p> <p>Extron® SuperPlate 110 - HDMI/DisplayPort/Stereo Audio/USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p>	VG6	3½	-	1¾	610

specification codes example: ACS-SKU

series	sku
accessories	
A   C   S   -	

**Prices and Specifications**

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

**Order Entry**

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

**Changes/Cancellation**

All orders in production are considered firm orders and are not subject to changes or cancellation.

**Shipping**

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

**Freight Damage and Claims**

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

**Returns**

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

**Terms and Credit**

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

### Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

### Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

### Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

### Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

**if approved**, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

### Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

### Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

### Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a **10% net upcharge with a \$500 net minimum**.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

### Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.



**Care and Cleaning**

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

**Design and Patent Rights**

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

**Environmental**

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at [bernhardtdesign.com](http://bernhardtdesign.com) for certifications.



**Preferred Carrier Guaranteed Freight Rates - Canada**

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

