

B E R N H A R D T | d e s i g n

prisma
price list

january 2026

<u>index</u>	<u>2</u>
<u>laminate selections</u>	<u>3</u>
<u>veneer selections</u>	<u>4-5</u>
<u>edge style selections + powder coat finishes</u>	<u>6</u>
<u>overview + base</u>	<u>7</u>
<u>tops 8-10</u>	

mediatrac™ power

<u>power overview</u>	<u>11</u>
<u>4-trac power system</u>	<u>12</u>
<u>grommet placement kits</u>	<u>13</u>
<u>grommet kits</u>	<u>14-20</u>
<u>wire management</u>	<u>20</u>
<u>extron® AAP modules</u>	<u>21-22</u>
<u>terms and conditions</u>	<u>23-24</u>
<u>guaranteed freight</u>	<u>25</u>
<u>guaranteed freight - canada</u>	<u>26</u>

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

20% Upcharge


- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



671




672




673



674



675



665 20% upcharge



666 20% upcharge



667 20% upcharge

WGL Woodgrain Laminate

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



684



685



686



678



679



687



683



681



680



682

Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.


Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion

varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

MPL Maple

Flat Cut




Standard Finish

871 860 861
837 836 823
865 805 866
872 839 845
870

Oak Oak

Rift Cut



Standard Finish


871 870 839
837 860 861
865 836 866
872 805 845

OAK Select Finishes

M73 M72 M75
M74 M76 M77
M71

WLT Walnut

Flat Cut



Standard Finish

872 861
870 823
860 866
839

MPL Maple

871



837



865



872



870



860



836



805



839



861



823



866



845

Veneer Selections**OAK Oak****OAK Select Finishes****WLT Walnut**

Edge Style Selections

Laminates



FL 1 1/4" Flat

Veneers



FL 1 1/4" Flat

Powder Coat Finishes

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code.

Standard Finish



PA Polished Aluminum

Powder Coat Finishes - Upcharges apply.



WH Satin White



GR Graphite



BZ Bronze



IG Iron Grey



RD Black Red




BK Matte Black


Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Prisma Table




Detail View of Prisma Leg



End View

Side View

End mount configurations
for 60" w - 84" w topsSide mount configurations
for 60" w - 84" w topsSide mount only configurations
for 102" w - 120" w tops

The Prisma meeting table collection features faceted aluminum legs that can be mounted in two different positions. The legs can be positioned either on the long side of a top or on the short end side. The placement will be determined by the top that is specified. See the specific top size desired for the appropriate number of legs required. Prisma legs are specified individually and shipped in separate cartons for field installation. Legs are available in polished aluminum and a variety of powder coat finishes. Prisma tops are specifically constructed to accommodate the Prisma bases. Tops are specified separately. Prisma tops are 1 1/4" thick with flat edge.

The Mediatac™ grommet system is available to address the needs for power and communications at the worksurface. However, the Prisma leg does not have wire management capabilities to the floor. A VGS or a VGW cable management sock will need to be specified to conceal wiring or cables extending to the floor. Note that the Prisma tops are reinforced with steel angle recessed into the top. Prisma does not utilize the Mediatac rail system for cable and equipment management.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

description	sku	w	d	h	weight	specifications	price
prisma leg	ZGA	3 7/8	5 1/8	28 3/4	10		\$ 706
aluminum non-skid fixed glide pre-machined side or end mount worksurfaces 102" and longer requires 6 legs							

specification codes example: PSS-ZGA

series sku

prisma

P	S	S	-	Z	G	A
---	---	---	---	---	---	---

material + finish code example: PA

leg finish

PA polished aluminum

powder coat upcharge \$50

WH satin white powder coat

GR graphite powder coat

BZ bronze powder coat

IG iron grey powder coat

RD black red powder coat

BK matte black powder coat



tops pre-machined for short end or long side leg installation
specify legs separately
veneer grain runs long direction on tables 60" - 84" length
specify grommet placement when ordering top
specify grommets and power separately

description	sku	l	w	h	weight	specifications	PLL solid laminate	MPL maple	PLD paldao
							WGL woodgrain laminate	OAK oak	WLT walnut
18"d console top	ZG9	60	18	1 1/4	45	short end installation; specify 4 ZGA legs	\$ 2313	\$ 2590	\$ 3005
	ZG8	72	18	1 1/4	50	short end installation; specify 4 ZGA legs	2641	2952	3425
	ZB9	60	18	1 1/4	45	long side installation; specify 4 ZGA legs	2313	2590	3005
	ZB8	72	18	1 1/4	50	long side installation; specify 4 ZGA legs	2641	2952	3425
30"d rectangular top	ZHA	60	30	1 1/4	80	short end installation; specify 4 ZGA legs	2450	2745	3185
	ZHB	66	30	1 1/4	90	short end installation; specify 4 ZGA legs	2738	3064	3555
	ZHC	72	30	1 1/4	100	short end installation; specify 4 ZGA legs	3243	3629	4210
	ZCA	60	30	1 1/4	80	long side installation; specify 4 ZGA legs	2450	2745	3185
	ZCB	66	30	1 1/4	90	long side installation; specify 4 ZGA legs	2738	3064	3555
	ZCC	72	30	1 1/4	100	long side installation; specify 4 ZGA legs	3243	3629	4210
36"d rectangular top	ZJD	60	36	1 1/4	45	short end installation; specify 4 ZGA legs	2690	3015	3498
	ZJE	66	36	1 1/4	50	short end installation; specify 4 ZGA legs	3200	3582	4156
	ZJF	72	36	1 1/4	45	short end installation; specify 4 ZGA legs	3452	3864	4483
	ZJG	78	36	1 1/4	45	short end installation; specify 4 ZGA legs	3708	4152	4817
	ZJH	84	36	1 1/4	45	short end installation; specify 4 ZGA legs	3982	4465	5180
	ZDD	60	36	1 1/4	45	long side installation; specify 4 ZGA legs	2690	3015	3498
	ZDE	66	36	1 1/4	50	long side installation; specify 4 ZGA legs	3200	3582	4156
	ZDF	72	36	1 1/4	50	long side installation; specify 4 ZGA legs	3452	3864	4483
	ZDG	78	36	1 1/4	50	long side installation; specify 4 ZGA legs	3708	4152	4817
	ZDH	84	36	1 1/4	50	long side installation; specify 4 ZGA legs	3982	4465	5180

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
top		FL 1 1/4" flat	PS prisma	000 none see page 14-19 for location codes
	P S S -	F L	P S	


material + finish code example: MPL 867

top material	top finish
PLL solid laminate	see pages 3-5
WGL woodgrain laminate	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	




tops pre-machined for short end or long side leg installation
specify legs separately
veneer grain runs long direction on tables 60" - 84" length
veneer grain runs short direction on tables 102" length and greater
tables 102" length and larger require 6 ZGA legs
specify grommet placement when ordering top
specify grommets and power separately



description	sku	l	w	h	weight	specifications	PLL solid laminate	MPL maple	WGL woodgrain laminate	OAK oak	WLT walnut	PLD paldao
42" d rectangular top	ZKM	72	42	1 1/4	120	short end installation; specify 4 ZGA legs	\$ 4074	\$ 4560		\$ 5290		
	ZKN	78	42	1 1/4	130	short end installation; specify 4 ZGA legs	4384	4907		5693		
	ZKO	84	42	1 1/4	140	short end installation; specify 4 ZGA legs	4698	5257		6099		




ZEM	72	42	1 1/4	120	long side installation; specify 4 ZGA legs	4074	4560	5290
ZEN	78	42	1 1/4	130	long side installation; specify 4 ZGA legs	4384	4907	5693
ZEO	84	42	1 1/4	140	long side installation; specify 4 ZGA legs	4698	5257	6099




ZEP	102	42	1 1/4	170	long side installation; specify 6 ZGA legs	5627	6302	7311
ZEQ	108	42	1 1/4	180	long side installation; specify 6 ZGA legs	5938	6650	7714
ZER	114	42	1 1/4	190	long side installation; specify 6 ZGA legs	6250	7003	8124
ZES	120	42	1 1/4	200	long side installation; specify 6 ZGA legs	6567	7351	8528

**48" d rectangular top**

ZLT	72	48	1 1/4	120	short end installation; specify 4 ZGA legs	4920	5506	6387
ZLU	78	48	1 1/4	130	short end installation; specify 4 ZGA legs	5235	5856	6793
ZLV	84	48	1 1/4	140	short end installation; specify 4 ZGA legs	5541	6207	7201



ZFT	72	48	1 1/4	120	long side installation; specify 4 ZGA legs	4920	5506	6387
ZFU	78	48	1 1/4	130	long side installation; specify 4 ZGA legs	5235	5856	6793
ZFV	84	48	1 1/4	140	long side installation; specify 4 ZGA legs	5541	6207	7201



ZFW	102	48	1 1/4	170	long side installation; specify 6 ZGA legs	6458	7234	8392
ZFX	108	48	1 1/4	180	long side installation; specify 6 ZGA legs	6943	7774	9018
ZFY	114	48	1 1/4	190	long side installation; specify 6 ZGA legs	7150	8010	9292
ZFZ	120	48	1 1/4	200	long side installation; specify 6 ZGA legs	7519	8422	9770

specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
top		FL 1 1/4" flat	PS prisma	000 none see page 14-19 for location codes
	P S S -	F L	P S	


material + finish code example: MPL 867

top material	top finish
PLL solid laminate	see pages 3-5
WGL woodgrain laminate	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	



specify legs separately
specify grommet placement when ordering top
specify grommets and power separately

description	sku	l	w	h	weight	specifications
round top	ZA5	42	42	1 1/4	75	specify 4 ZGA legs
	ZA6	48	48	1 1/4	95	specify 4 ZGA legs
	ZA7	54	54	1 1/4	115	specify 4 ZGA legs



square top	ZA2	36	36	1 1/4	65	specify 4 ZGA legs	1864	2088	2423
	ZA3	42	42	1 1/4	75	specify 4 ZGA legs	1986	2220	2576
	ZA4	48	48	1 1/4	95	specify 4 ZGA legs	2126	2381	2762



specification codes example: PSS-SKU-FLPS000

series	sku	edge	base	grommet location
top		FL 1 1/4" flat	PS prisma	000 none see page 14-19 for location codes

P | S | S | - | F | L | P | S |

material + finish code example: MPL 867

top material	top finish
PLL solid laminate	see pages 3-5
WGL woodgrain laminate	
MPL maple	
OAK oak	
WLT walnut	
PLD paldao	


FL FL FL

Mediatrac1™

Mediatrac1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, and corian lids.

Mediatrac1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.



Note: End user installation will be required per individual SKU.
 Power specified separately. See pages 14-20 for grommet codes.


Mediatrac1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug,
 accepts 2 Extron single space AAP's,
 AAP modules specified separately,
 brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug,
 accepts 4 Extron single space AAP's,
 AAP modules specified separately,
 brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs,
 accepts 8 Extron single space AAP's,
 AAP modules specified separately,
 brushed aluminum frame

Mediatrac1 Grommet Kits (Includes the Following)

Power Module



Number and configuration of grommet
 modules determined by the grommet code

Jumper (if required)




Jumper are determined by the
 length of the top specified

Connector + H-Block



Will be included in kit when the
 4-trac option is specified

Power Infeed Options



72" 4-Trac Power Infeed with 20 amp plug



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug



72" 3/8" Hardwire Whip




20 amp receptacle
 4-Trac Only




15 amp receptacle

Mediatrac1 Dimensional Specifications



Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.

Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System


■ Power Infeed	■ Power Drop
■ Power Module Whip	■ Power Module
■ Modular Connector	■ H-Block
■ Jumper	



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a **18"** modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.




4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.


4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac1™ Grommet Placement Kits

Mediatrac1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the **field**.



Ordering Example:

84" x 48" Table Top
 Walnut veneer, 870 finish
 M08 Grommet Code with 4trac corded power
 Walnut Door/Brushed Aluminum Trim





specification codes example: MGS-M08-4TC084

series	sku	power option	table length
top		CRD corded	084
		HWD hardwired	102
		4TC four trac corded	108
		4TH four trac hardwired	114
			120
	M G S -	M 0 8 -	4 T C
			0 8 4

material + finish code example: BA WLT 870

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$175	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		
	B A	
		W L T
		8 7 0

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.





sku	specifications	frame material
M01	36" - 48" Square Table 42" - 54" Round Table	\$ 169
	(1) 3" single round pass through grommet kit	
	 	
M02	60" - 120" Table	337
	(2) 3" single round pass through grommet kits	
		
M33	60" - 120" Table	505
	(3) 3" single round pass through grommet kits	
		

specification codes example: ACS-SKU

series	sku	frame finish
top		BA brushed aluminum WH satin white powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat
A C S -	-	

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
M03	36" - 48" Square Table 42" - 54" Round Table	\$ 2183	\$ 2457	\$ 3413
	(1) 8" double door mediatrac grommet			
				
M03	60" - 120" Table	2183	2457	3413
	(1) 8" double door mediatrac grommet			
				
M04	60" - 120" Table	3002	3275	5527
	(2) 8" single door mediatrac grommets			
				
P04	60" - 120" Table	3140	3413	5663
	same information as M04			
	(1) 1" dia. grommet for microphone			
				

specification codes example: MGS-SKU-CRD060

series	sku	power option	table length
top		CRD cabled	036 078
		HWD hardwired	042 084
		4TC four trac cabled	048 102
		4TH four trac hardwired	054 108 060 114 066 120 072
	M G S -		


material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$75	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material. Lid material will match frame finish. 15

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
M06	60" - 120" Table (1) 24" double door mediatac grommet 		\$ 3072	\$ 3345
				\$ 4572

specification codes example: MGS-SKU-CRD060

series	sku	power option	table length
top		CRD cabled	060 102
		HWD hardwired	066 108
		4TC four trac cabled	072 114
		4TH four trac hardwired	078 120
			084
	M G S -		




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$75	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material. Lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
M05	60" - 120" Table (2) 8" double door mediatrac grommets		\$ 3958	\$ 4231
				\$ 6548
P05	60" - 120" Table same information as M05 (1) 1" dia. grommet for microphone		4094	4366
				6686
M07	84" - 120" Table (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets		4777	5323
				8596
M08	84" - 120" Table (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets		5595	6140
				9483

specification codes example: MGS-SKU-CRD060

series	sku	power option	table length
top		CRD cored	060 102
		HWD hardwired	066 108
		4TC four trac cored	072 114
		4TH four trac hardwired	078 120
			084
	M G S -		



material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$150	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material. Lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
M12	108" - 120" Table (2) 24" double door mediatac grommets 	\$ 6155	\$ 6700	\$ 8528
P12	108" - 120" Table same information as M12 (1) 1" dia. grommet for microphone 	6292	6837	8665

specification codes example: MGS-SKU-CRD0108

series	sku	power option	table length
top		CRD cored	108
		HWD hardwired	114
		4TC four trac cored	120
		4TH four trac hardwired	
	M G S -		

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$150	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material. Lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	MPL maple OAK oak WLT walnut PLD paldao
M10	102" - 120" Table (3) 8" double door mediatrac grommets		\$ 5936	\$ 6482


specification codes example: MGS-SKU-CRD0108

series	sku	power option	table length
top		CRD cabled	102
		HWD hardwired	108
		4TC four trac cabled	114
		4TH four trac hardwired	120
	M G S -		

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
powder coat upcharge \$225	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	MPL maple	
BZ bronze powder coat	OAK oak	
IG iron grey powder coat	WLT walnut	
RD black red powder coat	PLD paldao	
BK matte black powder coat		

Note: When ALM Aluminum is selected for lid material. Lid material will match frame finish. 19

description	sku	w	d	h	weight	specifications	price
	wire management system	VGS	8 3/4	4 3/4	26 1/8		\$ 414
	gray, nylon mesh, 2 3/4" diameter zippered wire management cover mounting bracket not designed as table support bracket dimensions: 8 3/4" w x 4 3/4" d x 1 1/4" h cover dimensions: 2 3/4" w x 2 3/4" d x 24 7/8" h						
	wire management snake	VGW	2 1/2	2 1/2	30		217
	black or silver finish flexible cable management system weighted metal base specify finish code BK or SV						
	wire clip	VNZ	6	2 1/4	1 3/4		83
	hooks onto mediatrac™ rail smoke polycarbonate finish 4 included with each table						
	wire management kit	WMK	1 5/8	7/8	1 1/2		221
	12 multi wire clips 8 wire clips black						

specification codes example: ACS-SKU

series sku



accessories

A | C | S | -

finish

BK black

SV silver


description	sku	w	d	h	price	
	power strip	VNY	12 1/4	2	1 3/4	\$ 597
	6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed					
	blank plate	VGG	3 1/2	-	5/8	177
	Extron® AAP blank plate with black powder coat finish single space insert					
	cable pass-through module	VGY	3 1/2	-	1 3/8	502
	Extron® AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish					
	phone/data module	VGD	3 1/2	-	5/8	379
	Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert					
	phone/data module	VGK	3 1/2	-	5/8	303
	Extron® AAP one RJ-45 female to punch down block Leviton CAT6 data single space insert					
	phone/data module	VGP	3 1/2	-	5/8	421
	Extron® AAP two RJ-45 female to punch down block Leviton CAT6 data single space insert					
	phone/data module	VGL	3 1/2	-	5/8	421
	Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert					

specification codes example: ACS-SKU

series sku

accessories

A	C	S	-
---	---	---	---

description	sku	w	d	h	price
 phone/data module Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert	VGQ	3½	-	1¾	\$ 572
 computer/audio/video module Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert	VG3	3½	-	5/8	421
 control/computer module Extron® AAP two USB A female to female barrels single space insert	VGR	3½	-	5/8	421
 power plate charging module type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert	VG9	3½	-	5/8	1437
 usb charging module Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert	VGU	3½	-	5/8	815

specification codes example: ACS-SKU

series sku

accessories

A | C | S | - |

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waive any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be

visible and color will vary. Natural characteristics include the natural discolourations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	5.5%	\$150
Zone 5	6%	\$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimuns	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

