

playbook price list

january 2025



index	2	power + accessories	84
collection overview	3	WorkHub	
laminate selections	4	power overview	85
veneer selections	5-6	powertrack + cable nuggets	86
design selections + powder coat finishes	7	grommet placement kits	87
edge profiles	8	WorkHub with 3" grommets	88-89
overview	9-10	WorkHub for Powertrack	90-91
4-star base overview	11	wire management	92
large meeting tables overview	12	under mount	
audio/visual mediawall overview	13	power overview	93
freestanding mediawalls overview	14	grommet placement kits	94-96
power and wire management	15	extron® AAP modules	74
powertrack + cable nuggets	16	mediatrac 1™	
microphone mount + powerbay	17	power overview	98
wire management felt cable drop	18	4-trac power system	99
WorkHub power overview	19	grommet placement kits:	100
under mount power overview	20	laminate, veneer, solid surface	101-106
Mediatrac 1™ power overview	21	grommet placement kits for run-off tops:	
surface mount power overview	22	laminate, veneer, solid surface	107-108
triad surface mount power overview	22	wire management	109
round + square tops + base assembly	23	extron® AAP modules	110-111
lounge height	24-28	surface mount	
conference height	29-35	power overview + grommet placement kits	112
counter height	36-37	triad surface mount	
bar height	38-39	power overview + grommet placement kits	113
lounge height tops + base assembly	40-53	preapproval procedure for fabric	114
conference height tops + base assembly	54-73	terms and conditions	115-117
mediawall	74	guaranteed freight	118
upholstered audio visual mediawall	75	guaranteed freight - canada	119
veneer audio visual mediawall	76		
upholstered freestanding mediawall	77		
veneer freestanding mediawall	78		
conference height run-off tops + base assembly	79-82		
mediawall accessories	83		



collection overview

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

20% Upcharge

- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



WGL Woodgrain Laminate

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



Veneer Selections


A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.


When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

ASH Ash
Rift Cut




Standard Finish
871 870 839
837 860 861
865 836 866
872 805 845
Select Finishes
M73 M72 M75
M74 M76 M77
M71

MPL Maple
Flat Cut




Standard Finish
871 860 861
837 836 823
865 805 866
872 839 845
870

OAK Oak
Rift Cut




Standard Finish
871 870 839
837 860 861
865 836 866
872 805 845
Select Finishes
M73 M72 M75
M74 M76 M77
M71

WLT Walnut
Flat Cut



Standard Finish
872 861
870 823
860 866
839

ASH Ash



871 837 865 872 870 860 836 805



839 861 866 845

ASH Select Finishes



M73 Whitewash M74 Fawn M71 Blonde M72 Toast M76 Caramel M75 Smoke M77 Coffee

Veneer Selections

MPL Maple



OAK Oak



OAK Select Finishes



WLT Walnut



Design Selections

Solid Surface Selection

SSF Solid Surface

Standard Finish

CGW Corian®, Glacier White

Base Selections

4M Mobile Base Casters

2½" Non-Marring Urethane Wheels, 2 Locking Casters



Chrome capped wheels are used on polished bases.

White with grey trim wheels are used on white bases.

All other colors will have black casters.

Powder Coat Finishes

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge. The powder coat option is available on skus where noted as an option in the material specification code.

Standard Finish



PA Polished Aluminum

Powder Coat Finishes - Upcharges apply.




WH Satin White



AL Aluminum



GR Graphite



BZ Bronze



IG Iron Grey



RD Black Red



BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Playbook Tops



Playbook offers a selection of different table edges depending on the top material chosen. Specify the selected edge codes associated with the top material chosen when ordering.


Edge Details

Laminate

- PLL Solid Laminate
- WGL Woodgrain Laminate




F1 1" Flat




PP 1" Exposed Plywood

Veneer

- ASH Ash
- MPL Maple
- OAK Oak
- WLT Walnut



F1 1" Flat



PP 1" Exposed Plywood

Solid Surface

- SSF Corian, Glacier White



CC 1/4" Corian Chamfer

Corner Details

Exposed Plywood Option



Exposed Plywood Edge

2" Radius Corner

Note: When specified on Radius Rectangular/Square pages, radius is replaced with 2" radius corner.

Radius Rectangular/Square Tables



Veneer/Laminate/Corian Edge

3 1/2" Radius Corner

Rectangular/Square Tables



Veneer/Laminate/Corian Edge

Square Corner

specification codes example: PKS-SKU-F1YLTRK

material + finish code example: PAASH867

series	sku	base	edge	power access location	base finish	top material	top finish
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1/4" corian chamfer	YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets - see pages 88-89 000 none or under mount power - see pages 94-96 mediatrac™ - see pages 101-108 Z06 Surface Mount - see page 112 R01 triad surface mount power Specify power style separately - see page 113 upcharge \$350 TRK Powertrack Specify WorkHub kits separately - see pages 90-91	PA polished aluminum upcharge will apply WH satin white powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P	K	S	-	-	-	-	-


Playbook Table Collection



Designed to meet casual and upscale environments, the Playbook table collection meets a multitude of meeting table needs with its large SKU offering. Playbook tables expand Bernhardt's table offerings with unique cast aluminum bases, new table top materials and an innovative power solution.



Conference Height Table - Ranging from 36" to 54" wide by 60" to 240" long




Conference Height Table - Ranging from 36" to 54" wide by 60" to 240" long



Lounge Height Table - Ranging from 36" to 54" wide by 60" to 120" long



Mediawall Conference Tops from 42" to 54" wide by 48" to 120" long



Cafe and Small Work Tables - Ranging from 30" to 48"



Larger Round Meeting Table - Ranging from 54" to 96"

Playbook Table Collection



T-base





Y-base

The Playbook meeting table collection features an aluminum leg assembly available in two base configurations and offered in two heights. All legs are equipped with adjustable levelers with a 3/4" range. An aluminum stretcher connects the legs creating a strong and unified assembly. Bases are available in polished aluminum and a range of powder coat finishes.


Bases and tops are sold as a complete assembly.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.




Top Overhang Summary for End Conditions


Top Length	Top Overhang	Top Overhang to T-base	Top Overhang to Y-base
48"	14 3/4"	15"	10 1/2"
54"	14 3/4"	15"	10 1/2"
60"	14 3/4"	15"	10 1/2"
66"	14 3/4"	15"	10 1/2"
72"	17 1/4"	17 1/2"	13"
78"	17 1/4"	17 1/2"	13"
84 - 240"	20 1/4"	20 1/2"	16"




Tables with 3 or more legs always have T-bases as the inside leg/legs.




T-base Conference Height



T-base Lounge Height




Y-base Conference Height



Y-base Lounge Height


Playbook 4-star Base Overview

4-Star Base Scope of Line




The Playbook 4-star base table features an aluminum base with adjustable levelers with a 3/4" range. The table is offered at numerous heights for a wide breadth of applications. Bases are available in polished aluminum and a range of powder coat finishes. Bases and tops are sold as a complete assembly.

The 4-star base is designed to accommodate Playbooks WorkHub power unit, under mount power and triad power. The center column of the table is a hollow passage for internal wire management to the floor.




Playbook 4-Star Base Power Overview

WorkHub Power Module




Section view of the Playbook top and base with the new WorkHub power module option. Round pass thru grommet is required for installation of the round power module. Tops are available with the optional pass thru grommet cut out, see pages 88-89 for grommet kit codes. Grommet is included when WorkHub is specified.

Under Mount Power Module




Section view of the Playbook top and base with the under mount power option. Bernhardt Design provides recommendations for installation locations as shown on pages 94-96.

Triad Power Module



Section view of the Playbook top and base with the triad surface mount power module. Triad surface mount power modules are available with the optional triad surface mount power module cut out. See page 113 for grommet kit code. Triad power style sold separately.

Wire Management







Detail view of the Playbook base showing wire management.

Playbook Large Meeting Tables




Playbook offers large scale circular conference solutions by utilizing the base and stretcher used in the rectilinear conference section. These tables are only available with the Y-base configuration and offered in two heights. All legs are equipped with adjustable levelers with a 3/4" range. Bases are available in polished aluminum and a range of powder coat finishes. Bases and tops are sold as a complete assembly.





2 Bases with Circular Top
 54" - 60" Diameter Tops

2 Bases with Square Top
 48" - 60" Diameter Tops



Top Overhang Summary for End Conditions

Top Size	Top Overhang	Top Overhang to Y-base
48"	16"	11 3/4"
54"	18"	13 3/4"
60"	20"	15 3/4"
66"	21 1/2"	17 1/4"
72"- 96"	24"	19 3/4"




3 Bases with Circular Top
 66" - 96" Diameter Tops

Playbook Audio/Visual MediaWall




Upholstered Audio/Visual Mediawall

Playbook upholstered audio/visual mediawalls are designed to be used with Playbook conference height runoff tables. The upholstered audio/visual mediawalls offer the ability to mount monitors up to 55" w and support up to (8) av rack units on the back side. Wires can pass through the wall and down, to conceal any cables running to the floor. The back side of the audio/visual mediawalls is open to allow easy access to equipment, The upholstered wall features a rounded design.



Audio/Visual wall dimensions

(4) 2 AV vertical racks can be installed on the back of the Mediawall




Mediawall Conference Height

Mediawall Accessories


Display Mount

Sanus Monitor Mount
 Black Finish, Max Weight: 150 lbs
 TV Size Range: 32" - 55" class
 Slim, fixed position mounted
 Available range for most displays




Audio Visual Rack

Shelf max weight capacity: 200 lbs
 Rack shelf: 3 1/2" usable depth, 19" usable width
 Mounting: horizontal/vertical
 able to mount (2) vertical rack mounts into threaded inserts




Vertical Shelf

UTR1
 Weight capacity: 25 lbs.
 Holds small components, wireless units and other gear



Camera Mount

Mounts to monitor
 Black powder coat
 12"w x 6 1/4"d x 1 1/4"h





Playbook Freestanding Mediawalls



Playbook freestanding media walls are designed to be used with Playbook conference height runoff tables and are available as an upholstered or veneer wall. Both freestanding media walls offer the ability to mount monitors up to 55" w. Wires can pass through the wall and down, to conceal any cables running to the floor. Playbook freestanding media walls are available in single and double sided units. The upholstered wall features a rounded corner design.

Upholstered Freestanding Single Sided Wall

Veneer Freestanding Single Sided Wall




Upholstered Mediawal Conference Height

Veneer Mediawal Conference Height




Freestanding Single Sided Veneer Wall



Freestanding Double Sided Veneer Wall



Freestanding Single Sided Upholstered Wall



Freestanding Double Sided Upholstered Wall


Playbook Power and Wire Management



Playbook goes one step beyond all other tables in this category in addressing wire management and power. The PowerBay, a standard feature on Playbook lounge and conference tables, is a molded PET felt assembly that is attached to the bottom of the table top. The assembly is used to manage necessary wiring to support the WorkHub and under mount power modules. In addition to the PowerBay, Playbook offers a cable drop component that can be field installed anywhere along the bottom of the PowerBay and is used to route wires directly to the floor or as close as possible to the floor core.



Powertrack with WorkHub and Cable Nuggets



Under Mount Power



PowerBay



Powertrack with WorkHub and Cable Nuggets


Playbook Powertrack




Available for the Playbook meeting tables, the new Powertrack pass thru offers simple flexibility in cord location, allowing cables to freely move along the length of the worksurface.

When used in conjunction with the WorkHub, the Powertrack allows the WorkHub to slide along the track for maximized power accessibility. This track is offered in a range of powder coat colors and is specified separately from base color for added personalization flexibility. Powertrack has (1) cable nugget kit included in each order.


Powertrack **TRK** is specified under the power process location dropdown with an upcharge. Specify WorkHub power modules separately.




Conference/Media-Conference Tops
60" - 120"
Powertrack Cutout Details




Conference Tops
132" - 240"
Powertrack Cutout Details



Mediawall Tops
48" - 120"
Powertrack Cutout Details



The Powertrack has larger openings on both ends to allow power plugs to easily pass through the track and feed into the felt PowerBay underneath.




Detail view of the Playbook top with the new Powertrack option. Powertrack is specified on the bottom sku string for an upcharge. Powertrack finish is specified separately from base finish.

Playbook Cable Nuggets




Cable nuggets are a versatile accessory intended to be used with the Powertrack. This item is made from soft touch rubber and is intended for any cables routed up through the Powertrack. The nugget grips the cable and neatly nestles into the Powertrack, keeping the head of the cord in an easily accessible position and preventing the head of the cable from falling back through the trim and into the felt PowerBay.


Powertrack has (1) cable nugget kit included in each order. 1 kit includes a total of 8 nuggets: 2 small, 4 medium, 2 large.




Cable Nugget holds cable head in readily available position in the Powertrack and prevents smaller cable heads from falling through the crack.



Small
for thinner charging cables




Medium
for standard USB and data cables



Large
for thicker HDMI cables

1 Kit includes: 2 Small, 4 Medium and 2 Large Nuggets in Dark Grey finish.

Microphone Mount



The Microphone Mount is a new Playbook accessory that provides a mounting platform for various microphones and can be installed anywhere along the Powertrack. The unimposing design of the mount gives an integrated aesthetic and function to the equipped microphones. The Microphone Mount can only be used in conjunction with the Powertrack.

The Microphone Mount is installed onto the Powertrack, providing a platform for the microphone to be mounted to. The included thumbscrew allows for easy installation and location adjustment along the Powertrack.

Microphones are not included with the mount.

Playbook PowerBay




Standard with all Playbook meeting tables, the PowerBay presents a wire management solution that offers optimal space for any cords used in conjunction with the Playbook system. This solution provides a simplified aesthetic by containing wires in a pressed felt shroud.

Under mount connectors are routed through pass through holes in the felt PowerBay to connect the interlink system within the PowerBay's containment. The power infeed can then be dropped down the mouse hole on either end of the PowerBay to plug into the power source.



Felt PowerBay Section View




Internal Capacity of the Felt PowerBay


Playbook Felt Cable Drop



Playbook offers a concealed wire management solution through the use of a cable drop, which directly attaches to the felt PowerBay. The cable drop, 7" w x 2 3/4" d, is available for both lounge and conference height work solutions and is offered in dark grey felt to match the felt PowerBay. To allow flexibility of its location in relation to any floor cores that may be used, the cable drop does not run all the way to the ground. This accessory is equipped with large tooth zippers on the sides that unzip to optimize cord and plug head clearance around the Playbook Stretcher. The felt cable drop is sold separately.




Note: End user installation will be required per individual SKU. Cable drop is specified separately. See page 89 for accessory add-ons.



Lounge Height Power Drop Dimensions

Conference Height Power Drop Dimensions



The cable drop can be field installed in any location along the felt PowerBay for flexibility.

WorkHub Power Module



The Playbook WorkHub is a new and casual way to address the rapid and flexible needs of today's collaborative and team rooms by bringing the connection points to the worksurface.



The WorkHub power module integrates into a standard 3" grommet or the new Playbook Powertrack. It is configured with: (4) receptacles, (1) USB 2-Type A-Port and (1) USB 3 Type-C Port. Modules are only available in matte gray with dark gray felt.

The WorkHub power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2

Specify grommet location on table assembly pages 85-86 for use with 3" grommet. Specify TRK on table assembly pages 90-91 for use with Powertrack.


WorkHub Power Module

- Matte Grey/Dark Grey Felt
- (4) 120 v 60 Hz. 15 amp receptacles
- (1) USB Type-A Port 2.1 amp
- (1) USB Type-C Port 2.1 amp 20 watt
- Must be used with either the Powertrack or a 3" grommet
- Includes adapter kit for both round grommet and powertrack options




Showing Powertrack used in conjunction with the WorkHub power module. Up to 3 WorkHubs can be sequentially connected off of one single corded electrical infeed.


Interlink Connector Matte Black Finish




Power Infeed




10' interlink power infeed with 15 amp plug




15 amp receptacle



10' power infeed with hardwired conduit




10' power infeed with 15 amp plug




15 amp receptacle


WorkHub Side Section



WorkHub installed in 3" communication grommet




WorkHub installed in Powertrack



Section view of the WorkHub installed into a 3" communication grommet. The recessed detail on the bottom of the unit provides a path to pull an HDMI or CAT6 line through for additional access to connection points.

Tops are available with the optional Powertrack cut out and trim for an upcharge. Specify on bottom of table page.



Section view of the WorkHub as it is integrated into the Powertrack. When used in conjunction with the Powertrack and the cable nuggets all of the wires are neatly concealed in the PowerBay below the top.

Under Mount Power


Playbook offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source.

[See installation instructions for installing.](#)

The Playbook table collection provides suggested locations for 2-10 under mount power modules. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: End user installation will be required per individual SKU.


Bernhardt Design provides recommendations for installation locations as shown on page 94-96. Further installation instructions are included with each power unit. Power is specified separately.

Power Modules

Matte Black Finish




power + power
(2) 15 amp receptacles
120 v 60 Hz.
braided cotton 10' cord
grounded plug
UL 962 listed



power + usb-a + usb-c
Updated Information Shown in RED
(1) 15 amp receptacle
120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing

with Location for Mini AAP Plate




Sequential Connector

Matte Black Finish



Power Infeed


10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp

Playbook Wire Management

Under mount connectors are routed through pass through holes in the felt PowerBay to offer advanced wire management. The following illustration shows a section view of the Playbook table with under mount power.



Mediatrac 1™


Mediatrac 1 grommet system is a simplified for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.

Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.

Power Infeed
72" long, 15
amp cord.


Power Module



Note: End user installation will be required per individual SKU. Power specified separately. See pages 101-108 for grommet codes.


Mediatrac 1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the Following)

Power Module



Number and configuration of grommet modules determined by the grommet code

Jumper (if required)



Jumper are determined by the length of the top specified

Connector + H-Block



Will be included in kit when the 4-trac option is specified

Power Infeed Options




72" 4-Trac Power Infeed with 20 amp plug



20 amp receptacle
4-Trac Only



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug




15 amp receptacle



72" 3/8" Hardwire Whip

Playbook Wire Management

Mediatrac 1 utilizes the plug and play power system and offers 1" diameter round grommets that are available for speakerphone wire management offered only for Playbook round tables. Single door grommets have (2) receptacles and (2) AAP single plates while double door grommets have (4) receptacles and (4) AAP single plates. Mediatrac 1 is not available on 4-star table bases. Mediatrac 1 is UL listed.



Triad Power Module




Available for the Playbook round and square version tables only. The new Triad surface mount power module offers a simple and clean way of bringing power and USB to the worksurface.

The Triad surface mount power module installs flush to the worksurface. It features (3) receptacles, (3) USB-A ports and (3) USB-C ports. Module is available with a matte black or satin white finish.

When specifying Triad Round Surface Power for table assemblies use R01 grommet kit code.


The power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2 No.21.



Note: End user installation will be required per individual SKU. Power specified separately. See page 113 for grommet codes.

Triad Power Module- Power + USB


- Updated Information Shown in RED
- Matte Black or Satin White Finish
- (3) receptacles
- (3) 2 amp USB-A ports, 10 watt
- (3) 2 amp USB-C ports, 20 watt
- 10' cord, 15 amp
- 6 1/4" w x 6 1/4" d x 2 1/2" h
- Specify power style TPU



Surface Mount Power Module




A surface mount power solution is available for Playbook runoff tables and mediawall only. Allowing for quick access to power, the surface mount power module features (2) grounded receptacles and (1) 2 amp USB-A port and (1) 2 amp USB-C port. See page 110 for grommet location and code.



Power Module

Black, Silver or White Finish



Power Infeed

10' Grounded Plug



15 amp


- Updated Information Shown in RED
- (2) 120 v 60 Hz. 15 amp receptacles
- (1) 2 amp USB-A port, 10 watt
- (1) 2 amp USB-C port, 20 watt
- 6 1/2" w x 3" d x 2 3/4" h



round + square tables
lounge, conference, counter, bar height

round or square top + base assembly
loung height

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	F1	PP	ASH ash MPL maple OAK oak WLT walnut	F1	PP	SSF solid surface	CC
round top with lounge height base												
A00	30	30	26	(1) 4-star base	2365	3068	2992	3198	5233			
AAA	36	36	26	(1) 4-star base	2713	3480	3198	3408	5596			
ABB	42	42	26	(1) 4-star base	2992	3807	3408	3616	5962			
ACC	48	48	26	(1) 4-star base	3268	4136	3616	3825				
arched square top with lounge height base												
B00	30	30	26	(1) 4-star base	2365	3068	2992	3198	5233			
BAA	36	36	26	(1) 4-star base	2713	3480	3198	3408	5596			
BBB	42	42	26	(1) 4-star base	2992	3807	3408	3616				
radius square top with lounge height base												
C00	30	30	26	(1) 4-star base	2365	3068	2992	3198	5233			
CAA	36	36	26	(1) 4-star base	2713	3480	3198	3408	5596			
CBB	42	42	26	(1) 4-star base	2992	3807	3408	3616				

specification codes example: PKS-SKU-F14LY01


material + finish code example: PAASH870

series	sku	edge	base	power access location	base finish	top material	top finish
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	4L 4-Star base loung height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113	PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P K S -	-		4 L				



**round or square top + base assembly
loung height**

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
square top with lounge height base							
D00	30	30	26	(1) 4-star base	2365	2992	5233
DAA	36	36	26	(1) 4-star base	2713	3198	5596
DBB	42	42	26	(1) 4-star base	2992	3408	

specification codes example: PKS-SKU-F14LY01


series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	4L 4-Star base loung height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P K S -	-		4 L	

material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

round or square top + base assembly
loung height

polished aluminum Y-base standard
round, arched, radius or square top



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
round top with lounge height base							
ADD	54	54	26	(2) Y-bases	5284	6446 6763	11278
AEE	60	60	26	(2) Y-bases	5839	7124 7476	12464
arched square top with lounge height base							
BCC	48	48	26	(2) Y-bases	4660 5526	5422 5735	10495
BDD	54	54	26	(2) Y-bases	5284	6446 6763	11278
BEE	60	60	26	(2) Y-bases	5839	7124 7476	12464
radius square top with lounge height base							
CCC	48	48	26	(2) Y-bases	4660 5526	5422 5735	10495
CDD	54	54	26	(2) Y-bases	5284	6446 6763	11278
CEE	60	60	26	(2) Y-bases	5839	7124 7476	12464

specification codes example: PKS-SKU-F1YL000


series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	YL Y-base loung height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P K S -	-		Y L	

material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

round or square top + base assembly
loung height

polished aluminum Y-base standard
round, arched, radius or square top



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
square top with lounge height base							
DCC	48	48	26	(2) Y-bases	4660	5422	10495
DDD	54	54	26	(2) Y-bases	5284	6446	11278
DEE	60	60	26	(2) Y-bases	5839	7124	12464

specification codes example: PKS-SKU-F1YL000

series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	YL Y-base loung height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P K S -	-		Y L	


material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



**round or square top + base assembly
lounge height**

polished aluminum Y-base standard
only available in round top
only available with (3) Y-bases
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
<p>round top with lounge height base</p>							
AFF	66	66	26	(3) Y-bases	7542	9215 9654	16099
AGG	72	72	26	(3) Y-bases	8063	9837 10319	17211
AHH	78	78	26	(3) Y-bases, *See note	8966	10939 11477	19140
All	84	84	26	(3) Y-bases, *See note	10078	12294 12901	21514
AJJ	90	90	26	(3) Y-bases, *See note	11120	13566 14234	23740
AKK	96	96	26	(3) Y-bases, *See note	12128	14798 15525	25889

*Note: Triad Surface Mount power module not available on skus AHH, All, AJJ and AKK

specification codes example: **PKS-SKU-F1YL000**

series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/2" corian chamfer	YL Y-base lounge height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P K S -	-		Y L	


material + finish code example: **PAASH870**

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



**round or square top + base assembly
conference height**

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	PP	ASH ash MPL maple OAK oak WLT walnut	F1	PP	SSF solid surface	CC
round top with conference height base											
A00	30	30	29½	(1) 4-star base	2365	3068	2992	3198	5233		
AAA	36	36	29½	(1) 4-star base	2713	3480	3198	3408	5596		
ABB	42	42	29½	(1) 4-star base	2992	3807	3408	3616	5962		
ACC	48	48	29.5	(1) 4-star base	3268	4136	3616	3825			
arched square top with conference height base											
B00	30	30	29½	(1) 4-star base	2365	3068	2992	3198	5233		
BAA	36	36	29½	(1) 4-star base	2713	3480	3198	3408	5596		
BBB	42	42	29½	(1) 4-star base	2992	3807	3408	3616			
radius square top with conference height base											
C00	30	30	29½	(1) 4-star base	2365	3068	2992	3198	5233		
CAA	36	36	29½	(1) 4-star base	2713	3480	3198	3408	5596		
CBB	42	42	29½	(1) 4-star base	2992	3807	3408	3616			


specification codes example: PKS-SKU-F14C000

series	sku	edge	base	power access location	base finish	top material	top finish
PKS playbook		F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer	4C 4-Star base conference height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113	PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P K S -	-		4 C				



**round or square top + base assembly
conference height**

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
square top with conference height base							
D00	30	30	29½	(1) 4-star base	2365	2992	5233
DAA	36	36	29½	(1) 4-star base	2713	3198	5596
DBB	42	42	29½	(1) 4-star base	2992	3408	

specification codes example: PKS-SKU-F14C000

series	sku	edge
PKS playbook		F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P K S -	-	

base
4C 4-Star base conference height
4 C

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113

material + finish code example: PAASH870


base finish
PA polished aluminum
WH satin white powder coat
AL aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

top material	top finish
PLL solid laminate	see pages 4-6
WGL woodgrain laminate	
ASH ash	
MPL maple	
OAK oak	
WLT walnut	
SSF corian	



**round or square top + base assembly
conference height**

polished aluminum Y-base standard
round, arched, radius or square top
only available with (2) Y-bases
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
round top with conference height base							
ADD	54	54	29½	(2) Y-bases	5284	6446 6763	11278
AEE	60	60	29½	(2) Y-bases	5839	7124 7476	12464
arched square top with conference height base							
BCC	48	48	29½	(2) Y-bases	4660 5526	5422 5735	10495
BDD	54	54	29½	(2) Y-bases	5284	6446 6763	11278
BEE	60	60	29½	(2) Y-bases	5839	7124 7476	12464
radius square top with conference height base							
CCC	48	48	29½	(2) Y-bases	4660 5526	5422 5735	10495
CDD	54	54	29½	(2) Y-bases	5284	6446 6763	11278
CEE	60	60	29½	(2) Y-bases	5839	7124 7476	12464

specification codes example: **PKS-SKU-F1YC000**

series	sku	edge
PKS playbook		F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P K S -	-	

base
YC Y-base conference height
Y C

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113


material + finish code example: **PAASH870**

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$350	PLL solid laminate WGL woodgrain laminate	see pages 4-6
WH satin white powder coat	ASH ash	
AL aluminum powder coat	MPL maple	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat	SSF corian	
RD black red powder coat		
BK matte black powder coat		



**round or square top + base assembly
conference height**

polished aluminum Y-base standard
round, arched, radius or square top
only available with (2) Y-bases
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
square top with conference height base							
DCC	48	48	29½	(2) Y-bases	4660	5422	10495
DDD	54	54	29½	(2) Y-bases	5284	6446	11278
DEE	60	60	29½	(2) Y-bases	5839	7124	12464

specification codes example: **PKS-SKU-F1YC000**

series	sku	edge
PKS playbook		F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P K S -	-	

base
YC Y-base conference height
Y C

power access location
Y01 WorkHub kits with 3" grommets see pages 88-89
000 none or under mount power see pages 94-96
R01 triad surface mount power Specify power style separately see page 113


material + finish code example: **PAASH870**

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$350	PLL solid laminate WGL woodgrain laminate	see pages 4-6
WH satin white powder coat	ASH ash	
AL aluminum powder coat	MPL maple	
GR graphite powder coat	OAK oak	
BZ bronze powder coat	WLT walnut	
IG iron grey powder coat	SSF corian	
RD black red powder coat		
BK matte black powder coat		




**round top + base assembly
conference height**

polished aluminum Y-base standard
round, arched, radius or square top
only available with (3) Y-bases
sku includes top and base



sk	l	w	h	bases	PLL solid laminate	WGL woodgrain laminate	ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP			CC

round top with conference height base



AFF	66	66	29 1/2"	(3) Y-bases	7542	9215	9654	16099
AGG	72	72	29 1/2"	(3) Y-bases	8063	9837	10319	17211
AHH	78	78	29 1/2"	(3) Y-bases, *See note	8966	10939	11477	19140
All	84	84	29 1/2"	(3) Y-bases, *See note	10078	12294	12901	21514
AJJ	90	90	29 1/2"	(3) Y-bases, *See note	11120	13566	14234	23740
AKK	96	96	29 1/2"	(3) Y-bases, *See note	12128	14798	15525	25889

*Note: Triad Surface Mount power module not available on skus AHH, All, AJJ and AKK

specification codes example: PKS-SKU-F1YC000

series	sku	edge	base	power access location
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	YC Y-base conference height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P	K	S	-	-
			Y	C


material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

**round or square top + mobile base assembly
conference height**




polished aluminum 4-star mobile base standard
round, arched, radius or square top
2½" non-marring urethane chrome, white or black castors
see page 7 for caster specification
sku includes top and base



PLL solid laminate	WGL woodgrain laminate	ASH ash	MPL maple	OAK oak	WLT walnut
F1	PP	F1	PP	F1	PP


sku | l | w | h | bases

round top with conference height base




A00	30	30	29½	(1) 4-star base	2436	2873	3061	3116
AAA	36	36	29½	(1) 4-star base	2781	3283	3268	3560

arched square top with conference height base



B00	30	30	29½	(1) 4-star base	2436	2873	3061	3116
BAA	36	36	29½	(1) 4-star base	2781	3283	3268	3560

radius square top with conference height base



C00	30	30	29½	(1) 4-star base	2436	2873	3061	3116
CAA	36	36	29½	(1) 4-star base	2781	3283	3268	3560


specification codes example: PKS-SKU-F14M000

series	sku	edge	base	power access location	material + finish code example: PAASH870	base finish	top material	top finish
PKS playbook		F1 1" flat PP 1" exposed ply	4M mobile base conference height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113	PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut	see pages 4-6	
P K S -	-		4 M					




**round or square top + mobile base assembly
conference height**

polished aluminum 4-star mobile base standard
round, arched, radius or square top
2½" non-marring urethane chrome, white or black castors
see page 7 for caster specification
sku includes top and base



sk	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut
					F1	PP

square top with conference height base



D00	30	30	29½	(1) 4-star base	2436	3061
DAA	36	36	29½	(1) 4-star base	2781	3268


specification codes example: PKS-SKU-F14M000

series	sku	edge	base	power access location	base finish	top material	top finish
PKS playbook		F1 1" flat PP 1" exposed ply	4M mobile base conference height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113	PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut	see pages 4-6
P K S -	-		4 M				



**round or square top + base assembly
counter height**

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	F1	PP	ASH ash MPL maple OAK oak WLT walnut	F1	PP	SSF solid surface	CC
round top with counter height base												
A00	30	30	36	(1) 4-star base								
AAA	36	36	36	(1) 4-star base								
arched square top with counter height base												
B00	30	30	36	(1) 4-star base								
BAA	36	36	36	(1) 4-star base								
radius square top with counter height base												
C00	30	30	36	(1) 4-star base								
CAA	36	36	36	(1) 4-star base								


specification codes example: PKS-SKU-F14T000

series	sku	edge	base	power access location	material + finish code example:	base finish	top material	top finish
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	4T 4-Star base counter height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113	PAASH870	PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P K S -	-		4 T					



**round or square top + base assembly
counter height**

polished aluminum 4-star base standard
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
square top with counter height base							
D00	30	30	36	(1) 4-star base	2436	3061	5506
DAA	36	36	36	(1) 4-star base	2781	3268	5882

specification codes example: PKS-SKU-F14T000

series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	4T 4-Star base counter height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P K S -	-		4 T	


material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



**round or square top + base assembly
bar height**

polished aluminum 4-star base
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	F1	PP	ASH ash MPL maple OAK oak WLT walnut	F1	PP	SSF solid surface	CC
round top with bar height base												
A00	30	30	42	(1) 4-star base	2436	2873	3061	3116	5506			
AAA	36	36	42	(1) 4-star base	2781	3283	3268	3560	5882			
arched square top with bar height base												
B00	30	30	42	(1) 4-star base	2436	2873	3061	3116	5506			
BAA	36	36	42	(1) 4-star base	2781	3283	3268	3560	5882			
radius square top with bar height base												
C00	30	30	42	(1) 4-star base	2436	2873	3061	3116	5506			
CAA	36	36	42	(1) 4-star base	2781	3283	3268	3560	5882			

specification codes example: **PKS-SKU-F14B000**

series	sku	edge	base	power access location
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/2" corian chamfer	4B 4-Star base bar height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P	K	S	-	-
			4	B


material + finish code example: **PAASH870**

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



**round or square top + base assembly
bar height**

polished aluminum 4-star base
round, arched, radius or square top
PowerBay not available
sku includes top and base



sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1 PP	F1 PP	CC
square top with bar height base							
D00	30	30	42	(1) 4-star base	2436	3061	5506
DAA	36	36	42	(1) 4-star base	2781	3268	5882

specification codes example: PKS-SKU-F14B000

series	sku	edge	base	power access location
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	4B 4-Star base bar height	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 R01 triad surface mount power Specify power style separately see page 113
P K S -	-		4 B	

material + finish code example: PAASH870

base finish	top material	top finish
PA polished aluminum powder coat upcharge \$150 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6





lounge height tables


**rectangular top + base assembly
loung height**



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL	ASH	SSF
					solid laminate	ash	solid surface
					WGL	MPL	
					woodgrain laminate	maple	
						OAK	
						oak	
						WLT	
						walnut	
							CC
					F1	F1	CC
EEA	60	36	26	2 bases	4936	6117	10703
EEB	60	42	26	2 bases	5110	6222	10885
EEC	60	48	26	2 bases	5284	6326	11069
EFA	66	36	26	2 bases	5076	6222	10885
EFB	66	42	26	2 bases	5251	6326	11069
EFC	66	48	26	2 bases	5422	6431	11251
EGA	72	36	26	2 bases	5251	6290	11009
EGB	72	42	26	2 bases	5422	6382	11165
EGC	72	48	26	2 bases	5596	6466	11313
EHA	78	36	26	2 bases	5353	6362	11130
EHB	78	42	26	2 bases	5528	6502	11373
EHC	78	48	26	2 bases	5700	6639	11615
EIA	84	36	26	2 bases	5561	6431	11251
EIB	84	42	26	2 bases	5735	6568	11495
EIC	84	48	26	2 bases	5910	6708	11738

specification codes example: PKS-SKU-F1YLTRK



material + finish code example: BKPAASH870

series	sku	edge	base	power access location	powertrack finish	base finish	top material	top finish
PKS	playbook	F1 1" flat CC 1 1/4" corian chamfer	YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P	K	S	-	-	-	-	-	-


**rectangular top + base assembly
loung height**



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL	ASH	SSF
					solid laminate	ash	solid surface
					WGL	MPL	
					woodgrain laminate	maple	
						OAK	
						oak	
						WLT	
						walnut	
							CC
					F1	F1	CC
EJB	90	42	26	2 bases	6014	6535	11432
EJC	90	48	26	2 bases	6186	6778	11858
EJD	90	54	26	2 bases	6362	7020	12286
EKB	96	42	26	2 bases	6117	6778	11858
EKC	96	48	26	2 bases	6326	6952	12163
EKD	96	54	26	2 bases	6535	7126	12468
ELB	102	42	26	2 bases	6290	6882	12041
ELC	102	48	26	2 bases	6502	7056	12344
ELD	102	54	26	2 bases	6708	7230	12648
EMB	108	42	26	2 bases	6466	6952	12163
EMC	108	48	26	2 bases	6672	7160	12286
EMD	108	54	26	2 bases	6882	7335	12831

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat CC 1/4" corian chamfer
P	K	S

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

**rectangular top + base assembly
loung height**



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1	F1	CC
ENB	114	42	26	3 bases	8102	8725	15262
ENC	114	48	26	3 bases	8480	8966	15690
END	114	54	26	3 bases	8862	9209	16114
EOB	120	42	26	3 bases	8618	9695	16965
EOC	120	48	26	3 bases	8966	9869	17270
EOD	120	54	26	3 bases	9314	10078	17636


specification codes example: PKS-SKU-F1YLTRK

series	sku	edge	base	power access location	powertrack finish	base finish	top material	top finish
PKS	playbook	F1 1" flat CC 1 1/2" corian chamfer	YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P	K	S	-					


**radius top + base assembly
loung height**



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	F1	PP	CC			
FEA	60	36	26	2 bases	5402	5826	6729	6959	11774									
FEB	60	42	26	2 bases	5593	6030	6845	7134	11974									
FEC	60	48	26	2 bases	5783	6234	6959	7303	12176									
FFA	66	36	26	2 bases	5555	5989	6845	7035	11974									
FFB	66	42	26	2 bases	5745	6195	6959	8754	12176									
FFC	66	48	26	2 bases	5937	6400	7075	7418	12376									
FGA	72	36	26	2 bases	5745	6195	6921	7227	12108									
FGB	72	42	26	2 bases	5937	6400	7019	7401	12284									
FGC	72	48	26	2 bases	6130	6604	7111	7570	12442									
FHA	78	36	26	2 bases	5861	6301	6996	7303	12241									
FHB	78	42	26	2 bases	6052	6521	7150	7532	12509									
FHC	78	48	26	2 bases	6242	6727	7303	7763	12777									
FIA	84	36	26	2 bases	6090	6562	7075	7418	12376									
FIB	84	42	26	2 bases	6282	6769	7227	7632	12643									
FIC	84	48	26	2 bases	6471	6972	7380	7838	12910									
FJB	90	42	26	2 bases	6588	7096	7189	7838	12577									
FJC	90	48	26	2 bases	6778	7300	7455	8563	13044									
FJD	90	54	26	2 bases	6970		7721	8334	13512									

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P	K	S

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

**radius top + base assembly
loung height**



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP	F1	PP	CC		
FKB	96	42	26	2 bases	6702	7217	7455	7953	13044				
FKC	96	48	26	2 bases	6931	7466	7646	8220	13379				
FKD	96	54	26	2 bases	7160		7838	8488	13713				
FLB	102	42	26	2 bases	6893		7570	8105	13246				
FLC	102	48	26	2 bases	7122		7763	8374	13581				
FLD	102	54	26	2 bases	7267		7953	8641	13914				
FMB	108	42	26	2 bases	7083		7646	8220	13379				
FMC	108	48	26	2 bases	7313		7721	8502	13512				
FMD	108	54	26	2 bases	7542		8068	8793	14113				

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1½" corian chamfer
P	K	S

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**radius top + base assembly
loung height**

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
FNB	114	42	26	3 bases					8881		9596		10284					16788
FNC	114	48	26	3 bases					9300		9862		10575					17258
FND	114	54	26	3 bases					9720		10131		10857					17725
FOB	120	42	26	3 bases					9453		10667		11201					18662
FOC	120	48	26	3 bases					9836		10857		11508					18998
FOD	120	54	26	3 bases					10216		11086		11774					19398

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P	K	S

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

capsule top + base assembly
lounges height



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP	F1	PP	CC		
GGB	72	42	26	2 bases	5937	7007	7019	7401					12284
GGC	72	48	26	2 bases	6130	7232	7111	7570					12442
GHB	78	42	26	2 bases	6052	7142	7150	7532					12509
GHC	78	48	26	2 bases	6242	7365	7303	7763					12777
GIB	84	42	26	2 bases	6282	7412	7227	7632					12643
GIC	84	48	26	2 bases	6471	7636	7380	7838					12910
GJB	90	42	26	2 bases	6588	7770	7189	7838					12577
GJC	90	48	26	2 bases	6778	7999	7455	8563					13044
GJD	90	54	26	2 bases	6970		7721	8334					13512
GKB	96	42	26	2 bases	6702	7908	7455	7953					13044
GKC	96	48	26	2 bases	6931	8178	7646	8220					13379
GKD	96	54	26	2 bases	7160		7838	8488					13713
GLB	102	42	26	2 bases	6893		7570	8105					13246
GLC	102	48	26	2 bases	7122		7763	8374					13581
GLD	102	54	26	2 bases	7267		7953	8641					13914

specification codes example: PKS-SKU-F1YLRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/2" corian chamfer

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

capsule top + base assembly
loung height



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface		
					F1	PP	F1	PP	F1	PP	F1	PP	CC						
GMB	108	42	26	2 bases															
GMC	108	48	26	2 bases															
GMD	108	54	26	2 bases															

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1/4" corian chamfer
P	K	S
-	-	-



material + finish code example: BKPAASH870

power access location	powertrack finish	base finish	top material	top finish
Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

**capsule top + base assembly
loung height**



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" length x 42" - 54" wide
have two sectional veneer tops

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	F1	PP	CC			
GNB	114	42	26	3 bases					8881		9596		10284					16788
GNC	114	48	26	3 bases					9300		9862		10575					17258
GND	114	54	26	3 bases					9720		10131		10857					17725
GOB	120	42	26	3 bases					9453		10667		11201					18662
GOC	120	48	26	3 bases					9836		10857		11508					18998
GOD	120	54	26	3 bases					10216		11086		11774					19398

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/2" corian chamfer

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

**media-conference top + base assembly
freestanding lounge height**



polished aluminum base standard
Y-base ONLY, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
ICB	48	42/32	26	2 bases	5289	5704	6614	6861	11574									
IDB	54	42/32	26	2 bases	5442	5866	6729	6997	11775									
IDC	54	48/38	26	2 bases	5623	6069	6845	7187	11976									
IEB	60	42/32	26	2 bases	5593	6030	6845	7134	11974									
IEC	60	48/38	26	2 bases	5783	6234	6959	7303	12176									
IED	60	54/42	26	2 bases	5976		7159	7532	12527									
IFB	66	42/32	26	2 bases	5745	6195	6959	7269	12176									
IFC	66	48/38	26	2 bases	5937	6400	7075	7418	12376									
IFD	66	54/42	26	2 bases	6130		7274	7647	12728									

specification codes example: PKS-SKU-F1YLTRK

material + finish code example: BKPAASH870



series	sku	edge	base	power access location	powertrack finish	base finish	top material	top finish
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/2" corian chamfer	YL Y-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P	K	S	-					
Y	L							

media-conference top + base assembly
freestanding lounge height

media-conference top + base assembly
freestanding lounge height



polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		ASH ash		SSF solid surface
					F1	PP	MPL maple	WLT walnut	
IGB	72	42/32	26	2 bases	5937	7007	7019	7401	12284
IGC	72	48/38	26	2 bases	6130	7232	7111	7570	12442
IGD	72	54/42	26	2 bases	6322		7312	7800	12794
IHB	78	42/32	26	2 bases	6052	7142	7150	7532	12509
IHC	78	48/38	26	2 bases	6242	7365	7303	7763	12777
IHD	78	54/42	26	2 bases	6434		7503	7992	13128
IIB	84	42/32	26	2 bases	6282	7412	7227	7632	12643
IIC	84	48/38	26	2 bases	6471	7636	7380	7838	12910
IID	84	54/42	26	2 bases	6664		7580	8068	13264
IJB	90	42/32	26	2 bases	6588	7770	7189	7838	12577
IJC	90	48/38	26	2 bases	6778	7999	7455	8068	13044
IJD	90	54/42	26	2 bases	6970		7721	8334	13512
IKB	96	42/32	26	2 bases	6702	7908	7455	7953	13044
IKC	96	48/38	26	2 bases	6931	8178	7646	8220	13379
IKD	96	54/42	26	2 bases	7160		7838	8488	13713
ILB	102	42/32	26	2 bases	6893		7570	8105	13246
ILC	102	48/38	26	2 bases	7122		7763	8374	13581
ILD	102	54/42	26	2 bases	7267		7953	8641	13914

specification codes example: PKS-SKU-F1YLRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P	K	S

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91

material + finish code example: BKPAASH870



powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

media-conference top + base assembly
freestanding lounge height



media-conference top + base assembly
freestanding lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
IMB	108	42/32	26	2 bases					7083		7646		8220					13379
IMC	108	48/38	26	2 bases					7313		7721		8502					13512
IMD	108	54/42	26	2 bases					7542		8068		8793					14113

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P	K	S

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91

material + finish code example: BKPAASH870



powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

media-conference top + base assembly
freestanding lounge height



media-conference top + base assembly
freestanding lounge height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
INB	114	42/32	26	3 bases					8881		9596		10284					16788
INC	114	48/38	26	3 bases					9300		9862		10575					17258
IND	114	54/42	26	3 bases					9720		10131		10857					17725
IOB	120	42/32	26	3 bases					9453		10667		11201					18662
IOC	120	48/38	26	3 bases					9836		10857		11508					18998
IOD	120	54/42	26	3 bases					10216		11086		11774					19398

specification codes example: PKS-SKU-F1YLTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer

base	power access location
YL Y-base TL T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91

material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6





conference height tables




**rectangular top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	PLL	ASH	SSF
					solid laminate	ash	solid surface
					WGL	MPL	
					woodgrain laminate	maple	
						OAK	
						oak	
						WLT	
						walnut	
					F1	F1	CC
EEA	60	36	29½	2 bases	4936	6117	10703
EEB	60	42	29½	2 bases	5110	6222	10885
EEC	60	48	29½	2 bases	5284	6326	11069
EFA	66	36	29½	2 bases	5076	6222	10885
EFB	66	42	29½	2 bases	5251	6326	11069
EFC	66	48	29½	2 bases	5422	6431	11251
EGA	72	36	29½	2 bases	5251	6290	11009
EGB	72	42	29½	2 bases	5422	6382	11165
EGC	72	48	29½	2 bases	5596	6466	11313
EHA	78	36	29½	2 bases	5353	6362	11130
EHB	78	42	29½	2 bases	5528	6502	11373
EHC	78	48	29½	2 bases	5700	6639	11615
EIA	84	36	29½	2 bases	5561	6431	11251
EIB	84	42	29½	2 bases	5735	6568	11495
EIC	84	48	29½	2 bases	5910	6708	11738

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat CC 1½" corian chamfer
P	K	S
-	-	-


material + finish code example: BKPAASH870

base	power access location	powertrack finish	base finish	top material	top finish
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



**rectangular top + base assembly
conference height**

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1	F1	CC
EJB	90	42	29½	2 bases	6014	6535	11432
EJC	90	48	29½	2 bases	6186	6778	11858
EJD	90	54	29½	2 bases	6362	7020	12286
EKB	96	42	29½	2 bases	6117	6778	11858
EKC	96	48	29½	2 bases	6326	6952	12163
EKD	96	54	29½	3 bases	6535	7126	12468
ELB	102	42	29½	2 bases	6290	6882	12041
ELC	102	48	29½	2 bases	6502	7056	12344
ELD	102	54	29½	2 bases	6708	7230	12648
EMB	108	42	29½	2 bases	6466	6952	12163
EMC	108	48	29½	2 bases	6672	7160	12286
EMD	108	54	29½	2 bases	6882	7335	12831

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS playbook		F1 1" flat CC 1½" corian chamfer
P K S -	-	

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6


**rectangular top + base assembly
conference height**




polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	material + finish code example: BKPAASH870		
					PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1	F1	CC
ENB	114	42	29½	3 bases	8102	8725	15262
ENC	114	48	29½	3 bases	8480	8966	15690
END	114	54	29½	3 bases	8862	9209	16114
EOB	120	42	29½	3 bases	8618	9695	16965
EOC	120	48	29½	3 bases	8966	9869	17270
EOD	120	54	29½	3 bases	9314	10078	17636
EQC	132	48	29½	3 bases	9174	10148	17756
EQD	132	54	29½	3 bases	9590	10320	18059
ESC	144	48	29½	3 bases	9487	10564	18484
ESD	144	54	29½	3 bases	10009	10774	18852
EUD	156	54	29½	3 bases	10320	10981	19214
EWD	168	54	29½	3 bases	10669	11536	20187



specification codes example: PKS-SKU-F1YCTRK

series	sku	edge	base	power access location	powertrack finish	base finish	top material	top finish
PKS playbook		F1 1" flat CC 1½" corian chamfer	YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6
P K S -								




**rectangular top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
EYD	180	54	29½	4 bases	F1	F1	CC
E1D	192	54	29½	4 bases	11260	11954	20919
E3D	204	54	29½	4 bases	11814	12648	22134
E5D	216	54	29½	4 bases	12302	13204	23105
E7D	228	54	29½	4 bases	12787	13656	23897
					13344	14038	24566

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS playbook		F1 1" flat CC 1¼" corian chamfer
P K S -		

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$675 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**rectangular top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has a three sectional veneer top

sku	l	w	h	bases	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut	SSF solid surface
					F1	F1	CC
E9D	240	54	29½	5 bases	13830	14200	24846

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge	base	power access location
PKS playbook		F1 1" flat CC 1¼" corian chamfer	YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91
P K S -				


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$825 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**radius top + base assembly
conference height**

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3 1/2" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
FEA	60	36	29 1/2	2 bases	5402	5826	6729	6959	11774									
FEB	60	42	29 1/2	2 bases	5593	6030	6845	7134	11974									
FEC	60	48	29 1/2	2 bases	5783	6234	6959	7303	12176									
FFA	66	36	29 1/2	2 bases	5555	5989	6845	7035	11974									
FFB	66	42	29 1/2	2 bases	5745	6195	6959	7269	12176									
FFC	66	48	29 1/2	2 bases	5937	6400	7075	7418	12376									
FGA	72	36	29 1/2	2 bases	5745	6195	6921	7227	12108									
FGB	72	42	29 1/2	2 bases	5937	6400	7019	7401	12284									
FGC	72	48	29 1/2	2 bases	6130	6604	7111	7570	12442									
FHA	78	36	29 1/2	2 bases	5861	6301	6996	7303	12241									
FHB	78	42	29 1/2	2 bases	6052	6521	7150	7532	12509									
FHC	78	48	29 1/2	2 bases	6242	6727	7303	7763	12777									
FIA	84	36	29 1/2	2 bases	6090	6562	7075	7418	12376									
FIB	84	42	29 1/2	2 bases	6282	6769	7227	7632	12643									
FIC	84	48	29 1/2	2 bases	6471	6972	7380	7838	12910									
FJB	90	42	29 1/2	2 bases	6588	7096	7189	7838	12577									
FJC	90	48	29 1/2	2 bases	6778	7300	7455	8068	13044									
FJD	90	54	29 1/2	2 bases	6970		7721	8334	13512									

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1/4" corian chamfer
P	K	S

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**radius top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	F1	PP	CC			
FKB	96	42	29½	2 bases	6702	7217	7455	7953	13044									
FKC	96	48	29½	2 bases	6931	7466	7646	8220	13379									
FKD	96	54	29½	2 bases	7160		7838	8488	13713									
FLB	102	42	29½	2 bases	6893		7570	8105	13246									
FLC	102	48	29½	2 bases	7122		7763	8374	13581									
FLD	102	54	29½	2 bases	7267		7953	8641	13914									
FMB	108	42	29½	2 bases	7083		7646	8220	13379									
FMC	108	48	29½	2 bases	7313		7721	8502	13512									
FMD	108	54	29½	2 bases	7542		8068	8793	14113									

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**radius top + base assembly
conference height**

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3/2" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	F1	PP	CC			
FNB	114	42	29 1/2	3 bases	8881				9596	10284								16788
FNC	114	48	29 1/2	3 bases	9300				9862	10575								17258
FND	114	54	29 1/2	3 bases	9720				10131	10857								17725
FOB	120	42	29 1/2	3 bases	9453				10667	11201								18662
FOC	120	48	29 1/2	3 bases	9836				10857	11508								18998
FOD	120	54	29 1/2	3 bases	10216				11086	11774								19398
FQC	132	48	29 1/2	3 bases	10065				11161	11889								19532
FQD	132	54	29 1/2	3 bases	10524				11355	12119								19864
FSC	144	48	29 1/2	3 bases	10409				11619	12425								20332
FSD	144	54	29 1/2	3 bases	10981				11850	12843								20735
FUD	156	54	29 1/2	3 bases	11326				12080	13074								21137
FWD	168	54	29 1/2	3 bases	11708				12691	13455								22208

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1/4" corian chamfer
P	K	S

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91


material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**radius top + base assembly
conference height**

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has four sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface		
					F1	PP	F1	PP	F1	PP	F1	PP	CC						
FYD	180	54	29½	4 bases															23008
F1D	192	54	29½	4 bases															24348
F3D	204	54	29½	4 bases															25417
F5D	216	54	29½	4 bases															26286
F7D	228	54	29½	4 bases															27024

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P	K	S

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$675 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**radius top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
flat edge tops have a 3½" radius edge
plywood tops have a 2" radius edge
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 60" - 114" length x 36" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has four sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface		
					F1	PP	F1	PP	F1	PP	F1	PP	CC						
F9D	240	54	29½	5 bases															

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC ¼" corian chamfer



base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrak1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91

material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$825 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

capsule top + base assembly
conference height


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
GGB	72	42	29½	2 bases	5937	7007	7019	7401	12284									
GGC	72	48	29½	2 bases	6130	7232	7111	7570	12442									
GHB	78	42	29½	2 bases	6052	7142	7150	7532	12509									
GHC	78	48	29½	2 bases	6242	7365	7303	7763	12777									
GIB	84	42	29½	2 bases	6282	7412	7227	7632	12643									
GIC	84	48	29½	2 bases	6471	7636	7380	7838	12910									
GJB	90	42	29½	2 bases	6588	7770	7189	7838	12577									
GJC	90	48	29½	2 bases	6778	7999	7455	8068	13044									
GJD	90	54	29½	2 bases	6970		7721	8334	13512									
GKB	96	42	29½	2 bases	6702	7908	7455	7953	13044									
GKC	96	48	29½	2 bases	6931	8178	7646	8220	13379									
GKD	96	54	29½	2 bases	7160		7838	8488	13713									
GLB	102	42	29½	2 bases	6893		7570	8105	13246									
GLC	102	48	29½	2 bases	7122		7763	8374	13581									
GLD	102	54	29½	2 bases	7267		7953	8641	13914									

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1½" corian chamfer
P	K	S



base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91

material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

capsule top + base assembly
conference height


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface		
					F1	PP	F1	PP	F1	PP	F1	PP	CC						
GMB	108	42	29 1/2	2 bases															
GMC	108	48	29 1/2	2 bases															
GMD	108	54	29 1/2	2 bases															

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




capsule top + base assembly
conference height


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP	F1	PP	CC		
GNB	114	42	29½	3 bases	8881				9596	10284			16788
GNC	114	48	29½	3 bases	9300				9862	10575			17258
GND	114	54	29½	3 bases	9720				10131	10857			17725
GOB	120	42	29½	3 bases	9453				10667	11201			18662
GOC	120	48	29½	3 bases	9836				10857	11508			18998
GOD	120	54	29½	3 bases	10216				11086	11774			19398
GQC	132	48	29½	3 bases	10065				11161	11889			19532
GQD	132	54	29½	3 bases	10524				11355	12119			19864
GSC	144	48	29½	3 bases	10409				11619	12425			20332
GSD	144	54	29½	3 bases	10981				11850	12843			20735
GUD	156	54	29½	3 bases	11326				12080	13074			21137
GWD	168	54	29½	3 bases	11708				12691	13455			22208

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS playbook		F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P K S -		

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



**capsule top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface		
					F1	PP	F1	PP	F1	PP	F1	PP	CC						
G1D	180	54	29 1/2	4 bases															
G2D	192	54	29 1/2	4 bases															
G3D	204	54	29 1/2	4 bases															
G4D	216	54	29 1/2	4 bases															
G5D	228	54	29 1/2	4 bases															

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer

base	power access location
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91



material + finish code example: BKPAASH870

powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$675 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6




**capsule top + base assembly
conference height**


polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



tops 72" - 114" length x 42" - 54" wide
have one sectional veneer top



tops 120" - 228" length x 42" - 54" wide
have two sectional veneer tops



top 240" length x 54" wide
has three sectional veneer top

sku	l	w	h	bases	PLL	WGL	ASH	MPL	OAK	WLT	SSF
					solid laminate	woodgrain laminate	ash	maple	oak	walnut	solid surface
G9D	240	54	29 1/2	5 bases	F1	PP	F1	PP			CC
					15186		15619	17201			27329

specification codes example: PKS-SKU-F1YCTRK



material + finish code example: BKPAASH870

series	sku	edge	base	power access location	powertrack finish	base finish	top material	top finish
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$825 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

**media top + base assembly
freestanding conference height**



polished aluminum base standard
Y-base ONLY, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP					CC
ICB	48	42/32	29½	2 bases	5289	5704	6614	6861					11574
IDB	54	42/32	29½	2 bases	5442	5866	6729	6997					11775
IDC	54	48/38	29½	2 bases	5623	6069	6845	7187					11976
IEB	60	42/32	29½	2 bases	5593	6030	6845	7134					11974
IEC	60	48/38	29½	2 bases	5783	6234	6959	7303					12176
IED	60	54/42	29½	2 bases	5976		7159	7532					12527
IFB	66	42/32	29½	2 bases	5745	6195	6959	7269					12176
IFC	66	48/38	29½	2 bases	5937	6400	7075	7418					12376
IFD	66	54/42	29½	2 bases	6130		7274	7647					12728

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer

base	power access location
YC Y-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91

material + finish code example: BKPAASH870



powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

media-conference top + base assembly
freestanding conference height



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		ASH ash		SSF solid surface
					F1	PP	MPL maple	WLT walnut	
IGB	72	42/32	29 1/2	2 bases	5937	7007	7019	7401	12284
IGC	72	48/38	29 1/2	2 bases	6130	7232	7111	7570	12442
IGD	72	54/42	29 1/2	2 bases	6322		7312	7800	12794
IHB	78	42/32	29 1/2	2 bases	6052	7142	7150	7532	12509
IHC	78	48/38	29 1/2	2 bases	6242	7365	7303	7763	12777
IHD	78	54/42	29 1/2	2 bases	6434		7503	7992	13128
IIB	84	42/32	29 1/2	2 bases	6282	7412	7227	7632	12643
IIC	84	48/38	29 1/2	2 bases	6471	7636	7380	7838	12910
IID	84	54/42	29 1/2	2 bases	6664		7580	8068	13264
IJB	90	42/32	29 1/2	2 bases	6588	7770	7189	7838	12577
IJC	90	48/38	29 1/2	2 bases	6778	7999	7455	8068	13044
IJD	90	54/42	29 1/2	2 bases	6970		7721	8334	13512
IKB	96	42/32	29 1/2	2 bases	6702	7908	7455	7953	13044
IKC	96	48/38	29 1/2	2 bases	6931	8178	7646	8220	13379
IKD	96	54/42	29 1/2	2 bases	7160		7838	8488	13713
ILB	102	42/32	29 1/2	2 bases	6893		7570	8105	13246
ILC	102	48/38	29 1/2	2 bases	7122		7763	8374	13581
ILD	102	54/42	29 1/2	2 bases	7267		7953	8641	13914

specification codes example: PKS-SKU-F1YCTRK

material + finish code example: BKPAASH870



series	sku	edge	base	power access location	powertrack finish	base finish	top material	top finish
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer	YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

media-conference top + base assembly
freestanding conference height



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
IMB	108	42/32	29 1/2	2 bases					7083		7646		8220					13379
IMC	108	48/38	29 1/2	2 bases					7313		7721		8502					13512
IMD	108	54/42	29 1/2	2 bases					7542		8068		8793					14113

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P	K	S
-	-	-

material + finish code example: BKPAASH870



base	power access location	powertrack finish	base finish	top material	top finish
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

media-conference top + base assembly
freestanding conference height



media top + base assembly
freestanding conference height

polished aluminum base standard
Y-base and T-base option available, specify below
specify Powertrack finish when choosing Powertrack power option
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	CC					
INB	114	42/32	29½	3 bases					8881		9596		10284					16788
INC	114	48/38	29½	3 bases					9300		9862		10575					17258
IND	114	54/42	29½	3 bases					9720		10131		10857					17725
IOB	120	42/32	29½	3 bases					9453		10667		11201					18662
IOC	120	48/38	29½	3 bases					9836		10857		11508					18998
IOD	120	54/42	29½	3 bases					10216		11086		11774					19398

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P	K	S

material + finish code example: BKPAASH870

base	power access location	powertrack finish	base finish	top material	top finish
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack™ - see pages 101-108 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$525 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6



mediawall + run-off tables
conference height




**upholstered audio visual mediawall
conference height**


one-sided mediawall with AV storage capabilities
comes with bottom glide, specify glide plate finish below
connects to conference height run-off tables only
conference height run-off tables must be specified separately

When specifying textiles visit the Playbook product page on BernhardtDesign.com. In the left-hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below.

Fabric must be railroaded. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.



	Skus	W	D	H	Fabric								
upholstered av mediawall	PMC	59"	8 1/2"	70 1/4"	6.25 yds								
		1499 mm	216 mm	1784 mm	5.72 m								
	COM	-	1	2	3	4	5	6	7	8	9	10	11
	3686	-	4270	4367	4423	4534	4631	4673	4742	4839	4923	5020	5575



specification codes example: PKS-PMC-G


series	sku	grommets
PKS playbook		G tv grommets N no tv grommets
P K S -	P M C -	

material + finish code example: 0000-000-BK

base fabric	base fabric colorway	glide plate finish
see bernhardttextiles.com	see bernhardttextiles.com	WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat


veneer audio visual mediawall

one-sided mediawall with AV storage capabilities
comes with bottom glide, specify glide plate finish below
connects to conference height run-off tables only
conference height run-off tables must be specified separately



sku	l	w	h	
				ASH ash MPL maple OAK oak WLT walnut
PMY	59	11 1/8	70 1/4	4998

veneer av mediawall



specification codes example: PKS-PMY-G

series	sku	tv grommet option
PKS playbook		G tv grommets N no tv grommets
P K S -	P M Y -	

material + finish code example: ALASH805


glide plate finish	veneer selection	veneer finish
WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut	see pages 5-6



upholstered freestanding mediawall


freestanding mediawall with fully upholstered back panel comes with bottom glide, specify glide plate finish below available in single and double-sided configurations. comes with bottom glides, specify finish color below
connects to conference height run-off tables only
conference height run-off tables must be specified separately

When specifying textiles visit the Playbook product page on BernhardtDesign.com. In the left-hand column, select graded-in textiles. A complete list of recommended Bernhardt Textiles will be displayed here. Click on the textile of choice and you will be taken to the corresponding textile page on the Bernhardt Design website. Use the four-digit pattern number for the base fabric code shown below and the three-digit colorway number for the base fabric colorway shown below..




Fabric must be railroaded. *All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.

upholstered freestanding mediawall single sided



SKU	W	D	H	Fabric								
PSU	59"	12½"	73%"	9.75 yds								
	1499 mm	318 mm	1871 mm	8.15 m								
COM	-	1	2	3	4	5	6	7	8	9	10	11
4046	-	4956	5108	5195	5368	5520	5585	5693	5845	5975	6126	6993

upholstered freestanding mediawall double sided



SKU	W	D	H	Fabric								
PDU	59"	15½"	73%"	9.75 yds								
	1499 mm	394 mm	1871 mm	8.15 m								
COM	-	1	2	3	4	5	6	7	8	9	10	11
4284	-	5194	5346	5433	5606	5758	5823	5931	6083	6213	6364	7231

specification codes example: PKS-SKU-G

series	sku	grommets
PKS playbook		G tv grommets N no tv grommets
P K S -	-	


material + finish code example: 0000-000-BK

base fabric	base fabric colorway	glide plate finish
see bernhardttextiles.com	see bernhardttextiles.com	WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat
-	-	



veneer freestanding mediawall

freestanding mediawall with fully finished back
optional tv wire management grommet can be specified below
available in single and double-sided configurations.
comes with bottom glides, specify finish color below
connects to conference height run-off tables only
conference height run-off tables must be specified separately




sku	l	w	h	
				ASH ash MPL maple OAK oak WLT walnut

**veneer freestanding mediawall
single sided**

PSV 59 15½ 73⅝


6902



**veneer freestanding mediawall
double sided**

PDV 59 15½ 73⅝

7139



specification codes example: PKS-SKU-G

series	sku	tv grommet option
PKS playbook		G tv grommets N no tv grommets
P K S -	-	


material + finish code example: ALASH805

glide plate finish	veneer selection	veneer finish
WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	ASH ash MPL maple OAK oak WLT walnut	see pages 5-6




**run-off top + base assembly
conference height**

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table with Conference Height Mediawall

T-base Conference Height Table with Conference Height Mediawall

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP					CC
MCB	48	42/32	29½	1 base	3997	4718	5144	5660					9258
MCC	48	48/38	29½	1 base	4207	4964	5180	5697					9321
MCD	48	54/42	29½	1 base	4381		5215	5735					9383
MDB	54	42/32	29½	1 base	4172	4922	5251	5776					9445
MDC	54	48/38	29½	1 base	4381	5169	5284	5812					9509
MDD	54	54/42	29½	1 base	4555		5318	5850					9571
MEB	60	42/32	29½	1 base	4311	5087	5353	5889					9634
MEC	60	48/38	29½	1 base	4555	5373	5389	5928					9695
MED	60	54/42	29½	1 base	4798		5561	6117					10009
MFB	66	42/32	29½	1 base	4484	5291	5596	6156					10073
MFC	66	48/38	29½	1 base	4728	5579	5632	6195					10133
MFD	66	54/42	29½	1 base	4971		5666	6232					10198

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer
P	K	S

material + finish code example: BKPAASH870


base	power access location	powertrack finish	base finish	top material	top finish
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 Z06 surface mount - see page 112 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$250 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

run-off top + base assembly
conference height




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table with Conference Height Mediawall

T-base Conference Height Table with Conference Height Mediawall

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP	F1	PP	CC		
MGB	72	42/32	29½	1 base	4660	5496	5700	6270					10260
MGC	72	48/38	29½	1 base	4902	5783	5735	6309					10320
MGD	72	54/42	29½	1 base	5180		5769	6347					10384
MHB	78	42/32	29½	1 base	4798	5661	5806	6386					10447
MHC	78	48/38	29½	1 base	5110	6029	5839	6422					10509
MHD	78	54/42	29½	1 base	5389		5875	6460					10572
MIB	84	42/32	29½	1 base	4936	5826	5910	6502					10634
MIC	84	48/38	29½	1 base	5251	6195	5944	6538					10697
MID	84	54/42	29½	1 base	5561		5979	6576					10759

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P	K	S

material + finish code example: BKPAASH870


base	power access location	powertrack finish	base finish	top material	top finish
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac1™ - see pages 101-108 Z06 surface mount - see page 112 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$250 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

run-off top + base assembly
conference height




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table with Conference Height Mediawall

T-base Conference Height Table with Conference Height Mediawall

sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash	MPL maple	OAK oak	WLT walnut	SSF solid surface
					F1	PP	F1	PP					CC
MJB	90	42/32	29½	2 bases	6863	8101	7467	8212					13435
MJC	90	48/38	29½	2 bases	7056	8326	7733	8507					13917
MJD	90	54/42	29½	2 bases	7245		7721	8494					13897
MKB	96	42/32	29½	2 bases	6980	8236	7455	8202					13418
MKC	96	48/38	29½	2 bases	7209	8506	7646	8410					13760
MKD	96	54/42	29½	2 bases	7436		7837	8621					14105
MLB	102	42/32	29½	2 bases	7171		7570	8327					13623
MLC	102	48/38	29½	2 bases	7400		7760	8536					13966
MLD	102	54/42	29½	2 bases	7631		7953	8746					14311
MMB	108	42/32	29½	2 bases	7362		7646	8410					13760
MMC	108	48/38	29½	2 bases	7589		7721	8494					13897
MMD	108	54/42	29½	2 bases	7820		8067	8874					14516

specification codes example: PKS-SKU-F1YCTRK

series	sku	edge	base	power access location
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1¼" corian chamfer	YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrac™ - see pages 101-108 Z06 surface mount - see page 112 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91
P	K	S	-	-

material + finish code example: BKPAASH870


powertrack finish	base finish	top material	top finish
WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

run-off top + base assembly
conference height




run-off top + base assembly
conference height

polished aluminum base standard
only connects to conference height upholstered mediawall
specify mediawall separately
Y-base and T-base option available - specify below
specify Powertrack finish when choosing Powertrack power option
Specify surface mount module separately
when specifying Powertrack for use with WorkHub power modules, specify WorkHub kits separately



all tops have one sectional veneer top



Y-base Conference Height Table with Conference Height Mediawall

T-base Conference Height Table with Conference Height Mediawall






sku	l	w	h	bases	PLL solid laminate		WGL woodgrain laminate		ASH ash		MPL maple		OAK oak		WLT walnut		SSF solid surface	
					F1	PP	F1	PP	F1	PP	F1	PP	F1	PP	CC			
MNB	114	42/32	29½	2 bases	9158				9594	10554							17270	
MNC	114	48/38	29½	2 bases	9578				9862	10850							17751	
MND	114	54/42	29½	2 bases	9999				10131	11143							18233	
MOB	120	42/32	29½	2 bases	9730				10666	11731							19195	
MOC	120	48/38	29½	2 bases	10112				10857	11941							19539	
MOD	120	54/42	29½	2 bases	10495				11086	12192							19951	

specification codes example: PKS-SKU-F1YCTRK


series	sku	edge
PKS	playbook	F1 1" flat PP 1" exposed ply CC 1 1/4" corian chamfer
P	K	S

material + finish code example: BKPAASH870

base	power access location	powertrack finish	base finish	top material	top finish
YC Y-base TC T-base	Y01 WorkHub kits with 3" grommets see pages 88-89 000 none or under mount power see pages 94-96 mediatrack1™ - see pages 101-108 Z06 surface mount - see page 112 upcharge \$350 TRK Powertrack Specify WorkHub kits separately see pages 90-91	WH satin white AL aluminum GR graphite BZ bronze IG iron grey RD black red BK matte black	PA polished aluminum powder coat upcharge \$350 WH satin white powder coat AL aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat RD black red powder coat BK matte black powder coat	PLL solid laminate WGL woodgrain laminate ASH ash MPL maple OAK oak WLT walnut SSF corian	see pages 4-6

description	sku	w	d	h	specifications	price
 <p>display mount</p> <p>sanus monitor mount black finish, max weight: 150 lbs. slim, fixed position mounted available range for most displays</p>	TVS	18 3/4	5/8	17 1/2	up to 48" class tv	\$ 715
	TVL	30 1/2	5/8	17 1/2	up to 50"-80" class tv	843
 <p>av rack</p> <p>VPM - 2, shelf max weight capacity: 200 lbs 3 1/2" usable depth, 19" usable width mounting: horizontal/vertical able to mount (2) vertical racks mounts into threaded inserts for use with PMC and PMY mediawalls ONLY</p>	2RU	19 1/4	3 1/2	6		524
 <p>vertical shelf</p> <p>UTR 1 weight capacity: 25 lbs. holds small components, wireless units and other gear for use with PMC and PMY mediawalls ONLY</p>	VSH	19	10	1 3/4		284
 <p>camera shelf</p> <p>mounts to monitor mount panel top or bottom panel mount holds any polycam camera wire pass through in back black powder coat steel</p>	WCS	12	6 1/4	1 1/4		212
 <p>wire clip kit</p> <p>(5) 1/2" cable clamps (5) 1/2" large cable holders hardware included</p>	WMP	1 5/8	7/8	1 1/2		122

specification codes example: ACS SKU





power + accessories

WorkHub Power Module



The Playbook WorkHub is a new and casual way to address the rapid and flexible needs of today's collaborative and team rooms by bringing the connection points to the worksurface.



The WorkHub power module integrates into a standard 3" grommet or the new Playbook Powertrack. It is configured with: (4) receptacles, (1) USB 2-Type A-Port and (1) USB 3 Type-C Port. Modules are only available in matte gray with dark gray felt.

The WorkHub power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2

Specify grommet location on table assembly pages 85-86 for use with 3" grommet. For more information see page 67. Specify TRK on table assembly pages 87-88 for use with Powertrack.


WorkHub Power Module

- Matte Grey/Dark Grey Felt
- (4) 120 v 60 Hz. 15 amp receptacles
- (1) USB Type-A Port 2.1 amp
- (1) USB Type-C Port 2.1 amp 20 watt
- Must be used with either the Powertrack or a 3" grommet
- Includes adapter kit for both round grommet and powertrack options




Showing Powertrack used in conjunction with the WorkHub power module. Up to 3 WorkHubs can be sequentially connected off of one single corded electrical infeed.


Interlink Connector Matte Black Finish




Power Infeed




10' interlink power infeed with 15 amp plug




15 amp receptacle



10' power infeed with hardwired conduit




10' power infeed with 15 amp plug




15 amp receptacle


WorkHub Side Section




WorkHub installed in 3" communication



WorkHub installed in Powertrack



Section view of the WorkHub installed into a 3" communication grommet. The recessed detail on the bottom of the unit provides a path to pull an HDMI or CAT6 line through for additional access to connection points.



Tops are available with the optional Powertrack cut out and trim for an upcharge. Specify on bottom of table page.

Section view of the WorkHub as it is integrated into the Powertrack. When used in conjunction with the Powertrack and the cable nuggets all of the wires are neatly concealed in the PowerBay below the top.


Playbook Powertrack




Available for the Playbook conference tables, the new Powertrack pass thru offers simple flexibility in cord location, allowing cables to freely move along the length of the worksurface.

When used in conjunction with the WorkHub, the Powertrack allows the WorkHub to slide along the track for maximized power accessibility. This track is offered in a range of powder coat colors and is specified separately from base color for added personalization flexibility. Powertrack has (1) cable nugget kit included in each order.


Powertrack **TKR** is specified under the power process location dropdown with an upcharge. Specify WorkHub power modules separately.




**Conference/Media-Conference
Tops
60" - 120"**




**Conference Tops
132" - 240"**
Powertrack Cutout Details



**Mediawall Tops
48" - 120"**
Powertrack Cutout Details



The Powertrack has larger openings on both ends to allow power plugs to easily pass through the track and feed into the felt PowerBay underneath.




Detail view of the Playbook top with the new Powertrack option. Powertrack is specified on the bottom sku string for an upcharge. Powertrack finish is specified separately from base finish.

Playbook Cable Nuggets




Cable nuggets are a versatile accessory intended to be used with the Powertrack. This item is made from soft touch rubber and is intended for any cables routed up through the Powertrack. The nugget grips the cable and neatly nestles into the Powertrack, keeping the head of the cord in an easily accessible position and preventing the head of the cable from falling back through the trim and into the felt PowerBay.


Powertrack has (1) cable nugget kit included in each order. 1 kit includes a total of 8 nuggets: 2 small, 4 medium, 2 large.




Cable Nugget holds cable head in readily available position in the Powertrack and prevents smaller cable heads from falling through the crack.



Small
for thinner
charging cables



Medium
for standard USB
and data cables




Large
for thicker HDMI cables

1 Kit includes: 2 Small, 4 Medium and 2 Large Nuggets in Dark Grey finish.

WorkHub Grommet Placement Kits


WorkHub power options by Bernhardt Design are offered as a kit which includes all WorkHubs and necessary components needed to bring power from the floor to the user. Your kit will come complete with all necessary parts to install in the field.



Ordering WorkHubs with 3" Communication Grommets

- Determine the amount of power needed
- Select the grommet code that best suits your requirements
(make sure that this grommet code matches the code used when ordering your top)
- Select the type of power infeed you need
- Select the grommet frame finish

The WorkHub Kit will ship separately and will be installed in the **field**. See pages 68-69 for installation locations.



Ordering Example:
 120" x 54" Table with Y Base
 Walnut Veneer, 870 Finish
 Y02 Grommet Code with 4-trac corded power
 Bronze Powder Coat 3" Grommet Finish


specification codes example: **PKS-Y02-CRD**

series	sku	power option	grommet frame finish
top		CRD corded	BA brushed aluminum
		HWD hardwired	PA polished aluminum
		ITK sequential interlink	WH satin white powder coat
			GR graphite powder coat
			BZ bronze powder coat
			IG iron grey powder coat
			RD black red powder coat
			BK matte black powder coat
P K S -	Y 0 2 -	C R D	B A

Ordering WorkHubs with Powertrack

- **Select TRK when ordering your table**
- Select powertrack finish wwhen ordering your table
- determine the amount of power needed
- Select the number of WorkHubs that best suits your requirements
- Select the type of power infeed you need

The WorkHub Kit will ship separately and will be installed in the **field**. See pages 70-71 for installation locations.







Ordering Example:
 120" x 54" Table with Y Base
TRK Powertrack with Bronze Finish
 Walnut Veneer, 870 Finish
 TR2 WorkHub Kit Code with Sequential Interlink

specification codes example: **PKS-TR2-ITK**

series	sku	power option
top		CRD corded
		HWD hardwired
		ITK sequential interlink
P K S -	T R 2 -	I T K

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

sku	specifications	frame material
Y01	30" - 72" Round and Square Tables (1) 3" single round pass through grommet kit (1) workhub power module kit 	ALM aluminum \$ 1281
	60" - 240" Table (1) 3" single round pass through grommet kit (1) workhub power module kit 	1281
	48" - 120" Table (1) 3" single round pass through grommet kit (1) workhub power module kit 	1281
Y02	72" - 120" Table (2) 3" single round pass through grommet kits (2) workhub power module kits 	2434




specification codes example:

series	sku	power option
top		CRD corded HWD hardwired ITK sequential interlink
P K S -	-	

MTS-SKU-CRD material + finish code

grommet frame finish	
BA	brushed aluminum
PA	brushed aluminum
WH	satin white powder coat
GR	graphite powder coat
BZ	bronze powder coat
IG	iron grey powder coat
RD	black red powder coat
BK	matte black powder coat

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

sku	specifications	frame material
		ALM aluminum
YR3	72" - 96" Round Tables (3) 3" single round pass through grommet kit (3) workhub power module kits 	\$ 3397
Y03	96" - 192" Table (3) 3" single round pass through grommet kit (3) workhub power module kits 	3397
	96" - 120" Table (3) 3" single round pass through grommet kit (3) workhub power module kits 	3397
Y04	144" - 240" Table (4) 3" single round pass through grommet kits (4) workhub power module kits (2) power infeeds with sequential interlinks 	4755

specification codes example:





series	sku	power option
top		CRD corded HWD hardwired ITK sequential interlink
P K S -	-	

MTS-SKU-CRD material + finish code

grommet frame finish	
BA	brushed aluminum
PA	brushed aluminum
WH	satin white powder coat
GR	graphite powder coat
BZ	bronze powder coat
IG	iron grey powder coat
RD	black red powder coat
BK	matte black powder coat

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Powertrac is included as a part of the table spec.

sku	specifications	frame material
TR1	60" - 120" Tables (1) workhub power module kit 	ALM \$ 1221
	48" - 120" Tables (1) workhub power module kit 	1221
TR2	60" - 120" Tables (2) workhub power module kits 	2378
	60" - 120" Tables (2) workhub power module kits 	2378





specification codes example:

MTS-SKU-CRD

series	sku	power option
top		CRD corded HWD hardwired ITK sequential interlink
P K S -	-	

WorkHub grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.





Powertrac is included as a part of the table spec.

sku	specifications	frame material
TR3	<p>72" - 120" Tables</p> <p>(3) workhub power module kits</p>  <p>60" max. on sequential interlink</p> <p>72" - 120" Tables</p> <p>(3) workhub power module kits</p>  <p>60" max. on sequential interlink</p>	<p>ALM aluminum</p> <p>\$ 3338</p> <p>3338</p>
TR4	<p>96" - 240" Tables</p> <p>(4) workhub power module kits (2) power infeeds with sequential interlinks</p>  <p>70" max. on sequential interlink</p> <p>96" - 120" Tables</p> <p>(4) workhub power module kits (2) power infeeds with sequential interlinks</p>  <p>70" max. on sequential interlink</p>	<p>4696</p> <p>4696</p>

specification codes example:

MTS-SKU-CRD

series	sku	power option
top		<p>CRD corded</p> <p>HWD hardwired</p> <p>ITK sequential interlink</p>
P K S -	-	

description	sku	w	d	h	weight	specifications	price
 <p>3" communication grommet</p> <p>die cast zinc brushed or polished aluminum finish fits 2½" opening specify finish code below available ONLY on WorkHub with 3" grommets</p>	GNC	3	3	7/8		specify with table top order	\$ 154
	GMT	3	3	7/8		field installed	112
 <p>felt cable drop</p> <p>dark gray felt with black zipper zippered for management access field installed use with WorkHub with 3" grommets or WorkHub for Powertrack</p>	PDL	7	2¾	16¼		lounge height	630
	PDC	7	2¾	19¾		conference height	630
 <p>cable nuggets</p> <p>dark gray, soft touch rubber kit includes: (2) small nuggets - for thinner charging cables (4) medium nuggets - for standard USB and data cables (2) large nuggets - for thicker HDMI cables 1 kit included when specifying Powertrack power option</p>	PCN	1½	1½	5/8			93
 <p>microphone mount</p> <p>black plastic with grooved thumb screw can only be installed with Powertrack field installed microphone not included use with WorkHub with 3" grommets or WorkHub for Powertrack</p>	PMM	3¾	2	1¾			122

specification codes example:

series	sku
accessories	
A C S -	

ACS-SKU

finish code example:

finish
BA brushed aluminum
PA polished aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

Under Mount Power


Playbook offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (10) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (2) configurations: (2) receptacles, or (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. Each module in a kit will be provided with the same configuration as specified by the end user.

End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See [installation instructions for installing](#).

The Playbook table collection provides suggested locations for 2 - 10 under mount power modules.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: End user installation will be required per individual SKU.


Bernhardt Design provides recommendations for installation locations as shown on page 94-96. Further installation instructions are included with each power unit. Power is specified separately.

Power Modules

Matte Black Finish




power + power
(2) 15 amp receptacles
120 v 60 Hz.
braided cotton 10' cord
grounded plug
UL 962 listed



power + usb-a + usb-c
Updated Information Shown in RED
(1) 15 amp receptacle
120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
braided cotton 10' cord
grounded plug
UL 962 listed


Replacement Housing

with Location for Mini AAP Plate



Sequential Connector

Matte Black Finish



Power Infeed


10' Grounded Plug
Required per individual SKU
Braided Cord



15 amp







Playbook Wire Management

Under mount connectors are routed through pass through holes in the felt PowerBay to offer advanced wire management. The following illustration shows a section view of the Playbook table with under mount power.



Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.







# of Kits	sku	specifications	PP power + power 	PU power + usb + usb-c 
1 Module Kit				
	U01S	60" - 240" Table 	\$ 373	\$527
2 Module Kits				
	U02S	60" - 150" Table	1111	1589
	U02L	156" - 240" Table	1219	1697
				
3 Module Kits				
	U29S	30" - 54" Round and Square Table 	1494	2212
	U03S	60" - 150" Table	1494	2212
	U03L	156" - 240" Table 	1710	2428

specification codes example: ACS-SKU-PP

series	sku	power style
PP		power + power
PU		power + usb + usb-c
A C S -	-	

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PP power + power 	PU power + usb + usb-c 
4 Module Kits				
	U04S	60" - 150" Table	\$ 1846	\$ 2542
	U04L	156" - 240" Table 	2063	2759
5 Module Kits				
	U05S	60" - 150" Table	2326	3379
	U05L	156" - 240" Table 	2542	3596
6 Module Kits				
	U06S	60" - 150" Table 	2436	3801
	U06L	156" - 240" Table 	2652	4017



specification codes example: ACS-SKU-PP

series	sku	power style
ACS	-	PP power + power
ACS	-	PU power + usb + usb-c

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

of Kits sku specifications

PP	PU
power + power	power + usb + usb-c
	


7 Module Kits

U07S 60" - 150" Table

\$ 2953	\$ 4739
---------	---------

U07L 156" - 240" Table

3169	4955
------	------




8 Module Kits

U08S 60" - 150" Table

3359	5676
------	------

U08L 156" - 240" Table

3575	5892
------	------




9 Module Kits

U09S 60" - 150" Table

3838	6513
------	------

U09L 156" - 240" Table

4054	6729
------	------




10 Module Kits - with (2) power infeeds

U10S 60" - 150" Table

4318	7350
------	------







U10L 156" - 240" Table

4534	7566
------	------



specification codes example: ACS-SKU-PP

series	sku	power style
PP	power + power	
PU	power + usb + usb-c	
A C S -	-	

	description	sku	w	d	h	specifications	price
	<p>under mount replacement housing</p> <p>for use with Extron® MAAP installed in the field by end user switch existing housing onsite to this housing to accommodate Extron® MAAP</p>	UPH	7⅞	3¾	1½		\$ 201
	<p>blank plate</p> <p>Extron® MAAP blank plate black powder coat finish single space insert</p>	MP6	2⅞	-	⅝		150
	<p>computer/audio/video mini module</p> <p>Extron® MAAP HDMI female to HDMI female on 10" pigtail single space insert</p>	MP1	2⅞	-	⅝		385
	<p>computer/audio/video mini module</p> <p>Extron® MAAP display port female to display port female on 10" pigtail single space insert</p>	MP3	2⅞	-	⅝		385
	<p>phone/data mini module</p> <p>Extron® MAAP one RJ45 female to punch down leviton CAT6 data single space insert</p>	MP4	2⅞	-	⅝		267
	<p>phone/data mini module</p> <p>Extron® MAAP one RJ45 female to female barrel single space insert</p>	MP5	2⅞	-	⅝		230

specification codes example: ACS-SKU


series	sku
accessories A C S -	

Mediatrac 1™

Mediatrac 1 grommet system is a simplified system for bringing power and data to the meeting table worksurface in a clean simple way.

Mediatrac 1 provides power and various options for Extron AAP data configurations. Grommets are available in (3) different sizes: a 8" x 4" single door unit, a 8" x 8" double door unit and a 8" x 24" double door unit. All units have brushed aluminum trim with options for aluminum, laminate, veneer, corian and glass lids.


Mediatrac 1 has 4 different options for bringing power to the table, corded, harded or 4-trac system with either a corded or hardwired power infeed.



Note: End user installation will be required per individual SKU. Power specified separately. See pages 101-108 for grommet


Mediatrac 1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug, accepts 2 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug, accepts 4 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame


24" Double Door Mediatrac™ Grommet



8 grounded outlets, 2 exit plugs, accepts 8 Extron single space AAP's, AAP modules specified separately, brushed aluminum frame

Mediatrac 1 Grommet Kits (Includes the following)

Power Module



Number and configuration of grommet modules determined by the grommet code

Jumper (if required)




Jumper are determined by the length of the top specified

Connector + H-Block



Will be included in kit when the 4-trac option is specified


Power Infeed Options




72" 4-Trac Power Infeed with 20 amp plug



20 amp receptacle
4-Trac Only



72" 4-Trac Power Infeed with Hardwired



72" Power Infeed with 15 amp plug




15 amp receptacle




72" 3/8" Hardwire Whip

Playbook Wire Management

Mediatrac 1 utilizes the plug and play power system and offers 1" diameter round grommets that are available for speakerphone wire management offered only for Playbook round tables. Single door grommets have (2) receptacles and (2) AAP single plates while double door grommets have (4) receptacles and (4) AAP single plates. Mediatrac 1 is not available on 4-star table bases. Mediatrac 1 is UL listed.



Mediatrac 1™ 4-Trac Power System



Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.

4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.


Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.

Mediatrac 1 Grommets Using Electrical 4-Trac Power System


- Power Infeed
- Power Module Whip
- Modular Connector
- Jumper
- Power Drop
- Power Module
- H-Block




4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.




4-Trac H-Block connects up to (4) Jumpers and Power Modules.



4-Trac Jumpers used in conjunction with the H-Block to wire the system.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac1™ Grommet Placement Kits

Mediatrac1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"
66"	29"
72"	32"

The Grommet Kit will ship separately and will be installed in the **field**.
See pages 80-88 for installation locations.



Ordering Example:
120" x 54" Table Top
Walnut veneer, 870 finish
M08 Grommet Code with 4trac corded power
Walnut Door/Brushed Aluminum Trim

specification codes example: **MGS-M08-4TC120**

series	sku	power option	table length
top		CRD corded	096 150 204
		HWD hardwired	102 156 210
		4TC four trac corded	108 162 216
		4TH four trac hardwired	114 168 222
			120 174 228
			126 180 234
			132 186 224
			138 192
			144 198





M | G | S | - | M | 0 | 8 | - | 4 | T | C | 1 | 2 | 0

material + finish code example: **BA WLT 870**

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 3-5
WH satin white powder coat	PLL solid laminate	
GR graphite powder coat	WGL woodgrain laminate	
BZ bronze powder coat	ASH ash	
IG iron grey powder coat	MPL maple	
RD black red powder coat	OAK oak	
BK matte black powder coat	WLT walnut	
	TOK tiger oak	
	SSF glacier white	

B | A | W | L | T | 8 | 7 | 0

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

sku	specifications	frame material
M01	30" - 72" Round and Square Tables (1) 3" single round pass through grommet kit 	ALM aluminum \$ 154
	60" - 240" Table (1) 3" single round pass through grommet kit 	154
M02	60" - 240" Table (2) 3" single round pass through grommet kits 	308
M33	60" - 240" Table (3) 3" single round pass through grommet kits 	462

specification codes example: ACS-SKU





series	sku
top	
A C S -	-

material + finish code example: BA

frame finish
BA brushed aluminum
WH satin white powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
RD black red powder coat
BK matte black powder coat

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
M03	60" - 240" Table (1) 8" double door mediatrac grommet 	\$ 1999	\$ 2250	\$ 3125
M04	60" - 240" Table (2) 8" single door mediatrac grommets 	2749	2999	5062
P04	60" - 240" Table same information as M04 (1) 1" dia. grommet for microphone 	2875	3125	5186
M06	60" - 240" Table (1) 24" double door mediatrac grommet 	2813	3063	4186

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	060 126 192
		HWD hardwired	066 132 198
		4TC four trac corded	072 138 204
		4TH four trac hardwired	078 144 210
			084 150 216
			090 156 222
			096 162 228
			102 168 234
			108 174 240
			114 180
			120 186

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 4-6
WH satin white powder coat	PLL solid laminate	
GR graphite powder coat	WGL woodgrain laminate	
BZ bronze powder coat	ASH ash	
IG iron grey powder coat	MPL maple	
RD black red powder coat	OAK oak	
BK matte black powder coat	WLT walnut	
	SSF glacier white	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
M05	72" - 240" Table (2) 8" double door mediatrac grommets 	\$ 3624	\$ 3874	\$ 5997
P05	72" - 240" Table same information as M05 (1) 1" dia. grommet for microphone 	3749	3998	6123
M07	84" - 240" Table (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4374	4874	7872
M08	84" - 240" Table (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	5124	5623	8684

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	072 132 192
		HWD hardwired	078 138 198
		4TC four trac corded	084 144 204
		4TH four trac hardwired	090 150 210
			096 156 216
			102 162 222
			108 168 228
			114 174 234
			120 180 240



material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 4-6
WH satin white powder coat	PLL solid laminate	
GR graphite powder coat	WGL woodgrain laminate	
BZ bronze powder coat	ASH ash	
IG iron grey powder coat	MPL maple	
RD black red powder coat	OAK oak	
BK matte black powder coat	WLT walnut	
	SSF glacier white	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
M12	108" - 240" Table (2) 24" double door mediatrac grommets 	\$ 5636	\$ 6135	\$ 7810
P12	108" - 240" Table same information as M12 (1) 1" dia. grommet for microphone 	5762	6261	7935

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length		
top		CRD corded	108	162	216
		HWD hardwired	114	168	222
		4TC four trac corded	120	174	228
		4TH four trac hardwired	126	180	234
			132	186	240
			138	192	
			144	198	
			150	204	
			156	210	

M | G | S | - | | | - | | |

material + finish code example: BA WLT 839




frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 4-6
powder coat upcharge \$150	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	ASH ash	
BZ bronze powder coat	MPL maple	
IG iron grey powder coat	OAK oak	
RD black red powder coat	WLT walnut	
BK matte black powder coat	SSF glacier white	

| | | | | | | | | |

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops. Kits include all jumpers and necessary components based on table length and power option. Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
M10	96" - 240" Table (3) 8" double door mediatrac grommets 	\$ 5436	\$ 5936	\$ 8995
M15	132" - 240" Table (2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets 	7122	7746	11744
M30	156" - 240" Table (3) 24" double door mediatrac grommets 	7622	8371	11619

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	096 150 204
		HWD hardwired	102 156 210
		4TC four trac corded	108 162 216
		4TH four trac hardwired	114 168 222
			120 174 228
			126 180 234
			132 186 240
			138 192
			144 198




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	ee pages 4-6
powder coat upcharge \$225	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	ASH ash	
BZ bronze powder coat	MPL maple	
IG iron grey powder coat	OAK oak	
RD black red powder coat	WLT walnut	
BK matte black powder coat	SSF glacier white	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
M14	132" - 240" Table (4) 8" double door mediatrac grommets 	\$ 7560	\$ 8184	\$ 12557
M21	180" - 240" Table (5) 8" double door mediatrac grommets 	8809	9559	14680
M25	228" - 240" Table (6) 8" double door mediatrac grommets Two power infeeds will be provided 	10745	11495	17804

specification codes example: MGS-SKU-CRD132

series	sku	power option	table length
top		CRD corded	132 174 216
		HWD hardwired	138 180 222
		4TC four trac corded	144 186 228
		4TH four trac hardwired	150 192 234
			156 198 240
			162 204
			168 210





material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 4-6
powder coat upcharge \$375	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	ASH ash	
BZ bronze powder coat	MPL maple	
IG iron grey powder coat	OAK oak	
RD black red powder coat	WLT walnut	
BK matte black powder coat	SSF glacier white	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
C01	48" - 120" Table (1) 8" single door mediatrac grommet Available for media-conference tops 	\$ 1375	\$ 1500	\$ 2531
CP1	48" - 120" Table same information as C01 (1) 1" dia. grommet for microphone Available for media-conference tops 	1500	1626	2657
C02	48" - 120" Table (1) 8" single door mediatrac grommet Available for media-conference tops 	1375	1500	2531
CP2	48" - 120" Table same information as C02 (1) 1" dia. grommet for microphone Available for media-conference tops 	1500	1626	2657

specification codes example: MGS-SKU-CRD120

series	sku	power option	table length
top		CRD corded	048 090
		HWD hardwired	054 096
		4TC four trac corded	060 102
		4TH four trac hardwired	066 108
			072 114
			078 120
			084




material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 4-6
powder coat upcharge \$75	PLL solid laminate	
WH satin white powder coat	WGL woodgrain laminate	
GR graphite powder coat	ASH ash	
BZ bronze powder coat	MPL maple	
IG iron grey powder coat	OAK oak	
RD black red powder coat	WLT walnut	
BK matte black powder coat	SSF glacier white	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material		
		ALM aluminum	PLL solid laminate WGL woodgrain laminate	ASH ash MPL maple OAK oak WLT walnut SSF solid surface
C05	66" - 120" Table (2) 8" double door mediatrac grommet Available for media-conference tops 	\$ 3624	\$ 3874	\$ 5997
CP5	66" - 120" Table same information as C05 (1) 1" dia. grommet for microphone Available for media-conference tops 	3749	3998	6123
C07	66" - 120" Table (1) 8" double door mediatrac grommet (1) 8" single door mediatrac grommet Available for media-conference tops 	4748	5248	8246

specification codes example: MGS-SKU-CRD120


series	sku	power option	table length
top		CRD corded	066 096
		HWD hardwired	072 102
		4TC four trac corded	078 108
		4TH four trac hardwired	078 114
			084 120
			090
			096

material + finish code example: BA WLT 839

frame finish	lid material	lid finish
BA brushed aluminum	ALM aluminum	see pages 4-6
WH satin white powder coat	PLL solid laminate	
GR graphite powder coat	WGL woodgrain laminate	
BZ bronze powder coat	ASH ash	
IG iron grey powder coat	MPL maple	
RD black red powder coat	OAK oak	
BK matte black powder coat	WLT walnut	
	SSF glacier white	

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

description	sku	w	d	h		price
-------------	-----	---	---	---	--	-------










wire management cable drop

dark gray felt with black zipper
zippered for management access
field installed
specify finish code PA

PDL	7	2¾	16¼	lounge height	\$ 630
PDC	7	2¾	19¾	conference height	630







specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

description	sku	w	d	h		price
 <p>power strip</p> <p>6 outlet center; 110v 15 amp 15' plug-in cord surge protector UL Listed</p>	VNY	12¼	2	1¾		\$ 546
 <p>blank plate</p> <p>Extron® AAP blank plate with black powder coat finish single space insert</p>	VGG	3½	-	⅝		161
 <p>cable pass-through module</p> <p>Extron® AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish</p>	VGY	3½	-	1¾		459
 <p>phone/data module</p> <p>Extron® AAP two RJ-45 pass-through barrels CAT 5e single space insert</p>	VGD	3½	-	⅝		346
 <p>phone/data module</p> <p>Extron® AAP one RJ-45 female to punch down block leviton CAT6 data single space insert</p>	V GK	3½	-	⅝		277
 <p>phone/data module</p> <p>Extron® AAP two RJ-45 female to punch down block leviton CAT6 data single space insert</p>	V GP	3½	-	⅝		384
 <p>phone/data module</p> <p>Extron® AAP two RJ-45 female to punch down block AMP CAT6 data single space insert</p>	V GL	3½	-	⅝		384

specification codes example: ACS-SKU


series	sku
accessories	
A C S -	

description	sku	w	d	h	price
 <p>phone/data module</p> <p>Extron® AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert</p>	VGQ	3½	-	1¾	\$ 523
 <p>computer/audio/video module</p> <p>Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert</p>	VG3	3½	-	5⁄8	384
 <p>control/computer module</p> <p>Extron® AAP two USB A female to female barrels single space insert</p>	VGR	3½	-	5⁄8	384
 <p>power plate charging module</p> <p>type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert</p>	VG9	3½	-	5⁄8	1316
 <p>usb charging module</p> <p>Extron® AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert</p>	VGU	3½	-	5⁄8	746
 <p>computer/audio/video module</p> <p>Extron® SuperPlate 110 - HDMI/DisplayPort/Stereo Audio/USB HDMI: female to female, 10" (25 cm) pigtail DisplayPort: female to female, 10" (25 cm) pigtail Stereo/Audio: 3.5 mm mini jack to captive screw, 10" (25 cm) pigtail USB A: female to female, 10" (25 cm) pigtail double space insert</p>	VG6	3½	-	1¾	610

specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

Surface Mount Power Module




**Note: End user installation will be required per individual SKU.
 Power specified separately. Grommet code shown below.**

A surface mount power solution is available for Playbook runoff tables and mediawall only. Allowing for quick access to power, the surface mount power module features (2) grounded receptacles and (1) 2 amp USB-A port and (1) 2 amp USB-C port.

Power Module

Black, Silver or White Finish



Power Infeed

10' Grounded Plug




15 amp

Updated Information Shown in RED

- (2) 120 v 60 Hz. 15 amp receptacles
- (1) 2 amp USB-A port, 10 watt
- (1) 2 amp USB-C port, 20 watt
- 6½" w x 3" d x 2¾" h

**Surface Mount grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.**

sku	specifications	frame material
		ALM aluminum
Z06	60" - 120" Tables	\$ 865




specification codes example: ACS-SKU

series	sku
accessories	
A C S -	

finish code example: WH

finish
BK black
SV silver
WH white

Triad Surface Mount Power Module



Note: End user installation will be required per individual SKU. Power specified separately.

Available for the Playbook round and square version tables only. The new Triad surface mount power module offers a simple and clean way of bringing power and USB to the worksurface.


The Triad surface mount power module installs flush to the worksurface. It features (3) receptacles, (3) USB-A ports and (3) USB-C ports. Module is available with a matte black or satin white finish.


Triad Power Module- Power + USB

- Updated Information Shown in RED
- Matte Black or Satin White Finish
- (3) 120v 60 Hz. 15 amp Receptacles
- (3) 2 amp USB-A ports, 10 watt
- (3) 2 amp USB-C ports, 20 watt
- 10' cord, 15 amp
- 6 1/4" w x 6 1/4" d x 2 1/2" h
- Specify power style **TPU**

When specifying Triad Round Surface Power for table assemblies use R01 grommet kit code.


The power module is UL approved with spill-proof technology and a 15 amp, 10' power infeed. Power module is certified to UL STD 962 A CSA SDT 22.2 No.21.



Power Style
TPU
(3) receptacles (3) 2 amp USB-A ports, 10 watt (3) 2 amp USB-C ports, 20 watt



sku specifications

R01 30" - 72" Round Tables



\$ 1880

R01 30" - 60" Tables



1880

specification codes example: ACS-R01-TPU

series	sku	power style
accessories		TPU power + usb
A C S -	R 0 1 -	T P U

finish code example: WH

finish
BK matte black
WH satin white

Preapproval Procedure for Fabric

Customer's Own Material (COM)

Due to aesthetic reasons or application restraints, Bernhardt Design must preapprove COM fabrics for application on the Bernhardt Design Playbook mediawall upholstered bases.

Fabrics with small or large patterns are not recommended for the Playbook mediawall upholstered bases. **Fabrics applied to Playbook Mediawall must be railroaded.**

PREAPPROVAL PROCEDURE

Please submit a 12" X 12" sample for testing prior to the actual shipment of COM to Bernhardt Design.

SHIPPING ADDRESS FOR SAMPLES:

Bernhardt Design
1839 Morganton Blvd. SW
Lenoir, NC 28645
Attn: Customer Service

Along with the COM sample, the product number, quantity of products, and contact information must be specified.

Bernhardt Design reserves the right to reject any covering which in our opinion is unsuitable for upholstery purposes. However, Bernhardt Design shall in no instance be held responsible for tailoring variances that result from the application of a particular textile or leather to a specific frame.

COM Yardage Specifications

All yardage requirements shown in the price list are based on 54" plain material. Fabrics with a vertical repeat that must be matched, or that are less than 54" wide, require more yardage. The chart below should be used for determining additional COM yardage requirements.

Please add the indicated percentage to the yardage shown beside the style number in the price list. This guide will accurately cover most COM orders, but there will be instances due to unusual repeats or designs that additional yardages may be required. Bernhardt Design will not be held responsible for the purchase of any additional COM that may be required.

When ordering multi-item modular configurations, the total COM yardage must be provided from the same dye lot in a continuous roll(s).

All COM's will be cut and applied at the discretion of Bernhardt Design unless special cutting instructions are included in writing with the purchase order.

Bernhardt Design will not be held responsible for defective fabrics, as all COM's are accepted as first quality goods.

Fabric Yardage Vertical Repeat

Fabric Width	Plain Fabric	2"-10" Repeat	11"-20" Repeat	21"-25" Repeat	26"-30" Repeat
54"	0%	10%	15%	20%	25%
51-53"	15%	20%	25%	30%	35%
48-50"	30%	35%	40%	45%	50%
45-47"	45%	50%	55%	60%	65%
36-44"	60%	65%	70%	75%	80%

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to-destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused.

If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages.

In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer. Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved. Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges

will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved. This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse.

Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your

local sales representative when a custom design is needed. Custom designs, if approved, require minimum quantities, additional leadtime and upcharges.

A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware.

After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Zone	Percent	Minimum
Zone 1	3%	\$150
Zone 2	4%	\$150
Zone 3	5%	\$150
Zone 4	5.5%	\$150
Zone 5	6%	\$150

Percent bases on List Price.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:


- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	\$200	5%	10-15
Zone 2	\$200	9%	10-15
Zone 3	\$200	8%	10-15
Zone 4	\$200	11%	10-15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.

