

prelude 1578



Barstool

Polished stainless steel or powder coat frame and stretcher
Upholstered

Non-marring glides

Inside seat depth: 17"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 1.75 yds. leather: 29.0 sq. ft
- B) One fabric or leather for inside and outside back
yardage: 1.75 yds. leather: 29.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
30½"	-	17½"	20"	39"	2 yds	33 .0'	31 lbs.	22.69'1
765 mm	-	445 mm	492 mm	991 mm	1.9 m	3.1 sqm	14.1 kg.	.64 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1420	1460	1620	1660	1683	1714	1749	1767	1798	1825	1856	1900	2056

sku

powder coat finish

PA polished stainless steel standard, OR

specify powder coat, upcharge \$125

WH satin white

GR graphite

SG sage green

EC ecru

BZ bronze

RD black red

LA latte

IG iron grey

BK matte black

1 | 5 | 7 | 8 |

prelude 1579



Counter height stool
Polished stainless steel or powder coat frame and stretcher
Upholstered

Non-marring glides

Inside seat depth: 17"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 1.75 yds. leather: 29.0 sq. ft
- B) One fabric or leather for inside and outside back
yardage: 1.75 yds. leather: 29.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
27¼"	-	17½"	20"	36¼"	2 yds	33.0'	29 lbs.	22.69'1
692 mm	-	445 mm	508 mm	921 mm	1.9 m	3.1 sqm	13.2 kg.	.64 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1365	1405	1565	1605	1628	1659	1694	1712	1743	1770	1801	1845	2001

sku

powder coat finish

PA polished stainless steel standard, OR

specify powder coat, upcharge \$125

WH satin white

GR graphite

SG sage green

EC ecru

BZ bronze

RD black red

LA latte

IG iron grey

BK matte black

1 | 5 | 7 | 9 |

prelude 1574


Polished stainless steel or powder coat frame
Upholstered

Non-marring glides

Inside seat depth: 17"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 1.0 yds. leather: 18.0 sq. ft
- B) One fabric or leather for inside and outside back
yardage: 1.75 yds. leather: 29.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18 ^{3/8} "	-	19"	20 ^{7/8} "	32"	2.25 yds	37.0'	30 lbs.	22.69'/1
467 mm	-	483 mm	530 mm	813 mm	2.1 m	3.4 sqm	14.0 kg.	.64 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1256	1301	1481	1526	1551	1586	1626	1646	1681	1711	1746	1796	1971

sku

powder coat finish

PA polished stainless steel standard, OR

specify powder coat, upcharge \$125

WH satin white

GR graphite

SG sage green

EC ecru

BZ bronze

RD black red

LA latte

IG iron grey

BK matte black

1 | 5 | 7 | 4 |

prelude 1576


Polished stainless steel or powder coat base
Upolstered

Non-marring glides

Inside seat width: 18 $\frac{3}{4}$ "; Inside seat depth: 18 $\frac{1}{4}$ "

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 1.0 yds. leather: 16.5 sq. ft
 B) One fabric or leather for inside and outside back
 yardage: 2.75 yds. leather: 37.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19"	26 $\frac{1}{4}$ "	24 $\frac{3}{8}$ "	22 $\frac{5}{8}$ "	32 $\frac{3}{4}$ "	2.75 yds	53.0'	34 lbs.	28.33'/1
483 mm	667 mm	620 mm	575 mm	832 mm	2.5 m	4.2 sqm	15.4 kg.	.8 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1474	1529	1749	1804	1835	1878	1927	1951	1994	2031	2073	2134	2348

sku

powder coat finish

PA polished stainless steel standard, OR

specify powder coat, upcharge \$125

WH satin white

GR graphite

SG sage green

EC ecru

BZ bronze

RD black red

LA latte

IG iron grey

BK matte black

1 | 5 | 7 | 6 |

prelude 1575

**Solid ash base
Upholstered**

Inside seat width: 18 $\frac{3}{4}$ "; Inside seat depth: 18 $\frac{1}{4}$ "

Available in all ash finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary.

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

- A) One fabric or leather for seat cushion
yardage: 1.0 yds. leather: 16.5 sq. ft.
- B) One fabric or leather for inside and outside back
yardage: 2.75 yds. leather: 37.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
19"	28 $\frac{1}{4}$ "	24 $\frac{3}{8}$ "	22 $\frac{5}{8}$ "	32 $\frac{3}{4}$ "	2.75 yds.	53.0'	37.5 lbs.	22.17'/1
483 mm	718 mm	620 mm	575 mm	832 mm	2.5 m	4.2 sqm	17.0 kg.	.628 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1966	2021	2241	2296	2327	2370	2419	2443	2486	2523	2565	2626	2840

prelude 1577



Mid back swivel
5-star polished aluminum base
Upholstered
Adjustable height

Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 18 $\frac{1}{4}$ ", Inside seat depth: 17 $\frac{3}{4}$ ", Inside arm height: 7 $\frac{3}{4}$ "

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

- A) One fabric or leather for seat
yardage: 1.0 yds. leather: 16.5 sq. ft.
- B) One fabric or leather for inside back and outside back
yardage: 2.75 yds. leather: 37.0 sq. ft.

All COM/COL fabrics must be preapproved by Bernhardt Design prior to application.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 $\frac{1}{4}$ " - 20 $\frac{1}{4}$ "	25 $\frac{1}{8}$ -28 $\frac{1}{8}$ "	24 $\frac{1}{8}$ "	23 $\frac{5}{8}$ "	31-34"	2.75 yds.	53.0'	40.5 lbs.	22.04'/1
438-514 mm	638-714 mm	632 mm	600 mm	787-864 mm	3.43 m	4.46 sqm	18.15 kg.	.624 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1704	1759	1979	2034	2065	2108	2157	2181	2224	2261	2303	2364	2578

sku

base finish

PA polished aluminum standard, OR

specify powder coat, upcharge \$150

WH satin white **GR** graphite
EC ecru **BZ** bronze
LA latte **IG** iron grey

SG sage green
RD black red
BK matte black

1 | 5 | 7 | 7 |

prelude 5604
Mid back stationary chair
Fully upholstered

 Inside seat width: 27 $\frac{1}{4}$ " Inside seat depth: 22 $\frac{5}{8}$ "

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery and welt upcharges.

A) One fabric or leather for seat
 yardage: 2.75 yds. leather: 44.0 sq. ft.
 B) One fabric or leather for inside and outside back
 yardage: 4.1 yds. leather: 66.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{7}{8}$ "	23"	35"	34"	32 $\frac{7}{8}$ "	6.85 yds	110.0'	100 lbs	37.96/1				
441 mm	584 mm	889 mm	876 mm	835 mm	6.3 m	10.2 sqm	45.4 kg	1.07 cu				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2948	3085	3633	3770	3847	3953	4075	4136	4242	4334	4440	4592	5125

prelude 5605
Mid back self-return swivel
Fully upholstered

 Inside seat width: 27 $\frac{1}{4}$ " Inside seat depth: 22 $\frac{5}{8}$ "

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery and welt upcharges.

A) One fabric or leather for seat
 yardage: 2.75 yds. leather: 44.0 sq. ft.
 B) One fabric or leather for inside and outside back
 yardage: 4.1 yds. leather: 66.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{7}{8}$ "	23"	35"	34"	32 $\frac{7}{8}$ "	6.85 yds	110.0'	100 lbs	37.96/1				
441 mm	584 mm	889 mm	876 mm	835 mm	6.3 m	10.2 sqm	45.4 kg	1.07 cu				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3276	3413	3961	4098	4175	4281	4403	4464	4570	4662	4768	4920	5453

prelude 5606
High back stationary chair
Fully upholstered

Non-marring glides

Inside seat width: 26", Inside seat depth: 23"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 2.75 yds. leather: 44.0 sq. ft.
 B) One fabric or leather for back
 yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{3}{4}$ "	23"	35"	34"	38"	7.25 yds	118.0'	107 lbs	37.96/1				
451 mm	584 mm	889 mm	876 mm	965 mm	6.3 m	10.2 sqm	48.5 kg	1.07 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3058	3203	3783	3928	4009	4122	4251	4315	4428	4525	4637	4798	5362

prelude 5607
High back self-return swivel
Fully upholstered

Inside seat width: 26", Inside seat depth: 23"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 2.75 yds. leather: 44.0 sq. ft.
 B) One fabric or leather for back
 yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{3}{4}$ "	23"	35"	34"	38"	7.25 yds	118.0'	113 lbs	37.96/1				
451 mm	584 mm	889 mm	876 mm	965 mm	6.3 m	10.2 sqm	51.2 kg	1.07 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3385	3530	4110	4255	4336	4449	4578	4642	4755	4852	4964	5125	5689

prelude 5608**High back self-return wood swivel****Oak base****Upholstered**

Inside seat width: 22½", Inside seat depth: 20½"

Available in all oak finishes. When specifying light finishes the natural characteristics of the wood will be visible and color will vary

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat cushion
yardage: 1.5 yds. leather: 24.3 sq. ft.
- B) One fabric or leather for inside and outside back
yardage: 4.25 yds. leather: 69.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17"	24"	32"	33½"	41"	5.5 yds	89.1'	82 lbs.	44.01'/1
432 mm	610 mm	813 mm	854 mm	1041.4 mm	5.0 m	8.3 sqm	37.2 kg	1.25 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3200	3310	3750	3860	3922	4007	4105	4154	4239	4313	4398	4520	4948