Cinema Seating System Specification Guide

Standard Features




Cinema is a modular seating product comprised of 15 unique modules which may be used interchangeably to create an unlimited number of configurations.


Cinema is fully upholstered with leveling non-marring glides. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

All necessary ganging brackets are included and pre-installed.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Please visit Bernhardtdesign.com for a complete library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.






When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Product Selection

Cinema modules can be used interchangeably to create a variety of modular options. A left and right end module is required for all configurations. Specify a connecting module when a 45˚, 67.5˚ or 90˚ angle is needed. All modules are available in fabric or leather. **Cinema modules may not be used as a freestanding unit**. See modular options below.

A. Arm Modules

All Cinema configurations must include a left and right arm module for the ends of the configuration. Arm modules may not be used as a freestanding unit.




B. 45˚ Connecting Modules

45˚ Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.



C. 67.5˚ Connecting Modules

67.5˚ Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.




When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Cinema Seating System Specification Guide

D. 90˚ Connecting Arm Modules

90˚ Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.



E. Straight Connecting Modules

Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at sthe end of a configuration or as a freestanding unit.



When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.


Cinema Seating System Sample Configurations Overview




1




2




3




4



5



6



7



8




9



10



11



12




13

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Cinema Seating System Sample Configurations


	Sku	Description
1	**4811**	Left Arm Facing Module
	4812	Right Arm Facing Modle







	Sku	Description
2	**4811**	Left Arm Facing Module
	4810	Straight Connector
	4812	Right Arm Facing Module






	Sku	Description
3	**4815**	Two-seat, Left Arm Facing Module
	4821	45˚ Connector
	4816	Two-seat, Right Arm Facing Module






	Sku	Description
4	**4817**	Three-seat, Left Arm Facing Module
	4824	45˚ Inverted Connector
	4812	Single Seat, Right Arm Facing Module





	Sku	Description
5	**4815**	Two-seat, Left Arm Facing Module
	4826	90˚ Inverted Connector
	4816	Two-seat, Right Arm Facing Module







When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Cinema Seating System Sample Configurations

Sku	Description

6






Sku	Description
4817	Three-seat, Left Arm Facing Module
4825	67.5˚ Inverted Connector
4816	Two-seat, Right Arm Facing Module

7






Sku	Description
4815	Two-seat, Left Arm Facing Module
4822	67.5˚ Connector
4816	Two-seat, Right Arm Facing Module

8






Sku	Description
4815	Two-seat, Left Arm Facing Module
4820	Inverted Corner Connector
4818	Three-seat Right Arm Facing Module

9






Sku	Description
4815	Two-seat, Left Arm Facing Module
4819	Corner Connector
4818	Three-seat, Right Arm Facing Module

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

Cinema Seating System Sample Configurations


Sku	Description

10




4815	Two-seat, Left Arm Facing Module
4823	90˚ Connector
4818	Three-seat, Right Arm Facing Module

11




4815	Two-seat, Left Arm Facing Module
4823	90˚ Connector (2)
4816	Two-seat, Right Arm Facing Module

12



4816	Two-seat, Right Arm Facing Module
4823	90˚ Inverted Connector (2)
4815	Two-seat, Left Arm Facing Module


13




4817	Three-seat, Left Arm Facing Module
4825	67.5˚ Inverted Connector
4810	Single Straight Connector
4821	45˚ Connector
4816	Two-seat, Right Arm Facing Module

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4811





Fully upholstered

4811 Left arm facing module
4812 Right arm facing module

All necessary ganging brackets are included and pre-installed

Inside seat depth: 21¼"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 4.0 yds. leather: 70.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 4.0 yds. leather: 70.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	35⅛"	36"	29½"	8.0 yds	140.0'	66 lbs	32.10'/1
445 mm	591 mm	892 mm	914 mm	749 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2723	2883	3523	3683	3772	3897	4039	4110	4235	4341	4466	4643	5266

cinema 4815





Two-Seat
Fully upholstered

4815 Left arm facing module
4816 Right arm facing module

All necessary ganging brackets are included and pre-installed

Inside seat depth: 21¼"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 6.0 yds. leather: 90.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 8.5 yds. leather: 140.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	65¾"	36"	29½"	14.3 yds	235.0'	113 lbs	68.33'/1
445 mm	591 mm	1670 mm	914 mm	749 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5139	6283	6569	6728	6951	7205	7332	7555	7745	7968	8285	9398

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4817



Three-seat
Fully upholstered

4817 Left arm facing module
4818 Right arm facing module

All necessary ganging brackets are included and pre-installed

Inside seat depth: 21¼”

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 7.5 yds. leather: 125.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 13.5 yds. leather: 220.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	96¼"	36"	29½"	20.2 yds	328.0'	149 lbs	101.65'/1
445 mm	591 mm	2445 mm	914 mm	749 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6015	6419	8035	8439	8664	8978	9337	9517	9831	10100	10415	10863	12435

cinema 4810



Straight connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

Inside seat depth: 21¼”

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 4.0 yds. leather: 70.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 3.0 yds. leather: 50.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	-	30⅝"	36"	29½"	6.9 yds	130.0'	68 lbs	32.10'/1
445 mm	-	778 mm	914 mm	749 mm	6.3 m	12.1 sqm	30.9 kg	.91 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2334	2472	3024	3162	3239	3346	3469	3530	3638	3730	3837	3990	4527

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4819



Corner connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 3.0 yds. leather: 50.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 5.0 yds. leather: 85.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	-	35⅝"	36"	29½"	8.2 yds	140.0'	69 lbs	36.09'/1
445 mm	-	905 mm	914 mm	749 mm	7.5 m	13.0 sqm	31.4 kg	1.04 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3307	3471	4127	4291	4383	4510	4656	4729	4856	4966	5093	5275	5913

cinema 4820



Inverted corner connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 5.0 yds. leather: 85.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 1.3 yds. leather: 25.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	-	35⅝"	36"	29½"	6.3 yds	125.0'	66 lbs	36.09'/1
445 mm	-	905 mm	914 mm	749 mm	5.8 m	11.6 sqm	30.0 kg	1.04 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3307	3433	3937	4063	4133	4231	4343	4399	4497	4581	4679	4819	5309

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4821



45° Connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 3.75 yds. leather: 61.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"	-	45¾"	37⅝"	29½"	7.5 yds	135.0'	85 lbs	100.22'/1
491 mm	-	1162 mm	956 mm	737 mm	6.9 m	12.5 sqm	38.6 kg	2.84 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2723	2873	3473	3623	3707	3823	3957	4023	4140	4240	4357	4523	5107

cinema 4822



67.5° Connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 6.0 yds. leather: 100.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 7.0 yds. leather: 115.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"	-	65¼"	39¼"	29½"	13.1 yds	220'	103 lbs	100.22'/1
491 mm	-	1657 mm	997 mm	737 mm	6.9 m	20.4 sqm	46.8 kg	2.84 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3884	4146	5194	5456	5602	5806	6039	6155	6359	6534	6737	7028	8047

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4823



90° Connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 6.0 yds. leather: 100.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 10.2 yds. leather: 165.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"	-	83¾"	42⅛"	29½"	14.2 yds	235.0'	125 lbs	100.22'/1
491 mm	-	2127 mm	1070 mm	737 mm	130 m	21.8 sqm	56.8 kg	2.84 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4944	6080	6364	6522	6743	6996	7122	7343	7532	7753	8068	9173

cinema 4824



45° Inverted connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 4.0 yds. leather: 65.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 2.0 yds. leather: 35.0 sq. ft.

See terms and conditions for contrasting upholstery upcharges.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"	-	45"	37½"	29½"	6.0 yds	110.0'	78 lbs	100.22'/1
491 mm	-	1143 mm	952 mm	737 mm	5.5 m	10.2 sqm	35.5 kg	2.84 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2723	2843	3323	3443	3510	3603	3710	3763	3857	3937	4030	4163	4630

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4825



67.5° Inverted connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 7.6 yds. leather: 125.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 2.65 yds. leather: 45.0 sq. ft.


See terms and conditions for contrasting upholstery upcharges.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"	-	65"	39¾"	29½"	10.25 yds	175.0'	96 lbs	100.22'/1
491 mm	-	1651 mm	1010 mm	737 mm	9.4 m	16.3 sqm	43.6 kg	2.84 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3884	4089	4909	5114	5228	5388	5570	5661	5821	5957	6117	6344	7142

cinema 4826



90° Inverted connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

A) One fabric or leather for seat and inside back
yardage: 10.0 yds. leather: 165.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 1.0 yds. leather: 17.0 sq. ft.

S See terms and conditions for contrasting upholstery upcharges.


CS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17⅝"	-	83"	42½"	29½"	11.0 yds	185.0'	128 lbs	100.22'/1
491 mm	-	2108 mm	1080 mm	737 mm	10.1 m	17.2 sqm	58.2 kg	2.84 cu

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4880	5760	5980	6103	6274	6469	6567	6738	6885	7056	7300	8156

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.

cinema 4800



Fully upholstered

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back
yardage: 3.0 yds. leather: 50.0
B) One fabric or leather for inside and outside shell
yardage: 4.5 yds. leather: 75.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	23¼"	32½"	36"	29 1/2"	6.5 yds.	125.0'	64 lbs.	36.09'/1
445 mm	591 mm	826 mm	914 mm	749 mm	5.9 m	11.6sqm	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2916	3046	3566	3696	3769	3870	3985	4043	4144	4231	4332	4476	4982

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). All COM/COL fabrics must be preapproved by Bernhardt Design prior to application. Reference terms and conditions for COM/COL approval procedures and instructions for tagging COM.