

Fully upholstered

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 3.0 yds. leather: 50.0
B) One fabric or leather for inside and outside shell yardage: 4.5 yds. leather: 75.0 sq. ft.

Seat Height	Arm Height	W	D	Н	Fabric	Leather	Weight	Cubes/Qty
161⁄2"	231/4"	32½"	35%"	29"	6.5 yds.	125.0'	64 lbs.	36.09'/1
419 mm	591 mm	826 mm	905 mm	737 mm	5.9 m	11.6sqm	29.1 kg	1.04 cu.

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
2567	2697	3174	3246	3319	3405	3477	3550	3607	3680	3766	3839	4330

Cinema Seating System Specification Guide


Cinema is a modular seating product comprised of 15 unique modules which may be used interchangeably to create an unlimited number of configurations. It is fully upholstered with leveling non-marring glides. To select the modules that are appropriate for your application use the guide below.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Product Selection

A. Arm Modules


All Cinema configurations must include an arm module on each end of the configuration.



B. 45° Connecting Modules

Connecting modules are used in conjunction with arm modules.


Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



C. 67.5° Connecting Modules

Connecting modules are used in conjunction with arm modules.

Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.




Cinema Seating System Specification Guide

D. 90° Connecting Arm Modules

Connecting modules are used in conjunction with arm modules.


Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



E. Straight Connecting Modules

Connecting modules are used in conjunction with arm modules.

Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.





Cinema Seating System Overview



Cinema Seating System Sample Configurations

1






Sku Description

4811 Left Arm Facing Module4812 Right Arm Facing Modle

2






Left Arm Facing Module


4810 Straight Connector

4811

4812 Right Arm Facing Module

3






4815 Two-seat, Left Arm Facing Module

4821 45° Connector

4816 Two-seat, Right Arm Facing Module

4





4817 Three-seat, Left Arm Facing Module

4824 45° Inverted Connector

4812 Single Seat, Right Arm Facing Module

5






4815 Two-seat, Left Arm Facing Module

4826 90° Inverted Connector

4816 Two-seat, Right Arm Facing Module

Cinema Seating System Sample Configurations

6




Description Sku


4817 Three-seat, Left Arm Facing Module 4825

67.5° Inverted Connector

Two-seat, Right Arm Facing Module









4815 Two-seat, Left Arm Facing Module

4822 67.5° Connector

Two-seat, Right Arm Facing Module 4816









4815 Two-seat, Left Arm Facing Module

4820 Inverted Corner Connector

4818 Three-seat Right Arm Facing Module

9







Two-seat, Left Arm Facing Module 4815

4819 Corner Connector

4818 Three-seat, Right Arm Facing Module

10






4815 Two-seat, Left Arm Facing Module


4823 90° Connector

4818 Three-seat, Right Arm Facing Module

Cinema Seating System Sample Configurations

11






Sku	Description
Oitu	Description


4815 Two-seat, Left Arm Facing Module

4823 90° Connector (2)

4816 Two-seat, Right Arm Facing Module









4816 Two-seat, Right Arm Facing Module


4823 90° Inverted Connector (2)

4815 Two-seat, Left Arm Facing Module





cinema 4811/4812



Fully upholstered

4811 Left arm facing module 4812 Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 4.0 yds. leather: 70.0 sq. ft.

B) One fabric or leather for outside back, outer shell, front panel and arms


yardage: 4.0 yds. leather: 70.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	Н	Fabric	Leather	Weight	Cubes/Qty
16½"	231/4"	351/8"	35%"	29"	8.0 yds.	140.0'	66 lbs.	32.10'/1
491 mm	591 mm	892 mm	905 mm	737 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu.

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
2397	2557	3144	3233	3322	3429	3517	3606	3677	3766	3873	3962	4566

cinema 4815/4816



Two-Seat Fully upholstered

4815 Left arm facing module 4816 Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 6.0 yds. leather: 90.0 sq. ft.


B) One fabric or leather for outside back, outer shell, front panel and arms

yardage: 8.5 yds. leather: 140.0 sq. ft.

Seat Height	Arm Height	W	D	Н	Fabric	Leather	Weight	Cubes/Qty
16½"	231/4"	65¾"	35%"	29"	14.3 yds.	235.0'	113 lbs.	68.33'/1
491 mm	591 mm	1670 mm	905 mm	737 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu.

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
4273	4559	5608	5767	5926	6117	6275	6434	6561	6720	6911	7070	8150

cinema 4817/4818



Three-seat Fully upholstered

4817 Left arm facing module 4818 Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 7.5 yds. leather: 125.0 sq. ft.

B) One fabric or leather for outside back, outer shell, front panel and arms

yardage: 13.5 yds. leather: 220.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	Н	Fabric	Leather	Weight	Cubes/Qty
16½"	231/4"	961⁄4"	35%"	29"	20.2 yds.	328.0'	149 lbs.	101.65'/1
491 mm	591 mm	2445 mm	905 mm	737 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu.

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
5296	5700	7182	7406	7631	7900	8124	8349	8528	8753	9022	9247	10773

cinema 4810



Straight connector Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 4.0 yds. leather: 70.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

yardage: 3.0 yds. leather: 50.0 sq. ft.

Seat Heig	ht Arr	m Height		W		D		Н		Fabric	Leathe	r	Weig	ght	Cubes/Qty
16½"	16½" -			30%		35	5/8"	29"		6.9 yds.	130.0'	68 I		os.	32.10'/1
491 mm	-			778	mm	90	5 mm	737 mm		6.3 m	12.1 sc	m	30.9	kg	.91 cu.
COM	COL	1	2	·	3		4	5	6	7	8	9		10	11

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
2054	2192	2698	2775	2852	2944	3020	3097	3158	3235	3327	3404	3925



Corner connector Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 3.0 yds. leather: 50.0 sq. ft.

B) One fabric or leather for outside back, outer shell, front panel and arms

yardage: 5.0 yds. leather: 85.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
16½"		-			35%	•	35	5/8"	29"		8.2 yds.	140.0'		69 II	os.	36.09'/1
491 mm		-			905	mm	90	5 mm	737 mm		7.5 m	13.0 sc	ηm	31.4	kg	1.04 cu.
СОМ	COM COL 1		2		3		4	5	6	7	8	9		10	11	
2911	307	5	3677	370	68	3859		3968	4059	4151	4223	4315	442	!4	4515	5135

cinema 4820



Inverted corner connector Fully uphoistered

2911

3037

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 5.0 yds. leather: 85.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

3569

3639

3723

yardage: 1.3 yds. leather: 25.0 sq. ft.

3499

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heig	ht A	Arm Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cul	oes/Qty
16½" -				35%'		35	5/8"	29"		6.3 yds.	125.0'		66 lk	os.	36.	09'/1
491 mm	-			905	mm	90	5 mm	737 mm		5.8 m	11.6 sq	m	30.0	kg	1.0	4 cu.
СОМ	COM COL 1		2		3		4	5	6	7	8	9		10		11

3793

3863

3919

3989

4073

4143

4619



45° Connector Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 3.75 yds. leather: 61.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
16½"	16½" -			45¾"		37	5/8"	29"		7.5 yds.	135.0'		85 II	os.	100.22'/1	
491 mm		-	-		1162	! mm	95	6 mm	737 mm		6.9 m	12.5 sc	mp	38.6	kg	2.84 cu.
СОМ	COI	L	1	2		3		4	5	6	7	8	9		10	11
2397	7 2547 3097 31		318	81	3264		3364	3447	3531	3597	3681	378	31	3864	4431	

cinema 4822



67.5° Connector Fully upholstered

3419

3681

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 6.0 yds. leather: 100.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

4788

4933

5108

yardage: 7.0 yds. leather: 115.0 sq. ft.

4642

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heigh	t Arm	n Height	W		D		Н		Fabric	Leathe	r	Wei	ght	Cub	es/Qty
16½"	16½" -		651/	/ " 4	391	1/4"	29"		13.1 yds.	220'		103	lbs.	100.	22'/1
491 mm	-		165	7 mm	99	7 mm	737 mm		6.9 m	20.4 sc	ηm	46.8	kg	2.84	· cu.
COM	COL	1	2	3		4	5	6	7	8	9		10	1	1

5253

5399

5515

5661

5836

5981

6971



90° Connector Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 6.0 yds. leather: 100.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

yardage: 10.2 yds. leather: 165.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heig	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
16½"		-			83¾"		42	1/8"	29"		14.2 yds.	235.0'		125	lbs.	100.22'/1
491 mm		-		2127	' mm	10	70 mm	737 mm		130 m	21.8 sc	qm	56.8	kg	2.84 cu.	
СОМ	COI	L	1	2		3		4	5	6	7	8	9		10	11
4102	438	6	5 5428 55		86 5743			5933	6090	6248	6374	6532	672	2	6879	7952

cinema 4824



45° Inverted connector~br~Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat and inside back yardage: 4.0 yds. leather: 65.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

yardage: 2.0 yds. leather: 35.0 sq. ft.

Seat Heig	ht Arı	m Height	W		D		Н		Fabric	Leathe	r	Wei	ght	Cube	es/Qty
16½"	-	-			371	1/2"	29"		6.0 yds.	110.0'		78 lk	os.	100.	22'/1
491 mm	-		114	3 mm	952	2 mm	737 mm		5.5 m	10.2 sc	ηm	35.5	kg	2.84	cu.
СОМ	COL	1	2	3		4	5	6	7	8	9		10	1	1

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
2397	2517	2957	3024	3091	3171	3237	3304	3357	3424	3504	3571	4024



67.5° Inverted connector Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 7.6 yds. leather: 125.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

yardage: 2.65 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cul	bes/Qty
16½"		-			65"		39	3/4"	29"		10.25 yds	175.0'		96 II	os.	100).22'/1
491 mm		-			1651	mm	10	10 mm	737 mm		9.4 m	16.3 sc	mp	43.6	kg	2.8	4 cu.
СОМ	COI	L	1	2		3		4	5	6	7	8	9		10		11
3419	362	4	4376	449	90	4604		4741	4854	4968	5059	5173	531	0	5424		6198

cinema 4826



90° Inverted connector Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back yardage: 10.0 yds. leather: 165.0 sq. ft.

B) One fabric or leather for outside back, outer shell and front panel

yardage: 1.0 yds. leather: 17.0 sq. ft.0

Seat Heig	ht A	Arm Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cub	oes/Qty
16½"	-	-		83"		42	1/2"	29"		11.0 yds.	185.0'		128	lbs.	100).22'/1
491 mm	-			2108	mm	108	80 mm	737 mm		10.1 m	17.2 sc	ηm	58.2	kg	2.84	4 cu.
СОМ	COL	1	2		3		4	5	6	7	8	9		10		11

СОМ	COL	1	2	3	4	5	6	7	8	9	10	11
4102	4322	5129	5251	5374	5520	5642	5765	5862	5985	6131	6254	7085