


cinema 4800



Fully upholstered

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back
yardage: 3.0 yds. leather: 50.0
- B) One fabric or leather for inside and outside shell
yardage: 4.5 yds. leather: 75.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	32½"	36"	29½"	6.5 yds.	125.0'	64 lbs.	36.09'/1
445 mm	591 mm	826 mm	914 mm	749 mm	5.9 m	11.6sqm	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2831	2961	3467	3583	3640	3756	3871	3915	4016	4103	4204	4334	4839

Cinema Seating System Specification Guide


Cinema is a modular seating product comprised of 15 unique modules which may be used interchangeably to create an unlimited number of configurations. It is fully upholstered with leveling non-marring glides. To select the modules that are appropriate for your application use the guide below.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Product Selection


A. Arm Modules

All Cinema configurations must include an arm module on each end of the configuration.




B. 45° Connecting Modules

Connecting modules are used in conjunction with arm modules. Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



C. 67.5° Connecting Modules


Connecting modules are used in conjunction with arm modules. Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



Cinema Seating System Specification Guide


D. 90° Connecting Arm Modules

Connecting modules are used in conjunction with arm modules.
Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.




E. Straight Connecting Modules






Connecting modules are used in conjunction with arm modules.
Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.













Cinema Seating System Overview



Cinema Seating System Sample Configurations



Sku		Description
1	4811	Left Arm Facing Module
	4812	Right Arm Facing Module
		
2	4811	Left Arm Facing Module
	4810	Straight Connector
	4812	Right Arm Facing Module
		
3	4815	Two-seat, Left Arm Facing Module
	4821	45° Connector
	4816	Two-seat, Right Arm Facing Module
		
4	4817	Three-seat, Left Arm Facing Module
	4824	45° Inverted Connector
	4812	Single Seat, Right Arm Facing Module
		
5	4815	Two-seat, Left Arm Facing Module
	4826	90° Inverted Connector
	4816	Two-seat, Right Arm Facing Module
		

Cinema Seating System Sample Configurations

		Sku	Description
6	 	4817 4825 4816	Three-seat, Left Arm Facing Module 67.5° Inverted Connector Two-seat, Right Arm Facing Module
7	 	4815 4822 4816	Two-seat, Left Arm Facing Module 67.5° Connector Two-seat, Right Arm Facing Module
8	 	4815 4820 4818	Two-seat, Left Arm Facing Module Inverted Corner Connector Three-seat Right Arm Facing Module
9	 	4815 4819 4818	Two-seat, Left Arm Facing Module Corner Connector Three-seat, Right Arm Facing Module
10	 	4815 4823 4818	Two-seat, Left Arm Facing Module 90° Connector Three-seat, Right Arm Facing Module



Cinema Seating System Sample Configurations

11





Sku	Description
4815	Two-seat, Left Arm Facing Module
4823	90° Connector (2)
4816	Two-seat, Right Arm Facing Module

12




4816	Two-seat, Right Arm Facing Module
4823	90° Inverted Connector (2)
4815	Two-seat, Left Arm Facing Module

13



4817	Three-seat, Left Arm Facing Module
4825	67.5° Inverted Connector
4810	Single Straight Connector
4821	45° Connector
4816	Two-seat, Right Arm Facing Module

cinema 4811



Fully upholstered

4811 Left arm facing module
4812 Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 4.0 yds. leather: 70.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 4.0 yds. leather: 70.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	23 1/4"	35 1/8"	36"	29 1/2"	8.0 yds.	140.0'	66 lbs.	32.10'/1
445 mm	591 mm	892 mm	914 mm	749 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2643	2803	3426	3568	3639	3781	3923	3977	4101	4208	4332	4492	5115

cinema 4815

Two-Seat
Fully upholstered

4815 Left arm facing module
4816 Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 6.0 yds. leather: 90.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 8.5 yds. leather: 140.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	23 1/4"	65 1/4"	36"	29 1/2"	14.3 yds.	235.0'	113 lbs.	68.33'/1
445 mm	591 mm	1670 mm	914 mm	749 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4711	4997	6110	6364	6491	6745	6999	7095	7317	7508	7730	8016	9129

cinema 4817

Three-seat
Fully upholstered

4817 Left arm facing module
4818 Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back
yardage: 7.5 yds. leather: 125.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 13.5 yds. leather: 220.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	23 1/4"	96 1/4"	36"	29 1/2"	20.2 yds.	328.0'	149 lbs.	101.65'/1
445 mm	591 mm	2445 mm	914 mm	749 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5839	6243	7815	8174	8353	8712	9071	9206	9520	9790	10104	10508	12079

cinema 4810

Straight connector
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 4.0 yds. leather: 70.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	-	30 5/8"	36"	29 1/2"	6.9 yds.	130.0'	68 lbs.	32.10'/1
445 mm	-	778 mm	914 mm	749 mm	6.3 m	12.1 sqm	30.9 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2266	2404	2941	3064	3125	3248	3370	3416	3524	3616	3723	3861	4398

cinema 4819

**Corner connector
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 3.0 yds. leather: 50.0 sq. ft.
B) One fabric or leather for outside back, outer shell, front panel and arms
yardage: 5.0 yds. leather: 85.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	-	35 3/4"	36"	29 1/2"	8.2 yds.	140.0'	69 lbs.	36.09'/1
445 mm	-	905 mm	914 mm	749 mm	7.5 m	13.0 sqm	31.4 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3210	3374	4012	4158	4231	4377	4522	4577	4705	4814	4942	5106	5743

cinema 4820

**Inverted corner connector
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 5.0 yds. leather: 85.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 1.3 yds. leather: 25.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	-	35 3/4"	36"	29 1/2"	6.3 yds.	125.0'	66 lbs.	36.09'/1
445 mm	-	905 mm	914 mm	749 mm	5.8 m	11.6 sqm	30.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3210	3336	3826	3938	3994	4106	4218	4260	4358	4442	4540	4666	5156

cinema 4821

**45° Connector**
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 5/8"	-	45 1/4"	37 1/8"	29"	7.5 yds.	135.0'	85 lbs.	100.22'/1
491 mm	-	1162 mm	956 mm	737 mm	6.9 m	12.5 sqm	38.6 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2643	2793	3377	3510	3577	3710	3843	3893	4010	4110	4227	4377	4960

cinema 4822

**67.5° Connector**
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 6.0 yds. leather: 100.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 7.0 yds. leather: 115.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 5/8"	-	65 1/4"	39 1/4"	29"	13.1 yds.	220'	103 lbs.	100.22'/1
491 mm	-	1657 mm	997 mm	737 mm	6.9 m	20.4 sqm	46.8 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3770	4032	5051	5284	5401	5634	5866	5954	6158	6332	6536	6798	7817

cinema 4823

**90° Connector**
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 6.0 yds. leather: 100.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 10.2 yds. leather: 165.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 5/8"	-	83¾"	42½"	29"	14.2 yds.	235.0'	125 lbs.	100.22'/1
491 mm	-	2127 mm	1070 mm	737 mm	130 m	21.8 sqm	56.8 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4524	4808	5913	6165	6292	6544	6796	6891	7112	7301	7522	7806	8911

cinema 4824

**45° Inverted connector**
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 4.0 yds. leather: 65.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 2.0 yds. leather: 35.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 5/8"	-	45"	37½"	29"	6.0 yds.	110.0'	78 lbs.	100.22'/1
491 mm	-	1143 mm	952 mm	737 mm	5.5 m	10.2 sqm	35.5 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2643	2763	3230	3337	3390	3497	3603	3643	3737	3817	3910	4030	4497

cinema 4825

**67.5° Inverted connector**
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back
yardage: 7.6 yds. leather: 125.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 2.65 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 5/8"	-	65"	39 3/4"	29"	10.25 yds.	175.0'	96 lbs.	100.22'/1
491 mm	-	1651 mm	1010 mm	737 mm	9.4 m	16.3 sqm	43.6 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3770	3975	4773	4955	5046	5228	5410	5479	5638	5775	5934	6139	6937

cinema 4826

**90° Inverted connector**
Fully upholstered

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back
yardage: 10.0 yds. leather: 165.0 sq. ft.
B) One fabric or leather for outside back, outer shell and front panel
yardage: 1.0 yds. leather: 17.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 5/8"	-	83"	42 1/2"	29"	11.0 yds.	185.0'	128 lbs.	100.22'/1
491 mm	-	2108 mm	1080 mm	737 mm	10.1 m	17.2 sqm	58.2 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4524	4744	5600	5796	5893	6089	6284	6358	6529	6676	6847	7067	7922