


**cinema 4800**



**Fully upholstered**

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back  
yardage: 3.0 yds.      leather: 50.0
- B) One fabric or leather for inside and outside shell  
yardage: 4.5 yds.      leather: 75.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	23¼"	32½"	35⅝"	29"	6.5 yds.	125.0'	64 lbs.	36.09/1
419 mm	591 mm	826 mm	905 mm	737 mm	5.9 m	11.6sqm	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2670	2800	3277	3378	3436	3552	3653	3696	3768	3869	3956	4057	4635

## Cinema Seating System Specification Guide


Cinema is a modular seating product comprised of 15 unique modules which may be used interchangeably to create an unlimited number of configurations. It is fully upholstered with leveling non-marring glides. To select the modules that are appropriate for your application use the guide below.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s). SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

### Product Selection


#### A. Arm Modules

All Cinema configurations must include an arm module on each end of the configuration.




#### B. 45° Connecting Modules

Connecting modules are used in conjunction with arm modules. Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



#### C. 67.5° Connecting Modules

Connecting modules are used in conjunction with arm modules. Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.




### Cinema Seating System Specification Guide

#### D. 90° Connecting Arm Modules

Connecting modules are used in conjunction with arm modules.


Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.




#### E. Straight Connecting Modules

Connecting modules are used in conjunction with arm modules.






Armless connecting modules may not be used at the end of a configuration or as a freestanding unit.



Cinema Seating System Overview









**Cinema Seating System Sample Configurations**

	Skus	Description
<p>1</p> 	<p><b>4811</b> <b>4812</b></p>	<p>Left Arm Facing Module Right Arm Facing Module</p>
<p>2</p> 	<p><b>4811</b> <b>4810</b> <b>4812</b></p>	<p>Left Arm Facing Module Straight Connector Right Arm Facing Module</p>
<p>3</p> 	<p><b>4815</b> <b>4821</b> <b>4816</b></p>	<p>Two-seat, Left Arm Facing Module 45° Connector Two-seat, Right Arm Facing Module</p>
<p>4</p> 	<p><b>4817</b> <b>4824</b> <b>4812</b></p>	<p>Three-seat, Left Arm Facing Module 45° Inverted Connector Single Seat, Right Arm Facing Module</p>
<p>5</p> 	<p><b>4815</b> <b>4826</b> <b>4816</b></p>	<p>Two-seat, Left Arm Facing Module 90° Inverted Connector Two-seat, Right Arm Facing Module</p>


**Cinema Seating System Sample Configurations**

6	Sku Description
	<p><b>4817</b> Three-seat, Left Arm Facing Module  <b>4825</b> 67.5° Inverted Connector  <b>4816</b> Two-seat, Right Arm Facing Module</p>
7	<p><b>4815</b> Two-seat, Left Arm Facing Module  <b>4822</b> 67.5° Connector  <b>4816</b> Two-seat, Right Arm Facing Module</p>
8	<p><b>4815</b> Two-seat, Left Arm Facing Module  <b>4820</b> Inverted Corner Connector  <b>4818</b> Three-seat Right Arm Facing Module</p>
9	<p><b>4815</b> Two-seat, Left Arm Facing Module  <b>4819</b> Corner Connector  <b>4818</b> Three-seat, Right Arm Facing Module</p>
10	<p><b>4815</b> Two-seat, Left Arm Facing Module  <b>4823</b> 90° Connector  <b>4818</b> Three-seat, Right Arm Facing Module</p>

**Cinema Seating System Sample Configurations**

	Sku	Description
<p>11</p>  	<p><b>4815</b> <b>4823</b> <b>4816</b></p>	<p>Two-seat, Left Arm Facing Module 90° Connector (2) Two-seat, Right Arm Facing Module</p>
<p>12</p>  	<p><b>4816</b> <b>4823</b> <b>4815</b></p>	<p>Two-seat, Right Arm Facing Module 90° Inverted Connector (2) Two-seat, Left Arm Facing Module</p>
<p>13</p>  	<p><b>4817</b> <b>4825</b> <b>4810</b> <b>4821</b> <b>4816</b></p>	<p>Three-seat, Left Arm Facing Module 67.5° Inverted Connector Single Straight Connector 45° Connector Two-seat, Right Arm Facing Module</p>

**cinema 4811**



**Fully upholstered**

- 4811** Left arm facing module
- 4812** Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 4.0 yds. leather: 70.0 sq. ft.
- B) One fabric or leather for outside back, outer shell, front panel and arms  
yardage: 4.0 yds. leather: 70.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	23¼"	35½"	35½"	29"	8.0 yds.	140.0'	66 lbs.	32.10/1
491 mm	591 mm	892 mm	905 mm	737 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2493	2653	3240	3365	3436	3578	3702	3756	3845	3969	4076	4200	4911

**cinema 4815**



**Two-Seat  
Fully upholstered**

- 4815** Left arm facing module
- 4816** Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back  
yardage: 6.0 yds. leather: 90.0 sq. ft.
- B) One fabric or leather for outside back, outer shell, front panel and arms  
yardage: 8.5 yds. leather: 140.0 sq. ft.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	23¼"	65¼"	35½"	29"	14.3 yds.	235.0'	113 lbs.	68.33/1
491 mm	591 mm	1670 mm	905 mm	737 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4444	4730	5779	6002	6129	6383	6605	6701	6860	7082	7273	7495	8766



**cinema 4817**



**Three-seat  
Fully upholstered**

- 4817** Left arm facing module
- 4818** Right arm facing module

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 7.5 yds. leather: 125.0 sq. ft.
- B) One fabric or leather for outside back, outer shell, front panel and arms  
yardage: 13.5 yds. leather: 220.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	23¼"	96¼"	35½"	29"	20.2 yds.	328.0'	149 lbs.	101.65'/1
491 mm	591 mm	2445 mm	905 mm	737 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5508	5912	7394	7708	7888	8247	8561	8696	8920	9234	9504	9818	11613

**cinema 4810**



**Straight connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 4.0 yds. leather: 70.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	30½"	35½"	29"	6.9 yds.	130.0'	68 lbs.	32.10'/1
491 mm	-	778 mm	905 mm	737 mm	6.3 m	12.1 sqm	30.9 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2137	2275	2781	2889	2950	3073	3180	3226	3303	3410	3502	3609	4223

**cinema 4819**



**Corner connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 3.0 yds. leather: 50.0 sq. ft.
- B) One fabric or leather for outside back, outer shell, front panel and arms  
yardage: 5.0 yds. leather: 85.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	35½"	35½"	29"	8.2 yds.	140.0'	69 lbs.	36.09'/1
491 mm	-	905 mm	905 mm	737 mm	7.5 m	13.0 sqm	31.4 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3028	3192	3794	3921	3994	4140	4268	4322	4413	4541	4650	4778	5507

**cinema 4820**



**Inverted corner connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 5.0 yds. leather: 85.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 1.3 yds. leather: 25.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	35½"	35½"	29"	6.3 yds.	125.0'	66 lbs.	36.09'/1
491 mm	-	905 mm	905 mm	737 mm	5.8 m	11.6 sqm	30.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3028	3154	3616	3714	3770	3882	3980	4022	4092	4190	4274	4372	4932

**cinema 4821**



**45° Connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 3.75 yds.      leather: 61.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 3.75 yds.      leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45¾"	37⅝"	29"	7.5 yds.	135.0'	85 lbs.	100.22/1
491 mm	-	1162 mm	956 mm	737 mm	6.9 m	12.5 sqm	38.6 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2493	2643	3193	3310	3377	3510	3627	3677	3760	3877	3977	4093	4760

**cinema 4822**



**67.5° Connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 6.0 yds.      leather: 100.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 7.0 yds.      leather: 115.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65¼"	39¼"	29"	13.1 yds.	220'	103 lbs.	100.22/1
491 mm	-	1657 mm	997 mm	737 mm	6.9 m	20.4 sqm	46.8 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3556	3818	4779	4983	5099	5332	5536	5623	5769	5973	6147	6351	7516

**cinema 4823**



**90° Connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back  
yardage: 6.0 yds.      leather: 100.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 10.2 yds.      leather: 165.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	83¾"	42⅝"	29"	14.2 yds.	235.0'	125 lbs.	100.22/1
491 mm	-	2127 mm	1070 mm	737 mm	130 m	21.8 sqm	56.8 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4267	4551	5593	5814	5940	6192	6413	6508	6666	6887	7076	7297	8559

**cinema 4824**



**45° Inverted connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 4.0 yds.      leather: 65.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 2.0 yds.      leather: 35.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45"	37½"	29"	6.0 yds.	110.0'	78 lbs.	100.22/1
491 mm	-	1143 mm	952 mm	737 mm	5.5 m	10.2 sqm	35.5 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2493	2613	3053	3147	3200	3307	3400	3440	3507	3600	3680	3773	4307

**cinema 4825**



**67.5° Inverted connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat and inside back  
yardage: 7.6 yds.      leather: 125.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 2.65 yds.      leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65"	39¾"	29"	10.25 yds.	175.0'	96 lbs.	100.22/1
491 mm	-	1651 mm	1010 mm	737 mm	9.4 m	16.3 sqm	43.6 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3556	3761	4513	4673	4764	4946	5105	5174	5288	5447	5584	5743	6654

**cinema 4826**



**90° Inverted connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back  
yardage: 10.0 yds.      leather: 165.0 sq. ft.
- B) One fabric or leather for outside back, outer shell and front panel  
yardage: 1.0 yds.      leather: 17.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	83"	42½"	29"	11.0 yds.	185.0'	128 lbs.	100.22/1
491 mm	-	2108 mm	1080 mm	737 mm	10.1 m	17.2 sqm	58.2 kg	2.84 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4267	4487	5294	5465	5563	5759	5930	6003	6125	6296	6443	6614	7592