

## Cinema Seating System Specification Guide

### Standard Features




Cinema is a modular seating product comprised of 15 unique modules which may be used interchangeably to create an unlimited number of configurations.

Cinema is fully upholstered with leveling non-marring glides. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

All necessary ganging brackets are included and pre-installed.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Please visit BernhardtDesign.com for a complete library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.





## Product Selection

Cinema modules can be used interchangeably to create a variety of modular options. A left and right end module is required for all configurations. Specify a connecting module when a 45°, 67.5° or 90° angle is needed. All modules are available in fabric or leather. **Cinema modules may not be used as a freestanding unit.** See modular options below.

### A. Arm Modules

All Cinema configurations must include a left and right arm module for the ends of the configuration. Arm modules may not be used as a freestanding unit.




### B. 45° Connecting Modules

45° Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.



### C. 67.5° Connecting Modules


67.5° Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.



## Cinema Seating System Specification Guide

### D. 90° Connecting Arm Modules

90° Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.




### E. Straight Connecting Modules





Connecting modules are used in conjunction with arm modules. Connecting modules may not be used at the end of a configuration or as a freestanding unit.



## Cinema Seating System Sample Configurations Overview




## Cinema Seating System Sample Configurations

		Sku	Description
1			<b>4811</b> Left Arm Facing Module <b>4812</b> Right Arm Facing Module
2			<b>4811</b> Left Arm Facing Module <b>4810</b> Straight Connector <b>4812</b> Right Arm Facing Module
3			<b>4815</b> Two-seat, Left Arm Facing Module <b>4821</b> 45° Connector <b>4816</b> Two-seat, Right Arm Facing Module
4			<b>4817</b> Three-seat, Left Arm Facing Module <b>4824</b> 45° Inverted Connector <b>4812</b> Single Seat, Right Arm Facing Module
5			<b>4815</b> Two-seat, Left Arm Facing Module <b>4826</b> 90° Inverted Connector <b>4816</b> Two-seat, Right Arm Facing Module


## Cinema Seating System Sample Configurations

6




Sku	Description
4817	Three-seat, Left Arm Facing Module
4825	67.5° Inverted Connector
4816	Two-seat, Right Arm Facing Module

7




4815	Two-seat, Left Arm Facing Module
4822	67.5° Connector
4816	Two-seat, Right Arm Facing Module

8



4815	Two-seat, Left Arm Facing Module
4820	Inverted Corner Connector
4818	Three-seat Right Arm Facing Module

9




4815	Two-seat, Left Arm Facing Module
4819	Corner Connector
4818	Three-seat, Right Arm Facing Module

## Cinema Seating System Sample Configurations



Sku Description

10




**4815** Two-seat, Left Arm Facing Module  
**4823** 90° Connector  
**4818** Three-seat, Right Arm Facing Module

11




**4815** Two-seat, Left Arm Facing Module  
**4823** 90° Connector (2)  
**4816** Two-seat, Right Arm Facing Module

12



**4816** Two-seat, Right Arm Facing Module  
**4823** 90° Inverted Connector (2)  
**4815** Two-seat, Left Arm Facing Module

13



**4817** Three-seat, Left Arm Facing Module  
**4825** 67.5° Inverted Connector  
**4810** Single Straight Connector  
**4821** 45° Connector  
**4816** Two-seat, Right Arm Facing Module

**cinema 4811****Fully upholstered**

**4811 Left arm facing module**  
**4812 Right arm facing module**

All necessary ganging brackets are included and pre-installed



When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.


See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
 yardage: 4.0 yds. leather: 70.0 sq. ft.  
 B) One fabric or leather for outside back, outer shell, front panel and arms  
 yardage: 4.0 yds. leather: 70.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	35½"	36"	29½"	8.0 yds.	140.0'	66 lbs.	32.10'/1
445 mm	591 mm	892 mm	914 mm	749 mm	7.3 m	13.0 sqm	30.0 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2723	2883	3523	3683	3772	3897	4039	4110	4235	4341	4466	4643	5266

**cinema 4815****Two-Seat  
Fully upholstered**

**4815 Left arm facing module**  
**4816 Right arm facing module**

All necessary ganging brackets are included and pre-installed



When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.



See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
 yardage: 6.0 yds. leather: 90.0 sq. ft.  
 B) One fabric or leather for outside back, outer shell, front panel and arms  
 yardage: 8.5 yds. leather: 140.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	65¾"	36"	29½"	14.3 yds.	235.0'	113 lbs.	68.33'/1
445 mm	591 mm	1670 mm	914 mm	749 mm	13.1 m	21.8 sqm	51.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4853	5139	6283	6569	6728	6951	7205	7332	7555	7745	7968	8285	9398

**cinema 4817****Three-seat  
Fully upholstered**

**4817      Left arm facing module**  
**4818      Right arm facing module**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.


See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
 yardage: 7.5 yds.      leather: 125.0 sq. ft.  
 B) One fabric or leather for outside back, outer shell, front panel and arms  
 yardage: 13.5 yds.      leather: 220.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	23¼"	96¼"	36"	29½"	20.2 yds.	328.0'	149 lbs.	101.65'/1
445 mm	591 mm	2445 mm	914 mm	749 mm	18.5 m	30.4 sqm	67.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6015	6419	8035	8439	8664	8978	9337	9517	9831	10100	10415	10863	12435

**cinema 4810****Straight connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat and inside back  
 yardage: 4.0 yds.      leather: 70.0 sq. ft.  
 B) One fabric or leather for outside back, outer shell and front panel  
 yardage: 3.0 yds.      leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	-	30½"	36"	29½"	6.9 yds.	130.0'	68 lbs.	32.10'/1
445 mm	-	778 mm	914 mm	749 mm	6.3 m	12.1 sqm	30.9 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2334	2472	3024	3162	3239	3346	3469	3530	3638	3730	3837	3990	4527

## cinema 4819


**Corner connector**  
**Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
 yardage: 3.0 yds.      leather: 50.0 sq. ft.  
 B) One fabric or leather for outside back, outer shell, front panel and arms  
 yardage: 5.0 yds.      leather: 85.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	-	35%"	36"	29½"	8.2 yds.	140.0'	69 lbs.	36.09/1				
445 mm	-	905 mm	914 mm	749 mm	7.5 m	13.0 sqm	31.4 kg	1.04 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3307	3471	4127	4291	4383	4510	4656	4729	4856	4966	5093	5275	5913

## cinema 4820


**Inverted corner connector**  
**Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
 yardage: 5.0 yds.      leather: 85.0 sq. ft.  
 B) One fabric or leather for outside back, outer shell and front panel  
 yardage: 1.3 yds.      leather: 25.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17½"	-	35%"	36"	29½"	6.3 yds.	125.0'	66 lbs.	36.09/1				
445 mm	-	905 mm	914 mm	749 mm	5.8 m	11.6 sqm	30.0 kg	1.04 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3307	3433	3937	4063	4133	4231	4343	4399	4497	4581	4679	4819	5309

**cinema 4821****45° Connector**  
**Fully upholstered**

All necessary ganging brackets are included and pre-installed


When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
yardage: 3.75 yds. leather: 61.0 sq. ft.  
B) One fabric or leather for outside back, outer shell and front panel  
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 <sup>5/8</sup> "	-	45 <sup>1/4</sup> "	37 <sup>5/8</sup> "	29 <sup>1/2</sup> "	7.5 yds.	135.0'	85 lbs.	100.22'/1				
491 mm	-	1162 mm	956 mm	737 mm	6.9 m	12.5 sqm	38.6 kg	2.84 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2723	2873	3473	3623	3707	3823	3957	4023	4140	4240	4357	4523	5107

**cinema 4822****67.5° Connector**  
**Fully upholstered**

All necessary ganging brackets are included and pre-installed


When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
yardage: 6.0 yds. leather: 100.0 sq. ft.  
B) One fabric or leather for outside back, outer shell and front panel  
yardage: 7.0 yds. leather: 115.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 <sup>5/8</sup> "	-	65 <sup>1/4</sup> "	39 <sup>1/4</sup> "	29 <sup>1/2</sup> "	13.1 yds.	220'	103 lbs.	100.22'/1				
491 mm	-	1657 mm	997 mm	737 mm	6.9 m	20.4 sqm	46.8 kg	2.84 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3884	4146	5194	5456	5602	5806	6039	6155	6359	6534	6737	7028	8047

**cinema 4823****90° Connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
yardage: 6.0 yds. leather: 100.0 sq. ft.  
B) One fabric or leather for outside back, outer shell and front panel  
yardage: 10.2 yds. leather: 165.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{5}{8}$ "	-	83 $\frac{3}{4}$ "	42 $\frac{1}{8}$ "	29 $\frac{1}{2}$ "	14.2 yds.	235.0'	125 lbs.	100.22'/1				
491 mm	-	2127 mm	1070 mm	737 mm	130 m	21.8 sqm	56.8 kg	2.84 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4944	6080	6364	6522	6743	6996	7122	7343	7532	7753	8068	9173

**cinema 4824****45° Inverted connector  
Fully upholstered**

All necessary ganging brackets are included and pre-installed


When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
yardage: 4.0 yds. leather: 65.0 sq. ft.  
B) One fabric or leather for outside back, outer shell and front panel  
yardage: 2.0 yds. leather: 35.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{5}{8}$ "	-	45"	37 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	6.0 yds.	110.0'	78 lbs.	100.22'/1				
491 mm	-	1143 mm	952 mm	737 mm	5.5 m	10.2 sqm	35.5 kg	2.84 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2723	2843	3323	3443	3510	3603	3710	3763	3857	3937	4030	4163	4630

**cinema 4825****67.5° Inverted connector**  
**Fully upholstered**

All necessary ganging brackets are included and pre-installed


When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
yardage: 7.6 yds. leather: 125.0 sq. ft.  
B) One fabric or leather for outside back, outer shell and front panel  
yardage: 2.65 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{7}{8}$ "	-	65"	39 $\frac{3}{4}$ "	29 $\frac{1}{2}$ "	10.25 yds.	175.0'	96 lbs.	100.22'/1				
491 mm	-	1651 mm	1010 mm	737 mm	9.4 m	16.3 sqm	43.6 kg	2.84 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3884	4089	4909	5114	5228	5388	5570	5661	5821	5957	6117	6344	7142

**cinema 4826****90° Inverted connector**  
**Fully upholstered**

All necessary ganging brackets are included and pre-installed


When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat and inside back  
yardage: 10.0 yds. leather: 165.0 sq. ft.  
B) One fabric or leather for outside back, outer shell and front panel  
yardage: 1.0 yds. leather: 17.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty				
17 $\frac{7}{8}$ "	-	83"	42 $\frac{1}{2}$ "	29 $\frac{1}{2}$ "	11.0 yds.	185.0'	128 lbs.	100.22'/1				
491 mm	-	2108 mm	1080 mm	737 mm	10.1 m	17.2 sqm	58.2 kg	2.84 cu.				
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	4880	5760	5980	6103	6274	6469	6567	6738	6885	7056	7300	8156

**cinema 4800****Fully upholstered**

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat and inside back  
yardage: 3.0 yds. leather: 50.0
- B) One fabric or leather for inside and outside shell  
yardage: 4.5 yds. leather: 75.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17 1/2"	23 1/4"	32 1/2"	36"	29 1/2"	6.5 yds.	125.0'	64 lbs.	36.09/1
445 mm	591 mm	826 mm	914 mm	749 mm	5.9 m	11.6sqm	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2916	3046	3566	3696	3769	3870	3985	4043	4144	4231	4332	4476	4982