


b.1 4302AS



Brushed stainless steel base
Upholstered

Saddle stitched
Loosely structured dacron wrapped foam back pillows

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 0.9 yds. leather: 10.5 sq. ft.


Certain two-way patterns or small horizontal designs are not suitable for application on this product.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	35½"	32½"	26¼"	6.7 yds	127.6'	99 lbs.	36.09'/1
445 mm	667 mm	902 mm	826 mm	667 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3162	3296	3788	3862	3937	4026	4100	4175	4234	4309	4398	4473	4979

b.1 4302B



Brushed stainless steel base
Fully upholstered

Saddle or flange stitched
Standard HR foam back pillow

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 85.8 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 0.9 yds leather: 10.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	35½"	32½"	29½"	6.7 yds	127.6'	99 lbs.	36.09'/1
445 mm	667 mm	902 mm	826 mm	749 mm	6.1 m	11.9 sqm	44.9 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3162	3296	3788	3862	3937	4026	4100	4175	4234	4309	4398	4473	4979

sku

4 | 3 | 0 | 2 | B |

stitching


S

saddle stitch

F

flange - available on leather

b.1 4335AS



Two-seat
Brushed stainless steel base
Fully upholstered

Saddle stitched
Loosely structured dacron wrapped foam back pillows

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.7 yds. leather: 113.0 sq. ft.
B) One fabric or leather for seat
yardage: 2.5 yds. leather: 54.4 sq. ft.
C) One fabric or leather for back pillow
yardage: 2.4 yds. leather: 37.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	62"	32½"	26¼"	9.6 yds.	194.6'	115 lbs.	68.33'/1
445 mm	667 mm	1575 mm	826 mm	667 mm	8.8 m	18.1 sqm	52.2 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5688	5880	6584	6691	6798	6926	7032	7139	7224	7331	7459	7566	8291

b.1 4335B



Two-seat
Brushed stainless steel base
Fully upholstered

Saddle or flange stitched
 Standard HR foam back pillow

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
 yardage: 6.7 yds. leather: 113.0 sq. ft.
 B) One fabric or leather for seat
 yardage: 2.5 yds. leather: 54.4 sq. ft.
 C) One fabric or leather for back pillow
 yardage: 2.4 yds. leather: 37.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	62"	32½"	30"	9.6 yds.	194.6'	115 lbs.	68.33'/1
445 mm	667 mm	1575 mm	851 mm	762 mm	8.8 m	18.1 sqm	52.2 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5688	5880	6584	6691	6798	6926	7032	7139	7224	7331	7459	7566	8291

sku

stitching

4 | 3 | 3 | 5 | B |

S saddle stitch
F flange - available on leather

b.1 4335P



Accent pillow
Unstructured dacron-filled


Saddle stitched
 Use with b.1 4335, 4325 and 4315.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'/1
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
272	302	412	429	446	466	482	499	512	529	549	566	679

b.1 4337AS



Three-seat
Brushed stainless steel base
Upholstered

Saddle stitched
Loosely structured dacron wrapped foam back pillow

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.


See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 8.6 yds. leather: 142.3 sq. ft.
- B) One fabric or leather for seat
yardage: 5.6 yds. leather: 92.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 39.8 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	95"	33½"	26¼"	17.7 yds.	293.0'	165 lbs.	97.97'/1
445 mm	667 mm	2413 mm	851 mm	667 mm	16.2 m	27.2 sqm	76.2 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7239	7593	8891	9088	9285	9521	9717	9914	10071	10268	10504	10701	12038

b.1 4337B
Three-seat
Brushed stainless steel base
Upholstered

Saddle or flanged stitched
 Standard HR foam back pillow

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
 yardage: 8.6 yds. leather: 142.3 sq. ft.
 B) One fabric or leather for seat
 yardage: 5.6 yds. leather: 92.1 sq. ft.
 C) One fabric or leather for back pillow
 yardage: 4.1 yds. leather: 39.8 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	95"	33½"	30"	17.7 yds.	293.0'	165 lbs.	97.97'/1
445 mm	667 mm	2413 mm	851 mm	762 mm	16.2 m	27.2 sqm	76.2 kg	2.77 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7239	7593	8891	9088	9285	9521	9717	9914	10071	10268	10504	10701	12038

sku

stitching

4 | 3 | 3 | 7 | B |

S saddle stitch
F flange - available on leather

b.1 4337P
Accent pillow
Unstructured dacron-filled


Saddle stitched
 Use with b.1 4337, 4327 and 4317.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'/1
-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
272	302	412	429	446	466	482	499	512	529	549	566	679

b.1 4402



Brushed stainless steel base
Upholstered

Saddle stitched
Standard HR foam back pillow

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.2 yds. leather: 79.5 sq. ft.
- B) One fabric or leather for seat
yardage: 1.4 yds. leather: 23.0 sq. ft.
- C) One fabric or leather for back pillow
yardage: 0.9 yds. leather: 14.6 sq. ft.


Certain two-way patterns or small horizontal designs are not suitable for application on this product.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	26"	31½"	31½"	29"	6.4 yds.	115.1'	70 lbs.	36.09'/1
419 mm	660 mm	800 mm	800 mm	737 mm	5.9 m	10.7 sqm	31.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2800	2928	3398	3469	3540	3625	3696	3768	3824	3896	3981	4052	4536

b.1 4315AS



Two-seat
Left arm facing
Brushed stainless steel base
Fully upholstered
Saddle stitched

Loosely structured dacron wrapped foam back pillows
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	61½"	33½"	26¼"	12.1 yds.	192.5'	100 lbs.	68.33'/1
445 mm	667 mm	1562 mm	851 mm	667 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5430	5672	6560	6694	6829	6990	7124	7259	7366	7501	7662	7797	8711

b.1 4315B



Two-seat
Left arm facing
Brushed stainless steel base
Fully upholstered
Saddle or flange stitched

Standard HR foam back pillow.
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1
445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5430	5672	6560	6694	6829	6990	7124	7259	7366	7501	7662	7797	8711

sku


4 | 3 | 1 | 5 | B |

stitching

S saddle

F flange - available on leather

b.1 4325AS



Two-seat
Right arm facing
Brushed stainless steel base
Fully upholstered
Saddle stitched

Loosely structured dacron wrapped foam back pillows
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	61½"	33½"	26¼"	12.1 yds.	192.5'	100 lbs.	68.33'/1
445 mm	667 mm	1562 mm	851 mm	667 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5430	5672	6560	6694	6829	6990	7124	7259	7366	7501	7662	7797	8711

b.1 4325B



Two-seater
Right arm facing
Brushed stainless steel base
Fully upholstered
Saddle or flange stitched

Standard HR foam back pillow
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 4.9 yds. leather: 94.2 sq. ft.
- B) One fabric or leather for seat
yardage: 3.8 yds. leather: 52.3 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.8 yds. leather: 39.8 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	61½"	33½"	30"	12.1 yds.	192.5'	100 lbs.	68.33'/1
445 mm	667 mm	1562 mm	851 mm	762 mm	11.1 m	17.9 sqm	45.4 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5430	5672	6560	6694	6829	6990	7124	7259	7366	7501	7662	7797	8711

sku


4 | 3 | 2 | 5 | B |

stitching

S saddle

F flange - available on leather

b.1 4317AS



Three-seat
Left arm facing
Brushed stainless steel base
Fully upholstered
Saddle stitched

Loosely structured dacron wrapped foam back pillows
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	89½"	33½"	26¼"	17.2 yds.	272.0'	185 lbs.	101.65/1
445 mm	667 mm	2273 mm	851 mm	667 mm	15.7 m	25.3 sqm	83.9 kg	-

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6983	7327	8589	8780	8971	9200	9391	9583	9735	9927	10156	10347	11647

b.1 4317B



Three-seat
Left arm facing
Brushed stainless steel base
Fully upholstered
Saddle or flange stitched

Standard HR foam back pillow
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65'/1
445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	-

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6983	7327	8589	8780	8971	9200	9391	9583	9735	9927	10156	10347	11647

sku

4 | 3 | 1 | 7 | B |

stitching


S

saddle

F

flange - available on leather

b.1 4327AS



Three-seat
Right arm facing
Brushed stainless steel base
Fully upholstered
Saddle stitched

Loosely structured dacron wrapped foam back pillows
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	89½"	33½"	26¼"	17.2 yds	272.0'	185 lbs.	101.65'/1
445 mm	667 mm	-	851 mm	667 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6983	7327	8589	8780	8971	9200	9391	9583	9735	9927	10156	10347	11647

b.1 4327B



Three-seat
Right arm facing
Brushed stainless steel base
Fully upholstered
Saddle or flange stitched

Standard HR foam back pillow
All necessary ganging brackets included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 6.3 yds. leather: 115.1 sq. ft.
- B) One fabric or leather for seat
yardage: 6.2 yds. leather: 85.8 sq. ft.
- C) One fabric or leather for back pillow
yardage: 4.1 yds. leather: 60.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	89½"	33½"	30"	17.2 yds.	272.0'	185 lbs.	101.65'/1
445 mm	667 mm	2273 mm	851 mm	762 mm	15.7 m	25.3 sqm	83.9 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6983	7327	8589	8780	8971	9200	9391	9583	9735	9927	10156	10347	11647

sku

4

3

2

7

B

stitching


S

saddle

F

flange - available on leather

b.1 4390AS



Corner module
Brushed stainless steel base
Fully upholstered
Saddle stitched

Loosely structured dacron wrapped foam back pillows
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds. leather: 69.1 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.1 yds. leather: 37.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	33½"	33½"	26¼"	7.0 yds.	131.8'	100 lbs.	32.10'/1
445 mm	667 mm	851 mm	851 mm	667 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3887	4027	4541	4619	4696	4790	4867	4945	5007	5085	5179	5256	5785

b.1 4390B



Corner module
Brushed stainless steel base
Fully upholstered
Saddle or flange stitched

Standard HR foam back pillow
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for outside arms, inside arms, outside back, inside back and front panel
yardage: 3.5 yds. leather: 69.1 sq. ft.
- B) One fabric or leather for seat
yardage: 1.3 yds. leather: 25.1 sq. ft.
- C) One fabric or leather for back pillow
yardage: 2.1 yds. leather: 37.7 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
17½"	26¼"	33½"	33½"	30"	7.0 yds.	131.8'	100 lbs.	32.10'/1
445 mm	667 mm	851 mm	851 mm	762 mm	6.4 m	12.2 sqm	45.4 kg	.91 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3887	4027	4541	4619	4696	4790	4867	4945	5007	5085	5179	5256	5785

sku

4 | 3 | 9 | 0 | B |

stitching

S

saddle

F

flange - available on leather

b.1.4335P



Accent pillow
Saddle stitched

Unstructured dacron-filled
Use with 4335, 4325 and 4315

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
-	-	25"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'/1
-	-	635 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
272	302	412	429	446	466	482	499	512	529	549	566	679

b.1 4337P



Accent pillow
Saddle stitched

Unstructured dacron-filled pillow
Use with 4337, 4327 and 4317

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
-	-	27"	2¼"	11"	1.5 yds.	2.5'	5 lbs.	.24'/1
-	-	686 mm	57 mm	279 mm	1.4 m	.23 sqm	.4 kg	.1 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
272	302	412	429	446	466	482	499	512	529	549	566	679