

Neighborhood Seating System Specification Guide

Overview

Neighborhood is a modular seating and table system consisting of thirty-nine unique modules for use in creating an unlimited number of configurations. Options include single sided, double sided and privacy modules as well as freestanding modules for use with any configuration. To select modules appropriate for your application use the scope of line shown on the following pages.


Neighborhood tables are available with worksurfaces in oak veneer in a variety of standard finishes, designer white laminate, or glacier white corian® as connecting modules and freestanding units. Power + USB duplex options are available.

Pivoting connectors join units in a configuration. When rotated inward, connectors are concealed allowing the modules to be used independently.

When specifying the privacy modules, please verify that the specified sku is within size requirements for delivery (elevators, hall intersections, doorways, stairwells).

Visit BernhardtDesign.com for a complete drawing library of 2D, 3D and Revit models. Neighborhood is SCS Indoor Advantage® Gold and LEVEL® 2 certified.

You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.



Upholstery Specification Guide

The Neighborhood seating and table modules are fully upholstered with a saddle stitch or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options available for jump master stitch only.

Leather may be specified for single sided, double sided, privacy and table modules. Leather is not applicable on the back and back side panel of privacy modules. Approved leather alternatives or fabric may be used on all Neighborhood frames.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).




Saddle Stitch

Jump Master Stitch

COM/COL Preapproval Requirements

When specifying stripes or fabrics with linear grain, the curvature of certain frames may affect the pattern alignment. As a result, the COM/COL preapproval procedure requires 1/2 yard of fabric or leather alternative, or 1 sq. ft. leather to be submitted for testing for prior approval on all frames except mobile seating, freestanding ottomans, benches and tables.

Preapproval procedure for testing COM/COL for mobile seating, freestanding ottomans and benches, and all tables requires the standard 12" x 12" sample. Reference the terms and conditions for COM/COL approval procedures.




Pattern Alignment When Specifying Directional Grain Fabric

Neighborhood Seating System Specification Guide


A. Mobile Seating

Mobile modules have non-locking casters and are used as freestanding units. The mobile lounge 6030M has a brushed aluminum handle located mid-back.


6021M



6024M




6030M




B. Freestanding Ottomans and Benches

Eight non-connecting ottomans and benches are available for use as freestanding units.


6021




6024




6025




6027




6020




6022



6044



6019




C. Freestanding Work Tables


Freestanding mid height work tables may be used with any configuration or to create a banquet configuration for dining or work applications.

Power + USB options are available on 42" and 48" tables.

JR1X - 22" Round



JR2X - 42" Round




Power + USB (1)

Neighborhood Seating System Specification Guide

D. Single Sided Modules


Single sided connecting modules are used in conjunction with other single sided modules to create seating configurations. Single sided units may not be used with double sided units or privacy units.



Neighborhood Seating System Specification Guide


F. Double-Sided Modules

Double-sided connecting modules are used in conjunction with other double-sided modules to create seating configurations. Double-sided units may not be used with single sided units or privacy units.



G. Tables for Double-Sided Connecting Modules

Double-sided connecting module tables are used in conjunction with double-sided seating modules. A power/USB option is available on double-sided connecting tables.




Neighborhood Seating System Specification Guide


H. Privacy Modules

Privacy connecting modules are used in conjunction with other privacy modules to create seating configurations. Privacy units may not be used with single or double sided units.



6031T





6035T





6038T





6039T





6040T





6041T



6048T



6049T



Neighborhood Seating System Specification Guide

Tables for Freestanding and Connecting Modules


Neighborhood tables were designed for use as freestanding units or with single or double-sided connecting modules to create continuous configurations. Connecting tables are not available for use with privacy modules.

The Neighborhood table worksurface is available in oak veneer, laminate or corian.

Connecting tables have a flat edge profile; freestanding table edges are beveled.

The base is fully upholstered with saddle stitching or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

Power + USB modules are optional and upcharges apply. Reference information on the following page for power options specifics.




Surface Selection


Laminate	Corian®	OAK	Oak
Order Code - F	Order Code - 8	Standard Finish	
Designer White	Glacier White	871	860 870
Wilsonart® D-354-60		837	836 861
		865	805 866
		872	839 845
		Select Finish	
		M73	M71 M75
		M74	M76 M77

Edge Profiles

Freestanding Tables



End Tables




Connecting Modules

Neighborhood modules connect by inserting the ganging fork into the bracket plate located on the underside of the furniture. To connect modules, rotate the connecting forks perpendicular to the module and slide the modules together. The forks fit around the bracket plates when the modules are connected. Use the leveling glides as needed to align the overall height of the modules on uneven flooring surfaces.

To disconnect modules, lift the side of the module where the bracket plates are located, generally the left hand facing side. Pull to disconnect the brackets from the connecting forks and slide apart.

Modules used in configurations may also be used as freestanding units. The connector fork can be concealed by rotating the connecting fork underneath the furniture module.

Hardware is provided with the 180° curved module for left or right hand orientation.




Neighborhood Seating System Specification Guide

Power Module

An optional power + USB module is available for all Neighborhood tables except the 22" round table. Single sided connecting tables and the 42" round freestanding tables are available with a single power module; double-sided connecting tables and the 42" and 48" square freestanding tables are available with two modules. Upcharges apply as indicated on the price list for each table.


The power module has (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port for charging tablets or other USB friendly devices. The power module is UL approved and includes a 10', 14/3 SJT black power cord with right angle plug. The power module has an aluminum powder coat finish and installs in the side of the base. An underside zipper allows access to power.



Connecting Module Tables Power Management



180° Curved End Module Table




Underside View of Connecting Module Tables

Freestanding Tables Power Management



Mid Height Round Work Table



Underside View of Freestanding Tables

Neighborhood Seating System Sample Configurations**Single Sided Connecting Modules**

1



2



3



4



5




6



7



8



9



10



11



12



13




14

Neighborhood Seating System Sample Configurations


Double-Sided Connecting Modules




15




16




17



18



19



20

Privacy Connecting Modules



21



22



23



24



25




26



27



28



29



30



31













32









Neighborhood Seating System Sample Configurations

1			<div>Sku Description</div> <div>6033 Single Seat, Left End Facing</div> <div>6039 90° Curved Corner Connector</div> <div>6034 Single Seat, Right End Facing</div>
2			<div>6033 Single Seat, Left End Facing</div> <div>6031 Single Seat Straight Connector (3)</div> <div>6034 Single Seat, Right End Facing</div>
3			<div>6033 Single Seat, Left End Facing</div> <div>6035 Two-seat Straight Connector</div> <div>6048 45° Curved Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6034 Single Seat, Right End Facing</div>
4			<div>6039 90° Curved Corner Connector</div> <div>6031 Single Seat Straight Connector</div> <div>6039 90° Curved Corner Connector</div>
5			<div>6039 90° Curved Corner Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6039 90° Curved Corner Connector</div>
6			<div>6038 90° Corner Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6038 90° Corner Connector</div>
7			<div>6039 90° Curved Corner Connector</div> <div>6031 Single Seat Straight Connector (3)</div> <div>6038 90° Corner Connector</div> <div>6031 Single Seat Straight Connector (2)</div> <div>6039 90° Curved Corner Connector</div>




Neighborhood Seating System Sample Configurations

8			<div>Sku</div> <div>Description</div> <div>6039 90° Curved Corner Connector</div> <div>6031 Single Seat Straight Connector (3)</div> <div>6039 90° Curved Corner Connector</div> <div>6031 Single Seat Straight Connector (3)</div> <div>6034 Single Seat, Right End Facing</div>
9			<div>6039 90° Curved Corner Connector</div> <div>6048 45° Curved Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6049 90° Curved Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6048 45° Curved Connector</div> <div>6039 90° Curved Corner Connector</div>
10			<div>6039 90° Curved Corner Connector</div> <div>6040 45° Inverted Curved Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6049 90° Curved Connector</div> <div>6035 Two-seat Straight Connector</div> <div>6048 45° Curved Connector</div> <div>6039 90° Curved Corner Connector</div>
11			<div>6039 90° Curved Corner Connector</div> <div>6031 Single Seat Straight Connector (3)</div> <div>6040 45° Inverted Curved Connector</div> <div>6031 Single Seat Straight Connector (2)</div> <div>6039 90° Curved Corner Connector</div>
12			<div>6039 90° Curved Corner Connector</div> <div>6031 Single Seat Straight Connector (3)</div> <div>6041 90° Inverted Curved Connector</div> <div>6031 Single Seat Straight Connector (2)</div> <div>6039 90° Curved Corner Connector</div> <div>JR1X 22" Round Table (2)</div>

Neighborhood Seating System Sample Configurations



		Sku	Description
13			6039 90° Curved Corner Connector 6035 Two-seat Straight Connector 6039 90° Curved Corner Connector 6035 Two-seat Straight Connector (2) 6039 90° Curved Corner Connector 6035 Two-seat Straight Connector 6039 90° Curved Corner Connector 6021 Round Ottoman (2) JR1X 22" Round Table (2)
14			6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6039 90° Curved Corner Connector 6031 Single Seat Straight Connector (3) 6039 90° Curved Corner Connector 6030M Mobile Single Seat Module (2) JS2X 42" Round Table
15			6044 180° Curved Half Oval End Module 6043 Double-Sided Two-seat Straight Connector (2) 6044 180° Curved Half Oval End Module
16			6044 180° Curved Half Oval End Module 6043 Double-Sided Two-seat Straight Connector (2) 6046 Double-Sided 90° Curved Connector 6043 Double-Sided Two-seat Straight Connector (2) 6044 180° Curved Half Oval End Module

Neighborhood Seating System Sample Configurations

		SKU	Description
17		6044	180° Curved Half Oval End Module
		6043	Double-Sided Two-seat Straight Connector (2)
		6046	Double-Sided 90° Curved Connector
		6043	Double-Sided Two-seat Straight Connector
		6046	Double-Sided 90° Curved Connector
18		6046	Double-Sided 90° Curved Connector
		6043	Double-Sided Two-seat Straight Connector
		6046	Double-Sided 90° Curved Connector (2)
		6043	Double-Sided Two-seat Straight Connector
		6046	Double-Sided 90° Curved Connector
19		J57X	180° Curved End Module Table
		6043	Double-Sided Two-seat Straight Connector (2)
		6042	Double-Sided Single-seat Straight Connector
		6043	Double-Sided Two-seat Straight Connector (2)
		6044	180° Curved Half Oval End Module



Neighborhood Seating System Sample Configurations

20





Sku	Description
6044	180° Curved Half Oval End Module
6043	Double-Sided Two-seat Straight Connector (2)
6042	Double-Sided Single-seat Straight Connector
6043	Double-Sided Two-seat Straight Connector (2)
6044	180° Curved Half Oval End Module
6021	Round Ottoman (6)
JR2X	42" Round Table (2)

21





6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector

22





6039T	90° Curved Corner Privacy Connector
6031T	Single Seat Straight Privacy Connector (3)
6039T	90° Curved Corner Privacy Connector

23











6038T	90° Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6038T	90° Corner Privacy Connector

24







6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector

Neighborhood Seating System Sample Configurations

		Sku	Description
25			6038T 90° Corner Privacy Connector
			6031T Single Seat Straight Privacy Connector (2)
			6038T 90° Corner Privacy Connector
			6031T Single Seat Straight Privacy Connector (3)
			6038T 90° Corner Privacy Connector
26			6039T 90° Curved Corner Privacy Connector
			6048T 45° Curved Privacy Connector
			6035T Two-seat Straight Privacy Connector
			6049T 90° Curved Privacy Connector
			6035T Two-seat Straight Privacy Connector
			6048T 45° Curved Privacy Connector
27			6039T 90° Curved Corner Privacy Connector
			6035T Two-seat Straight Privacy Connector
			6041T 90° Inverted Curved Privacy Connector
			6035T Two-seat Straight Privacy Connector
			6039T 90° Curved Corner Privacy Connector
28			6035T Two-seat Straight Privacy Connector
			6039T 90° Curved Corner Privacy Connector
			6041T 90° Inverted Curved Privacy Connector
			6039T 90° Curved Corner Privacy Connector
			6035T Two-seat Straight Privacy Connector

Neighborhood Seating System Sample Configurations

Sku		Description
29		<div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6040T</div><div>45° Inverted Curved Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6049T</div><div>90° Curved Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6048T</div><div>45° Curved Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div>
30		<div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6041T</div><div>90° Inverted Curved Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6021</div><div>Round Ottomans (3)</div></div> <div><div>JR2X</div><div>42" Round Table</div></div> <div><div>JR1X</div><div>22" Round Table</div></div>
31		<div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector (2)</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6021</div><div>Round Ottoman (2)</div></div> <div><div>JR1X</div><div>22" Round Table (2)</div></div>
32		<div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6031T</div><div>Single Seat Straight Privacy Connector (3)</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>6035T</div><div>Two-seat Straight Privacy Connector</div></div> <div><div>6039T</div><div>90° Curved Corner Privacy Connector</div></div> <div><div>JR2X</div><div>42" Round Table</div></div>

Freestanding

neighborhood 6021M



Round mobile ottoman
Fully upholstered
Saddle stitched

Eight casters

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1081	1116	1253	1284	1299	1330	1361	1373	1400	1424	1451	1486	1622

neighborhood 6021MJ



Round mobile ottoman
Fully upholstered
Jump master stitched

Eight casters


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1162	1197	1334	1365	1380	1411	1442	1454	1481	1505	1532	1567	1703

neighborhood 6024M



Mobile square Ottoman.
Fully upholstered
Saddle stitched

Four casters


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
998	1043	1218	1258	1278	1318	1358	1373	1408	1438	1473	1518	1693

Freestanding

neighborhood 6024MJ



Mobile square ottoman
Fully upholstered
Jump master stitched

Four casters


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1081	1126	1301	1341	1361	1401	1441	1456	1491	1521	1556	1601	1776

neighborhood 6030M



Mobile single-seat
Brushed aluminum handle
Fully upholstered
Saddle Stitched

Four casters

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds Leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for iadditional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	28¾"	3.75 yds.	61.0'	66 lbs.	20.0'/1
419 mm	-	533 mm	797 mm	733 mm	3.4 m	5.7 sqm	29.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1825	1900	2192	2259	2292	2359	2425	2450	2509	2559	2617	2692	2984

neighborhood 6030MJ



Mobile single-seat
Brushed aluminum handle
Fully upholstered
Jump master stitched

Four casters

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq.ft.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardt.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31½"	28½"	3.75 yds.	61.0'	66 lbs.	20.0'/1
419 mm		533 mm	797 mm	733 mm	3.4 m	5.7 sqm	29.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1949	2024	2316	2383	2416	2483	2549	2574	2633	2683	2741	2816	3108

neighborhood 6024



Single-seat ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
914	959	1134	1174	1194	1234	1274	1289	1324	1354	1389	1434	1609

Freestanding

neighborhood 6024J


Single-seat ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
998	1043	1218	1258	1278	1318	1358	1373	1408	1438	1473	1518	1693

neighborhood 6025


Two-seat bench
Fully upholstered
Saddle stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	21"	16½"	4.0 yds.	65.0'	51 lbs.	20.0'/1
419 mm	-	1054 mm	533 mm	419 mm	3.7 m	6.0 sqm	23.1 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1412	1492	1804	1875	1910	1981	2052	2079	2141	2195	2257	2337	2648

neighborhood 6025J


Two-seat Bench
Fully upholstered
Jump master stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	21"	16½"	4.0 yds.	65.0'	51 lbs.	20.0'/1
419 mm		1054 mm	533 mm	419 mm	3.7 m	6.0 sqm	23.1 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1496	1576	1888	1959	1994	2065	2136	2163	2225	2279	2341	2421	2732

Freestanding

neighborhood 6027

**Three-seat bench**
Fully upholstered
Saddle stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	62"	21"	16½"	6.0 yds.	100.0'	66 lbs.	25.0'/1
419 mm	-	1575 mm	533 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1992	2112	2579	2686	2739	2846	2952	2992	3086	3166	3259	3379	3846

neighborhood 6027J

**Three-seat bench**
Fully upholstered
Jump master stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	62"	21"	16½"	6.0 yds.	100.0'	66 lbs.	25.0'/1
419 mm	-	1575 mm	533 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2116	2236	2703	2810	2863	2970	3076	3116	3210	3290	3383	3503	3970

neighborhood 6021

**Round ottoman**
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
998	1033	1170	1201	1216	1247	1278	1290	1317	1341	1368	1403	1539

Freestanding

neighborhood 6021J


Round ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1081	1116	1253	1284	1299	1330	1361	1373	1400	1424	1451	1486	1622

neighborhood 6022


Large round Ottoman
Fully upholstered
Saddle stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0'/1
419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1992	2072	2384	2455	2490	2561	2632	2659	2721	2775	2837	2917	3228

neighborhood 6022J


Large round Ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0'/1
419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2116	2196	2508	2579	2614	2685	2756	2783	2845	2899	2961	3041	3352

Freestanding

neighborhood 6020



Half round ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0'/1
419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1246	1298	1501	1547	1570	1616	1662	1680	1720	1755	1795	1847	2050

neighborhood 6020J



Half round ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0'/1
419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1330	1382	1585	1631	1654	1700	1746	1764	1804	1839	1879	1931	2134

neighborhood 6019



Oval ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0'/1
419 mm	-	410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2322	2392	2665	2727	2758	2820	2882	2906	2960	3007	3061	3131	3404

Freestanding

neighborhood 6019J


Oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0'/1
419 mm		410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2446	2516	2789	2851	2882	2944	3006	3030	3084	3131	3185	3255	3528

neighborhood 6044



Half oval ottoman
Fully upholstered
Saddle stitched
Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16 1/2"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1578	1648	1921	1983	2014	2076	2138	2162	2216	2263	2317	2387	2660

neighborhood 6044J


Half oval ottoman
Fully upholstered
Jump master stitched
Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Mater Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21 1/2"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1659	1729	2002	2064	2095	2157	2219	2243	2297	2344	2398	2468	2741

Freestanding mid height work tables




22" round workspace with 12½" round upholstered base.
Workspace available in oak veneer, laminate and corian.
When specifying light finishes the natural characteristics of the wood will be visible and color will vary.
Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.


Workspace Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	22"	22"	23¾"	1.25 yds.	25.0'	95 lbs.	94.5/1
603 mm	559 mm	559 mm	603 mm	1.1 m	2.3 sqm	43.1 kg	2.7 cu.

neighborhood



R1X Oak Workspace. Saddle Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
1825	1850	1948	1970	1981	2003	2025	2034	2053	2070	2089	2114	2212	
Specify veneer code C for oak workspace. Specify finish code.													
R1X Laminate Workspace. Saddle Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
1992	2017	2115	2137	2148	2170	2192	2201	2220	2237	2256	2281	2379	
Specify veneer code F for laminate designer white workspace.													
R1X Corian Workspace. Saddle Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
2322	2347	2445	2467	2478	2500	2522	2531	2550	2567	2586	2611	2709	
Specify veneer code 8 for corian glacier white workspace.													

neighborhood



R1J Oak Workspace. Jump Master Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
1908	1933	2031	2053	2064	2086	2108	2117	2136	2153	2172	2197	2295s	
Specify veneer code C for oak workspace. Specify finish code.													
R1J Laminate Workspace. Jump Master Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
2075	2100	2198	2220	2231	2253	2275	2284	2303	2320	2339	2364	2462	
Specify veneer code F for laminate designer white workspace.													
R1J Corian Workspace. Jump Master Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
2405	2430	2528	2550	2561	2583	2605	2614	2633	2650	2669	2694	2792	
Specify veneer code 8 for corian glacier white workspace.													

series	sku	veneer	power finish	power	finish
<div>C</div> <div>F</div> <div>8</div>		<div>oak</div> <div>laminate - designer white</div> <div>corian - glacier white</div>	<div>X</div> <div>none</div>	<div>X</div> <div>none</div>	
<div>J</div>	<div></div> <div></div> <div></div> <div></div>		<div>X</div>	<div>X</div>	<div></div> <div></div> <div></div> <div></div>

Freestanding mid height work tables




42" round worksurface with 19½" round upholstered base.
Worksurface available in oak veneer, laminate and corian.
When specifying light finishes the natural characteristics of the wood will be visible and color will vary.
Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
When power is specified, (1) 15 amp receptacle, (1) 2 amp USB-A port, 10 watt and (1) 2 amp USB-C port, 20 watt are provided.
An upcharge of \$1073 applies.


Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	42"	42"	23¾"	2.0 yds.	35.0'	235 lbs.	50.0/1
603 mm	1067 mm	1067 mm	603 mm	1.8 m	3.3sqm	106.8 kg	1.4 cu.

neighborhood



R2X Oak Worksurface. Saddle Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
3938	3978	4134	4170	4187	4223	4258	4272	4303	4330	4361	4401	4556	
Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.													
R2X Laminate Worksurface. Saddle Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
4266	4306	4462	4498	4515	4551	4586	4600	4631	4658	4689	4729	4884	
Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.													
R2X Corian Worksurface. Saddle Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
6087	6127	6283	6319	6336	6372	6407	6421	6452	6479	6510	6550	6705	
Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.													

neighborhood




R2J Oak Worksurface. Jump Master Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
4019	4059	4215	4251	4268	4304	4339	4353	4384	4411	4442	4482	4637	
Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.													
R2J Laminate Worksurface. Jump Master Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
4350	4390	4546	4582	4599	4635	4670	4684	4715	4742	4773	4813	4968	
Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.													
R2J Corian Worksurface. Jump Master Stitch Upholstered Base													
COM	COL	1	2	3	4	5	6	7	8	9	10	11	
6169	6209	6365	6401	6418	6454	6489	6503	6534	6561	6592	6632	6787	
Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.													

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	4 aluminum powder coat X none	X none Q power + usb (1) upcharge \$1073	

Single Sided Connecting Modules

neighborhood 6033

**Left end facing module**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28½"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1742	1822	2134	2205	2240	2311	2382	2409	2471	2525	2587	2667	2978

neighborhood 6033J

**Left end facing module**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28½"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm		533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1867	1947	2259	2330	2365	2436	2507	2534	2596	2650	2712	2792	3103

Single Sided Connecting Modules

neighborhood 6034

**Right end facing module**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28½"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1742	1822	2134	2205	2240	2311	2382	2409	2471	2525	2587	2667	2978

neighborhood 6034J

**Right end facing module**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28½"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm		533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1867	1947	2259	2330	2365	2436	2507	2534	2596	2650	2712	2792	3103

Single Sided Connecting Modules

neighborhood 6031

**Straight connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28½"	3.75 yds.	61.0'	55 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.4 m	5.7 sqm	24.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1742	1817	2109	2176	2209	2276	2342	2367	2426	2476	2534	2609	2901

neighborhood 6031J

**Straight connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28½"	3.75 yds.	61.0'	55 lbs.	20.0'/1
419 mm		533 mm	794 mm	733 mm	3.4 m	5.7 sqm	24.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1867	1942	2234	2301	2334	2401	2467	2492	2551	2601	2659	2734	3026

Single Sided Connecting Modules

neighborhood 6035


Two-seat
Straight connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.5 yds. leather: 58.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	31¾"	28¾"	6.0 yds.	96.0'	112 lbs.	36.75'/1
419 mm	-	1054 mm	794 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2654	2774	3241	3348	3401	3508	3614	3654	3748	3828	3921	4041	4508

neighborhood 6035J


Two-seat
Straight connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.5 yds. leather: 58.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	31¾"	28¾"	6.0 yds.	96.0'	112 lbs.	36.75'/1
419 mm	-	1054 mm	794 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2820	2940	3407	3514	3567	3674	3780	3820	3914	3994	4087	4207	4674

Single Sided Connecting Modules

neighborhood 6038

**90° Corner connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28½"	7.25 yds.	125.0'	86 lbs.	36.75'/1
419 mm	-	1102 mm	1092 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2157	2302	2866	2995	3060	3189	3317	3366	3479	3575	3688	3833	4397

neighborhood 6038J

**90° Corner connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28½"	7.25 yds.	125.0'	86 lbs.	36.75'/1
419 mm	-	1102 mm	1092 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2322	2467	3031	3160	3225	3354	3482	3531	3644	3740	3853	3998	4562

Single Sided Connecting Modules

neighborhood 6039

**90° Curved connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28½"	6.75 yds.	115.0'	62 lbs.	36.75'/1
419 mm	-	1102 mm	781 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2157	2292	2817	2937	2997	3117	3237	3282	3387	3477	3582	3717	4242

neighborhood 6039J

**90° Curved connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28½"	6.75 yds.	115.0'	62 lbs.	36.75'/1
419 mm		1102 mm	781 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2322	2457	2982	3102	3162	3282	3402	3447	3552	3642	3747	3882	4407

Single Sided Connecting Modules

neighborhood 6040

**45° Inverted curved connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.25 yds. leather: 53.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.25 yds. leather: 37.0sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	31¼"	31½"	28¾"	4.0 yds.	70.0'	70 lbs.	42.0'/1
419 mm	-	794 mm	800 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1992	2072	2384	2455	2490	2561	2632	2659	2721	2775	2837	2917	3228

neighborhood 6040J

**45° Inverted curved connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.25 yds. leather: 53.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.25 yds. leather: 37.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	31¼"	31½"	28¾"	4.0 yds.	70.0'	70 lbs.	42.0'/1
419 mm		794 mm	800 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2116	2196	2508	2579	2614	2685	2756	2783	2845	2899	2961	3041	3352

Single Sided Connecting Modules

neighborhood 6041


90° Inverted curved connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..


- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	57¾"	33½"	28¾"	6.0 yds.	97.0'	86 lbs.	90.0'/1
419 mm	-	1467 mm	851mm	733 mm	5.5 m	9.0 sqm	39.0 kg	2.55 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2984	3104	3571	3678	3731	3838	3944	3984	4078	4158	4251	4371	4838

neighborhood 6041J


90° Inverted curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	57¾"	33½"	28¾"	7.25 yds.	125.0'	86 lbs.	90.0'/1
419 mm	-	1467 mm	851mm	733 mm	6.6 m	11.6 sqm	39.0 kg	2.55 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3149	3269	3736	3843	3896	4003	4109	4149	4243	4323	4416	4536	5003

Single Sided Connecting Modules

neighborhood 6048

**45° Curved connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.25 yds. leather: 53.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41⅝"	32⅝"	28⅝"	5.5 yds.	90.0'	97 lbs.	54.0'/1
419 mm	-	1051 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2157	2269	2705	2805	2854	2954	3053	3091	3178	3253	3340	3452	3887

neighborhood 6048J

**45° Curved connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.25 yds. leather: 53.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41⅝"	32⅝"	28⅝"	5.5 yds.	90.0'	97 lbs.	54.0'/1
419 mm	-	1051 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2282	2394	2830	2930	2979	3079	3178	3216	3303	3378	3465	3577	4012

Single Sided Connecting Modules

neighborhood 6049

**90° Curved connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 5.5 yds. leather: 88.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65½"	35¼"	28½"	7.5 yds.	120.0'	149 lbs.	108.0'/1
419 mm	-	1654 mm	889 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2984	3134	3718	3851	3918	4051	4184	4234	4351	4451	4568	4718	5301

neighborhood 6049J

**90° Curved connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 5.5 yds. leather: 88.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65½"	35¼"	28½"	7.5 yds.	120.0'	149 lbs.	108.0'/1
419 mm	-	1654 mm	889 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3149	3299	3883	4016	4083	4216	4349	4399	4516	4616	4733	4883	5466

Double Sided Connecting Modules

neighborhood 6045



Double-sided
Curved end module
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	4.75 yds.	66.0'	86 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2735	2830	3200	3284	3327	3411	3495	3527	3601	3664	3738	3833	4203

neighborhood 6045J



Double-sided
Curved end module
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	4.75 yds.	66.0'	86 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2942	3037	3407	3491	3534	3618	3702	3734	3808	3871	3945	4040	4410

Double Sided Connecting Modules

neighborhood 6042


Double-sided single-seat
Straight connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	6.0 yds.	60.0'	50 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	5.5 m	4.6 sqm	22.7 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2735	2855	3322	3429	3482	3589	3695	3735	3829	3909	4002	4122	4589

neighborhood 6042J


Double-sided single-seat
Straight connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	6.0 yds.	60.0'	50 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	5.5 m	4.6 sqm	22.7 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2942	3062	3529	3636	3689	3796	3902	3942	4036	4116	4209	4329	4796

Double Sided Connecting Modules

neighborhood 6043


**Double-sided two-seat
Straight connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 5.75 yds. leather: 93.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	56"	28½"	8.5 yds.	138.0'	134 lbs.	60.0'/1
419 mm	-	1054 mm	1422 mm	733 mm	7.8 m	12.8 sqm	60.8 kg	1.70 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3978	4148	4810	4961	5036	5187	5338	5395	5527	5641	5773	5943	6604

neighborhood 6043J


**Double-sided two-seat
Straight connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 5.75 yds. leather: 93.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardtdesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	56"	28½"	8.5 yds.	138.0'	134 lbs.	60.0'/1
419 mm	-	1054 mm	1422 mm	733 mm	7.8 m	12.8 sqm	60.8 kg	1.70 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4308	4478	5140	5291	5366	5517	5668	5725	5857	5971	6103	6273	6934

Double Sided Connecting Modules

neighborhood 6046



Double-sided
90° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 6.75 yds. leather: 110.0 sq. ft.
 B) One fabric or leather for back and back side panels
 yardage: 4.0 yds. leather: 65.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	78½"	56"	28½"	9.5 yds.	154.0'	160.6 lbs.	149.3'/1
419 mm	-	1997 mm	1422 mm	733 mm	8.7 m	14.3 sqm	72.8 kg	4.23 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4143	4333	5072	5241	5326	5495	5663	5727	5875	6001	6149	6339	7078

neighborhood 6046J



Double-sided
90° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for seat
 yardage: 6.75 yds. leather: 110.0 sq. ft.
 B) One fabric or leather for back and back side panels
 yardage: 4.0 yds. leather: 65.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	78½"	56"	28½"	9.5 yds.	154.0'	160.6 lbs.	149.3'/1
419 mm	-	1997 mm	1422 mm	733 mm	8.7 m	14.3 sqm	72.8 kg	4.23 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4475	4665	5404	5573	5658	5827	5995	6059	6207	6333	6481	6671	7410

Double Sided Connecting Modules

neighborhood 6044


Half oval ottoman
Fully upholstered
Saddle stitched


Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1578	1648	1921	1983	2014	2076	2138	2162	2216	2263	2317	2387	2660

neighborhood 6044J


Half oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1659	1729	2002	2064	2095	2157	2219	2243	2297	2344	2398	2468	2741

Tables for double-sided connecting modules




180° curved end module table with upholstered base. Non-marring adjustable glides. Pivoting connectors. Worksurface available in oak veneer, laminate and corian.
When specifying light finishes the natural characteristics of the wood will be visible and color will vary.
Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
Reference Neighborhood/Stitching on Bernhardt.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
Connecting hardware provided for both left-hand and right-hand orientation.
When power is specified, (1) 15 amp receptacle, (1) 2 amp USB-A port, 10 watt and (1) 2 amp USB-C port, 20 watt are provided.
An upcharge of \$1073 applies.


Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	55½"	20½"	15½"	3.75 yds.	65.0'	89.25 lbs.	77.6'/1
394 mm	1410 mm	521 mm	394 mm	3.4 m	6.0 sqm	40.5 kg	2.2 cu.

neighborhood



57X Oak Worksurface. Saddle Stitch Upholstered Base												
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2654	2729	3021	3088	3121	3188	3254	3279	3338	3388	3446	3521	3813
Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.												
57X Laminate Worksurface. Saddle Stitch Upholstered Base												
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2157	2232	2524	2591	2624	2691	2757	2782	2841	2891	2949	3024	3316
Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.												
57X Corian Worksurface. Saddle Stitch Upholstered Base												
COM	COL	1	2	3	4	5	6	7	8	9	10	11
3978	4053	4345	4412	4445	4512	4578	4603	4662	4712	4770	4845	5137
Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.												

neighborhood




57J Oak Worksurface. Jump Master Stitch Upholstered Base												
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2778	2853	3145	3212	3245	3312	3378	3403	3462	3512	3570	3645	3937
Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.												
57J Laminate Worksurface. Jump Master Stitch Upholstered Base												
COM	COL	1	2	3	4	5	6	7	8	9	10	11
2282	2357	2649	2716	2749	2816	2882	2907	2966	3016	3074	3149	3441
Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.												
57J Corian Worksurface. Jump Master Stitch Upholstered Base												
COM	COL	1	2	3	4	5	6	7	8	9	10	11
4103	4178	4470	4537	4570	4637	4703	4728	4787	4837	4895	4970	5262
Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.												

series	sku	veneer	power	finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	4 aluminum powder coat X none		X none Q power + usb (1) upcharge \$1073	

Privacy Modules

neighborhood 6031T

**Straight privacy connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21½"	37"	48½"	5.25 yds.	-	89 lbs.	30.0'/1
419 mm	-	546 mm	940 mm	1241 mm	4.8 m	-	40.1 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2322	2427	2836	2929	2976	3069	3162	3197	3279	3349	3431	3536	3944

neighborhood 6031TJ

**Straight privacy connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds leather: 37.0 sq. ft.
B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21½"	37"	48½"	5.25 yds	-	89 lbs.	30.0'/1
419 mm	-	546 mm	940 mm	1241 mm	4.8 m	-	40.1 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2486	2591	3000	3093	3140	3233	3326	3361	3443	3513	3595	3700	4108

Privacy Modules

neighborhood 6035T


Two-seat
Straight privacy connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 3.5 yds. leather: 57.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	37"	48½"	8.0 yds.	-	159 lbs.	55.13'/1
419 mm	-	1054 mm	940 mm	1241 mm	7.3 m	-	72.1 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3316	3476	4099	4241	4312	4454	4596	4650	4774	4881	5005	5165	5788

neighborhood 6035TJ


Two-seat
Straight privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
 yardage: 3.5 yds. leather: 57.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	37"	48½"	8.0 yds.	-	159 lbs.	55.13'/1
419 mm	-	1054 mm	940 mm	1241 mm	7.3 m	-	72.1 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3564	3724	4347	4489	4560	4702	4844	4898	5022	5129	5253	5413	6036

Privacy Modules

neighborhood 6038T


90° Corner
Privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

Diagonal Dimension: 51½"

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 7.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	51½"	48½"	7.8 yds.	-	139 lbs.	55.13'/1
419 mm	-	1311 mm	1308 mm	1241 mm	7.8 m	-	60.0 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2820	2990	3652	3803	3878	4029	4180	4237	4369	4483	4615	4785	5446

neighborhood 6038TJ


90° Corner
Privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

Diagonal Dimension: 51½"

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 7.0 yds.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	51½"	48½"	8.5 yds.	-	139 lbs.	55.13'/1
419 mm	-	1311 mm	1308 mm	1241 mm	7.8 m	-	60.0 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3066	3236	3898	4049	4124	4275	4426	4483	4615	4729	4861	5031	5692

neighborhood 6039T


90° Curved corner
Privacy connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information..

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	36½"	48¾"	9.5 yds.	-	107 lbs.	55.13'/1
419 mm	-	1308 mm	927 mm	1241 mm	8.7 m	-	48.5 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2820	3010	3749	3918	4003	4172	4340	4404	4552	4678	4826	5016	5755

neighborhood 6039TJ


90° Curved corner
Privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardt.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51 1/2"	36½"	48¾"	9.5 yds.	-	107 lbs.	55.13'/1
419 mm	-	1308 mm	927 mm	1241 mm	8.7 m	-	48.5 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3066	3256	3995	4164	4249	4418	4586	4650	4798	4924	5072	5262	6001

Privacy Modules

neighborhood 6040T


**45° Inverted curved
Privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45⅞"	38¼"	48⅞"	6.5 yds.	-	99 lbs.	63.0'/1
419 mm	-	1165 mm	972 mm	1241 mm	6.0 m	-	44.9 kg	1.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2654	2784	3290	3406	3463	3579	3694	3738	3839	3926	4027	4157	4662

neighborhood 6040TJ


**45° Inverted curved
Privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45⅞"	38¼"	48⅞"	6.5 yds.	-	99 lbs.	63.0'/1
419 mm		1165 mm	972 mm	1241 mm	6.0 m	-	44.9 kg	1.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2820	2950	3456	3572	3629	3745	3860	3904	4005	4092	4193	4323	4828

Privacy Modules

neighborhood 6041T


90° inverted curved
Privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 6.0 yds. leather: 98.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	85½"	43½"	48⅞"	11.0 yds.	-	184 lbs.	135.0'/1
419 mm	-	2172 mm	1105 mm	1241 mm	10.1 m	-	83.5kg	3.83 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3978	4198	5054	5250	5347	5543	5738	5812	5983	6130	6301	6521	7376

neighborhood 6041TJ


90° inverted curved
Privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
 yardage: 6.0 yds. leather: 98.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	85½"	43½"	48⅞"	11.0 yds.	-	184 lbs.	135.0'/1
419 mm	-	2172 mm	1105 mm	1241 mm	10.1 m	-	83.5kg	3.83 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4308	4528	5384	5580	5677	5873	6068	6142	6313	6460	6631	6851	7706

Privacy Modules

neighborhood 6048T


45° Curved privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric of leather for seat
 yardage: 3.0 yds. leather: 49.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information..

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	46"	38½"	48½"	8.0 yds.	-	126 lbs.	54.0'/1
419 mm	-	1168 mm	978 mm	1241 mm	7.3 m	-	57.2 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2820	2980	3603	3745	3816	3958	4100	4154	4278	4385	4509	4669	5292

neighborhood 6048TJ


45° Curved privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
 yardage: 3.0 yds. leather: 49.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	46"	38½"	48½"	8.0 yds.	-	126 lbs.	54.0'/1
419 mm	-	1168 mm	978 mm	1241 mm	7.3 m	-	57.2 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2984	3144	3767	3909	3980	4122	4264	4318	4442	4549	4673	4833	5456

Privacy Modules

neighborhood 6049T

**90° Curved privacy connector**
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
B) One fabric for back and back side panels
yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73½"	41½"	48½"	10.5 yds.	-	191 lbs.	162.0'/1
419 mm	-	1867 mm	1045 mm	1241 mm	9.6 m	-	86.6 kg	4.59 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3978	4188	5005	5192	5285	5472	5658	5728	5892	6032	6195	6405	7222

neighborhood 6049TJ

**90° Curved privacy connector**
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
B) One fabric for back and back side panels
yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73½"	41½"	48½"	10.5 yds.	-	191 lbs.	162.0'/1
419 mm	-	1867 mm	1045 mm	1241 mm	9.6 m	-	86.6 kg	4.59 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4308	4518	5335	5522	5615	5802	5988	6058	6222	6362	6525	6735	7552