

Neighborhood Seating System Specification Guide

Overview

Neighborhood is a modular seating and table system consisting of thirty-nine unique modules for use in creating an unlimited number of configurations. Options include single sided, double sided and privacy modules as well as freestanding modules for use with any configuration. To select modules appropriate for your application use the scope of line shown on the following pages.



Neighborhood tables are available with worksurfaces in oak veneer in a variety of standard finishes, designer white laminate, or glacier white corian® as connecting modules and freestanding units. Power + USB duplex options are available.

Pivoting connectors join units in a configuration. When rotated inward, connectors are concealed allowing the modules to be used independently.

When specifying the privacy modules, please verify that the specified sku is within size requirements for delivery (elevators, hall intersections, doorways, stairwells).

Visit BernhardtDesign.com for a complete drawing library of 2D, 3D and Revit models. Neighborhood is SCS Indoor Advantage® Gold and LEVEL® 2 certified.

You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.



Upholstery Specification Guide

The Neighborhood seating and table modules are fully upholstered with a saddle stitch or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options available for jump master stitch only.

Leather may be specified for single sided, double sided, privacy and table modules. Leather is not applicable on the back and back side panel of privacy modules. Approved leather alternatives or fabric may be used on all Neighborhood frames.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).



Saddle Stitch




Jump Master Stitch

COM/COL Preapproval Requirements

When specifying stripes or fabrics with linear grain, the curvature of certain frames may affect the pattern alignment. As a result, the COM/COL preapproval procedure requires 1/2 yard of fabric or leather alternative, or 1 sq. ft. leather to be submitted for testing for prior approval on all frames except mobile seating, freestanding ottomans, benches and tables.

Preapproval procedure for testing COM/COL for mobile seating, freestanding ottomans and benches, and all tables requires the standard 12" x 12" sample. Reference the terms and conditions for COM/COL approval procedures.




Pattern Alignment When Specifying Directional Grain Fabric

Neighborhood Seating System Specification Guide


A. Mobile Seating

Mobile modules have non-locking casters and are used as freestanding units. The mobile lounge 6030M has a brushed aluminum handle located mid-back.


6021M



6024M




6030M




B. Freestanding Ottomans and Benches

Eight non-connecting ottomans and benches are available for use as freestanding units.


6021




6024




6025




6027




6020




6022



6044



6019




C. Freestanding Work Tables


Freestanding mid height work tables may be used with any configuration or to create a banquette configuration for dining or work applications.

Power + USB options are available on 42" and 48" tables.

JR1X - 22" Round



JR2X - 42" Round




Power + USB (1)

Neighborhood Seating System Specification Guide

D. Single Sided Modules


Single sided connecting modules are used in conjunction with other single sided modules to create seating configurations. Single sided units may not be used with double sided units or privacy units.



Neighborhood Seating System Specification Guide


F. Double-Sided Modules

Double-sided connecting modules are used in conjunction with other double-sided modules to create seating configurations. Double-sided units may not be used with single sided units or privacy units.



G. Tables for Double-Sided Connecting Modules

Double-sided connecting module tables are used in conjunction with double-sided seating modules. A power/USB option is available on double-sided connecting tables.




Neighborhood Seating System Specification Guide


H. Privacy Modules

Privacy connecting modules are used in conjunction with other privacy modules to create seating configurations. Privacy units may not be used with single or double sided units.



6031T





6035T





6038T





6039T





6040T





6041T



6048T



6049T



Neighborhood Seating System Specification Guide


Tables for Freestanding and Connecting Modules

Neighborhood tables were designed for use as freestanding units or with single or double-sided connecting modules to create continuous configurations. Connecting tables are not available for use with privacy modules.

The Neighborhood table worksurface is available in oak veneer, laminate or corian. Connecting tables have a flat edge profile; freestanding table edges are beveled.

The base is fully upholstered with saddle stitching or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s).

Power + USB modules are optional and upcharges apply. Reference information on the following page for power options specifics.



Surface Selection

Laminate

Order Code - F
Designer White
Wilsonart® D-354-60

Corian®


Order Code - 8
Glacier White

OAK Oak


Standard Finish
871 860 870
837 836 861
865 805 866
872 839 845
Select Finish
M73 M71 M75
M74 M76 M77

Edge Profiles

Freestanding Tables



End Tables




Connecting Modules

Neighborhood modules connect by inserting the ganging fork into the bracket plate located on the underside of the furniture. To connect modules, rotate the connecting forks perpendicular to the module and slide the modules together. The forks fit around the bracket plates when the modules are connected. Use the leveling glides as needed to align the overall height of the modules on uneven flooring surfaces.

To disconnect modules, lift the side of the module where the bracket plates are located, generally the left hand facing side. Pull to disconnect the brackets from the connecting forks and slide apart.

Modules used in configurations may also be used as freestanding units. The connector fork can be concealed by rotating the connecting fork underneath the furniture module.

Hardware is provided with the 180° curved module for left or right hand orientation.




Neighborhood Seating System Specification Guide

Power Module

An optional power + USB module is available for all Neighborhood tables except the 22" round table. Single sided connecting tables and the 42" round freestanding tables are available with a single power module; double-sided connecting tables and the 42" and 48" square freestanding tables are available with two modules. Upcharges apply as indicated on the price list for each table.


The power module has (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port for charging tablets or other USB friendly devices. The power module is UL approved and includes a 10', 14/3 SJT black power cord with right angle plug. The power module has an aluminum powder coat finish and installs in the side of the base. An underside zipper allows access to power.



Connecting Module Tables Power Management



180° Curved End Module Table




Underside View of Connecting Module Tables

Freestanding Tables Power Management



Mid Height Round Work Table



Underside View of Freestanding Tables

Neighborhood Seating System Sample Configurations

Single Sided Connecting Modules



1



2



3



4




5




6



7



8



9



10



11



12



13




14

Neighborhood Seating System Sample Configurations


Double-Sided Connecting Modules




15




16




17



18



19



20

Privacy Connecting Modules



21



22




23



24



25




26



27



28



29



30

















31













32

Neighborhood Seating System Sample Configurations



			SKU	Description
1			6033 6039 6034	Single Seat, Left End Facing 90° Curved Corner Connector Single Seat, Right End Facing
2			6033 6031 6034	Single Seat, Left End Facing Single Seat Straight Connector (3) Single Seat, Right End Facing
3			6033 6035 6048 6035 6034	Single Seat, Left End Facing Two-seat Straight Connector 45° Curved Connector Two-seat Straight Connector Single Seat, Right End Facing
4			6039 6031 6039	90° Curved Corner Connector Single Seat Straight Connector 90° Curved Corner Connector
5			6039 6035 6039	90° Curved Corner Connector Two-seat Straight Connector 90° Curved Corner Connector
6			6038 6035 6038	90° Corner Connector Two-seat Straight Connector 90° Corner Connector
7			6039 6031 6038 6031 6039	90° Curved Corner Connector Single Seat Straight Connector (3) 90° Corner Connector Single Seat Straight Connector (2) 90° Curved Corner Connector

Neighborhood Seating System Sample Configurations

8			<table border="0"> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>6031</td> <td>Single Seat Straight Connector (3)</td> </tr> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>6031</td> <td>Single Seat Straight Connector (3)</td> </tr> <tr> <td>6034</td> <td>Single Seat, Right End Facing</td> </tr> </table>	6039	90° Curved Corner Connector	6031	Single Seat Straight Connector (3)	6039	90° Curved Corner Connector	6031	Single Seat Straight Connector (3)	6034	Single Seat, Right End Facing				
6039	90° Curved Corner Connector																
6031	Single Seat Straight Connector (3)																
6039	90° Curved Corner Connector																
6031	Single Seat Straight Connector (3)																
6034	Single Seat, Right End Facing																
9			<table border="0"> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>6048</td> <td>45° Curved Connector</td> </tr> <tr> <td>6035</td> <td>Two-seat Straight Connector</td> </tr> <tr> <td>6049</td> <td>90° Curved Connector</td> </tr> <tr> <td>6035</td> <td>Two-seat Straight Connector</td> </tr> <tr> <td>6048</td> <td>45° Curved Connector</td> </tr> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> </table>	6039	90° Curved Corner Connector	6048	45° Curved Connector	6035	Two-seat Straight Connector	6049	90° Curved Connector	6035	Two-seat Straight Connector	6048	45° Curved Connector	6039	90° Curved Corner Connector
6039	90° Curved Corner Connector																
6048	45° Curved Connector																
6035	Two-seat Straight Connector																
6049	90° Curved Connector																
6035	Two-seat Straight Connector																
6048	45° Curved Connector																
6039	90° Curved Corner Connector																
10			<table border="0"> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>6040</td> <td>45° Inverted Curved Connector</td> </tr> <tr> <td>6035</td> <td>Two-seat Straight Connector</td> </tr> <tr> <td>6049</td> <td>90° Curved Connector</td> </tr> <tr> <td>6035</td> <td>Two-seat Straight Connector</td> </tr> <tr> <td>6048</td> <td>45° Curved Connector</td> </tr> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> </table>	6039	90° Curved Corner Connector	6040	45° Inverted Curved Connector	6035	Two-seat Straight Connector	6049	90° Curved Connector	6035	Two-seat Straight Connector	6048	45° Curved Connector	6039	90° Curved Corner Connector
6039	90° Curved Corner Connector																
6040	45° Inverted Curved Connector																
6035	Two-seat Straight Connector																
6049	90° Curved Connector																
6035	Two-seat Straight Connector																
6048	45° Curved Connector																
6039	90° Curved Corner Connector																
11			<table border="0"> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>6031</td> <td>Single Seat Straight Connector (3)</td> </tr> <tr> <td>6040</td> <td>45° Inverted Curved Connector</td> </tr> <tr> <td>6031</td> <td>Single Seat Straight Connector (2)</td> </tr> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> </table>	6039	90° Curved Corner Connector	6031	Single Seat Straight Connector (3)	6040	45° Inverted Curved Connector	6031	Single Seat Straight Connector (2)	6039	90° Curved Corner Connector				
6039	90° Curved Corner Connector																
6031	Single Seat Straight Connector (3)																
6040	45° Inverted Curved Connector																
6031	Single Seat Straight Connector (2)																
6039	90° Curved Corner Connector																
12			<table border="0"> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>6031</td> <td>Single Seat Straight Connector (3)</td> </tr> <tr> <td>6041</td> <td>90° Inverted Curved Connector</td> </tr> <tr> <td>6031</td> <td>Single Seat Straight Connector (2)</td> </tr> <tr> <td>6039</td> <td>90° Curved Corner Connector</td> </tr> <tr> <td>JR1X</td> <td>22" Round Table (2)</td> </tr> </table>	6039	90° Curved Corner Connector	6031	Single Seat Straight Connector (3)	6041	90° Inverted Curved Connector	6031	Single Seat Straight Connector (2)	6039	90° Curved Corner Connector	JR1X	22" Round Table (2)		
6039	90° Curved Corner Connector																
6031	Single Seat Straight Connector (3)																
6041	90° Inverted Curved Connector																
6031	Single Seat Straight Connector (2)																
6039	90° Curved Corner Connector																
JR1X	22" Round Table (2)																



Neighborhood Seating System Sample Configurations

13





- | SKU | Description |
|------|---------------------------------|
| 6039 | 90° Curved Corner Connector |
| 6035 | Two-seat Straight Connector |
| 6039 | 90° Curved Corner Connector |
| 6035 | Two-seat Straight Connector (2) |
| 6039 | 90° Curved Corner Connector |
| 6035 | Two-seat Straight Connector |
| 6039 | 90° Curved Corner Connector |
| 6021 | Round Ottoman (2) |
| JR1X | 22" Round Table (2) |

14





- | | |
|-------|------------------------------------|
| 6039 | 90° Curved Corner Connector |
| 6031 | Single Seat Straight Connector (3) |
| 6039 | 90° Curved Corner Connector |
| 6031 | Single Seat Straight Connector (3) |
| 6039 | 90° Curved Corner Connector |
| 6030M | Mobile Single Seat Module (2) |
| JS2X | 42" Round Table |

15



- | | |
|------|--|
| 6044 | 180° Curved Half Oval End Module |
| 6043 | Double-Sided Two-seat Straight Connector (2) |
| 6044 | 180° Curved Half Oval End Module |

16




- | | |
|------|--|
| 6044 | 180° Curved Half Oval End Module |
| 6043 | Double-Sided Two-seat Straight Connector (2) |
| 6046 | Double-Sided 90° Curved Connector |
| 6043 | Double-Sided Two-seat Straight Connector (2) |
| 6044 | 180° Curved Half Oval End Module |

Neighborhood Seating System Sample Configurations


Sku Description

17




- 6044** 180° Curved Half Oval End Module
- 6043** Double-Sided Two-seat Straight Connector (2)
- 6046** Double-Sided 90° Curved Connector
- 6043** Double-Sided Two-seat Straight Connector
- 6046** Double-Sided 90° Curved Connector
- 6044** 180° Curved Half Oval End Module

18



- 6046** Double-Sided 90° Curved Connector
- 6043** Double-Sided Two-seat Straight Connector
- 6046** Double-Sided 90° Curved Connector (2)
- 6043** Double-Sided Two-seat Straight Connector
- 6046** Double-Sided 90° Curved Connector



19



- J57X** 180° Curved End Module Table
- 6043** Double-Sided Two-seat Straight Connector (2)
- 6042** Double-Sided Single-seat Straight Connector
- 6043** Double-Sided Two-seat Straight Connector (2)
- 6044** 180° Curved Half Oval End Module



Neighborhood Seating System Sample Configurations

20





SKU	DESCRIPTION
6044	180° Curved Half Oval End Module
6043	Double-Sided Two-seat Straight Connector (2)
6042	Double-Sided Single-seat Straight Connector
6043	Double-Sided Two-seat Straight Connector (2)
6044	180° Curved Half Oval End Module
6021	Round Ottoman (6)
JR2X	42" Round Table (2)

21





6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector

22





6039T	90° Curved Corner Privacy Connector
6031T	Single Seat Straight Privacy Connector (3)
6039T	90° Curved Corner Privacy Connector

23



6038T	90° Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6038T	90° Corner Privacy Connector

24











6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector

Neighborhood Seating System Sample Configurations

25			<table border="0"> <thead> <tr> <th data-bbox="1133 228 1177 254">Sku</th> <th data-bbox="1206 228 1317 254">Description</th> </tr> </thead> <tbody> <tr> <td data-bbox="1133 285 1192 304">6038T</td> <td data-bbox="1206 285 1458 304">90° Corner Privacy Connector</td> </tr> <tr> <td data-bbox="1133 310 1192 329">6031T</td> <td data-bbox="1206 310 1390 363">Single Seat Straight Privacy Connector (2)</td> </tr> <tr> <td data-bbox="1133 369 1192 388">6038T</td> <td data-bbox="1206 369 1458 388">90° Corner Privacy Connector</td> </tr> <tr> <td data-bbox="1133 394 1192 413">6031T</td> <td data-bbox="1206 394 1390 447">Single Seat Straight Privacy Connector (3)</td> </tr> <tr> <td data-bbox="1133 453 1192 472">6038T</td> <td data-bbox="1206 453 1458 472">90° Corner Privacy Connector</td> </tr> </tbody> </table>	Sku	Description	6038T	90° Corner Privacy Connector	6031T	Single Seat Straight Privacy Connector (2)	6038T	90° Corner Privacy Connector	6031T	Single Seat Straight Privacy Connector (3)	6038T	90° Corner Privacy Connector		
Sku	Description																
6038T	90° Corner Privacy Connector																
6031T	Single Seat Straight Privacy Connector (2)																
6038T	90° Corner Privacy Connector																
6031T	Single Seat Straight Privacy Connector (3)																
6038T	90° Corner Privacy Connector																
26			<table border="0"> <tbody> <tr> <td data-bbox="1133 663 1192 682">6039T</td> <td data-bbox="1206 663 1523 682">90° Curved Corner Privacy Connector</td> </tr> <tr> <td data-bbox="1133 688 1192 707">6048T</td> <td data-bbox="1206 688 1458 707">45° Curved Privacy Connector</td> </tr> <tr> <td data-bbox="1133 714 1192 732">6035T</td> <td data-bbox="1206 714 1515 732">Two-seat Straight Privacy Connector</td> </tr> <tr> <td data-bbox="1133 739 1192 758">6049T</td> <td data-bbox="1206 739 1463 758">90° Curved Privacy Connector</td> </tr> <tr> <td data-bbox="1133 764 1192 783">6035T</td> <td data-bbox="1206 764 1515 783">Two-seat Straight Privacy Connector</td> </tr> <tr> <td data-bbox="1133 789 1192 808">6048T</td> <td data-bbox="1206 789 1458 808">45° Curved Privacy Connector</td> </tr> <tr> <td data-bbox="1133 814 1192 833">6039T</td> <td data-bbox="1206 814 1523 833">90° Curved Corner Privacy Connector</td> </tr> </tbody> </table>	6039T	90° Curved Corner Privacy Connector	6048T	45° Curved Privacy Connector	6035T	Two-seat Straight Privacy Connector	6049T	90° Curved Privacy Connector	6035T	Two-seat Straight Privacy Connector	6048T	45° Curved Privacy Connector	6039T	90° Curved Corner Privacy Connector
6039T	90° Curved Corner Privacy Connector																
6048T	45° Curved Privacy Connector																
6035T	Two-seat Straight Privacy Connector																
6049T	90° Curved Privacy Connector																
6035T	Two-seat Straight Privacy Connector																
6048T	45° Curved Privacy Connector																
6039T	90° Curved Corner Privacy Connector																
27			<table border="0"> <tbody> <tr> <td data-bbox="1133 1079 1192 1098">6039T</td> <td data-bbox="1206 1079 1523 1098">90° Curved Corner Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1104 1192 1123">6035T</td> <td data-bbox="1206 1104 1515 1123">Two-seat Straight Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1129 1192 1148">6041T</td> <td data-bbox="1206 1129 1534 1148">90° Inverted Curved Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1155 1192 1173">6035T</td> <td data-bbox="1206 1155 1515 1173">Two-seat Straight Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1180 1192 1199">6039T</td> <td data-bbox="1206 1180 1523 1199">90° Curved Corner Privacy Connector</td> </tr> </tbody> </table>	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector	6041T	90° Inverted Curved Privacy Connector	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector				
6039T	90° Curved Corner Privacy Connector																
6035T	Two-seat Straight Privacy Connector																
6041T	90° Inverted Curved Privacy Connector																
6035T	Two-seat Straight Privacy Connector																
6039T	90° Curved Corner Privacy Connector																
28			<table border="0"> <tbody> <tr> <td data-bbox="1133 1472 1192 1491">6035T</td> <td data-bbox="1206 1472 1515 1491">Two-seat Straight Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1497 1192 1516">6039T</td> <td data-bbox="1206 1497 1523 1516">90° Curved Corner Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1522 1192 1541">6041T</td> <td data-bbox="1206 1522 1534 1541">90° Inverted Curved Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1547 1192 1566">6039T</td> <td data-bbox="1206 1547 1523 1566">90° Curved Corner Privacy Connector</td> </tr> <tr> <td data-bbox="1133 1572 1192 1591">6035T</td> <td data-bbox="1206 1572 1515 1591">Two-seat Straight Privacy Connector</td> </tr> </tbody> </table>	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector	6041T	90° Inverted Curved Privacy Connector	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector				
6035T	Two-seat Straight Privacy Connector																
6039T	90° Curved Corner Privacy Connector																
6041T	90° Inverted Curved Privacy Connector																
6039T	90° Curved Corner Privacy Connector																
6035T	Two-seat Straight Privacy Connector																

Neighborhood Seating System Sample Configurations

29			<table border="0"> <thead> <tr> <th data-bbox="1133 228 1175 254">Sku</th> <th data-bbox="1203 228 1317 254">Description</th> </tr> </thead> <tbody> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6040T</td> <td>45° Inverted Curved Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6049T</td> <td>90° Curved Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6048T</td> <td>45° Curved Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> </tbody> </table>	Sku	Description	6039T	90° Curved Corner Privacy Connector	6040T	45° Inverted Curved Privacy Connector	6035T	Two-seat Straight Privacy Connector	6049T	90° Curved Privacy Connector	6035T	Two-seat Straight Privacy Connector	6048T	45° Curved Privacy Connector	6039T	90° Curved Corner Privacy Connector		
Sku	Description																				
6039T	90° Curved Corner Privacy Connector																				
6040T	45° Inverted Curved Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6049T	90° Curved Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6048T	45° Curved Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
30			<table border="0"> <tbody> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6041T</td> <td>90° Inverted Curved Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6021</td> <td>Round Ottomans (3)</td> </tr> <tr> <td>JR2X</td> <td>42" Round Table</td> </tr> <tr> <td>JR1X</td> <td>22" Round Table</td> </tr> </tbody> </table>	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector	6041T	90° Inverted Curved Privacy Connector	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector	6021	Round Ottomans (3)	JR2X	42" Round Table	JR1X	22" Round Table		
6035T	Two-seat Straight Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
6041T	90° Inverted Curved Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6021	Round Ottomans (3)																				
JR2X	42" Round Table																				
JR1X	22" Round Table																				
31			<table border="0"> <tbody> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector (2)</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6021</td> <td>Round Ottoman (2)</td> </tr> <tr> <td>JR1X</td> <td>22" Round Table (2)</td> </tr> </tbody> </table>	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector (2)	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector	6021	Round Ottoman (2)	JR1X	22" Round Table (2)
6039T	90° Curved Corner Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
6035T	Two-seat Straight Privacy Connector (2)																				
6039T	90° Curved Corner Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
6021	Round Ottoman (2)																				
JR1X	22" Round Table (2)																				
32			<table border="0"> <tbody> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6031T</td> <td>Single Seat Straight Privacy Connector (3)</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>6035T</td> <td>Two-seat Straight Privacy Connector</td> </tr> <tr> <td>6039T</td> <td>90° Curved Corner Privacy Connector</td> </tr> <tr> <td>JR2X</td> <td>42" Round Table</td> </tr> </tbody> </table>	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector	6031T	Single Seat Straight Privacy Connector (3)	6039T	90° Curved Corner Privacy Connector	6035T	Two-seat Straight Privacy Connector	6039T	90° Curved Corner Privacy Connector	JR2X	42" Round Table		
6039T	90° Curved Corner Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
6031T	Single Seat Straight Privacy Connector (3)																				
6039T	90° Curved Corner Privacy Connector																				
6035T	Two-seat Straight Privacy Connector																				
6039T	90° Curved Corner Privacy Connector																				
JR2X	42" Round Table																				

neighborhood 6021M



Round mobile ottoman
Fully upholstered
Saddle stitched

Eight casters

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
979	1014	1143	1162	1182	1205	1224	1244	1259	1279	1302	1322	1454

neighborhood 6021MJ



Round mobile ottoman
Fully upholstered
Jump master stitched

Eight casters


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1053	1088	1217	1236	1256	1279	1298	1318	1333	1353	1376	1396	1528

neighborhood 6024M



Mobile square Ottoman.
Fully upholstered
Saddle stitched

Four casters


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
904	949	1114	1139	1164	1194	1219	1244	1264	1289	1319	1344	1514

Freestanding

neighborhood 6024MJ



Mobile square ottoman
Fully upholstered
Jump master stitched

Four casters


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
979	1024	1189	1214	1239	1269	1294	1319	1339	1364	1394	1419	1589

neighborhood 6030M



Mobile single-seat
Brushed aluminum handle
Fully upholstered
Saddle Stitched

Four casters

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds Leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for iadditional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	28¾"	3.75 yds.	61.0'	66 lbs.	20.0'/1
419 mm	-	533 mm	797 mm	733 mm	3.4 m	5.7 sqm	29.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1654	1729	2004	2046	2088	2138	2179	2221	2254	2296	2346	2388	2671

neighborhood 6030MJ



Mobile single-seat
Brushed aluminum handle
Fully upholstered
Jump master stitched

Four casters

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq.ft.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardt.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¾"	28¾"	3.75 yds.	61.0'	66 lbs.	20.0/1
419 mm		533 mm	797 mm	733 mm	3.4 m	5.7 sqm	29.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1767	1842	2117	2159	2201	2251	2292	2334	2367	2409	2459	2501	2784

neighborhood 6024



Single-seat ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	2.25 yds.	30.0'	37 lbs.	10.0/1
419 mm	-	533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
828	873	1038	1063	1088	1118	1143	1168	1188	1213	1243	1268	1438

Freestanding

neighborhood 6024J



Single-seat ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
904	949	1114	1139	1164	1194	1219	1244	1264	1289	1319	1344	1514

neighborhood 6025



Two-seat bench
Fully upholstered
Saddle stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	21"	16½"	4.0 yds.	65.0'	51 lbs.	20.0'/1
419 mm	-	1054 mm	533 mm	419 mm	3.7 m	6.0 sqm	23.1 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1280	1360	1654	1698	1743	1796	1840	1885	1920	1965	2018	2063	2365

neighborhood 6025J



Two-seat Bench
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	21"	16½"	4.0 yds.	65.0'	51 lbs.	20.0'/1
419 mm		1054 mm	533 mm	419 mm	3.7 m	6.0 sqm	23.1 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1356	1436	1730	1774	1819	1872	1916	1961	1996	2041	2094	2139	2441

neighborhood 6027



**Three-seat bench
Fully upholstered
Saddle stitched**


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	62"	21"	16½"	6.0 yds.	100.0'	66 lbs.	25.0'/1
419 mm	-	1575 mm	533 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1806	1926	2366	2433	2500	2580	2646	2713	2766	2833	2913	2980	3433

neighborhood 6027J



**Three-seat bench
Fully upholstered
Jump master stitched**

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	62"	21"	16½"	6.0 yds.	100.0'	66 lbs.	25.0'/1
419 mm	-	1575 mm	533 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1919	2039	2479	2546	2613	2693	2759	2826	2879	2946	3026	3093	3546

neighborhood 6021



**Round ottoman
Fully upholstered
Saddle stitched**

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
904	939	1068	1087	1107	1130	1149	1169	1184	1204	1227	1247	1379

Freestanding

neighborhood 6021J



Round ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
979	1014	1143	1162	1182	1205	1224	1244	1259	1279	1302	1322	1454

neighborhood 6022



Large round Ottoman
Fully upholstered
Saddle stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0'/1
419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1806	1886	2180	2224	2269	2322	2366	2411	2446	2491	2544	2589	2891

neighborhood 6022J



Large round Ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0'/1
419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1919	1999	2293	2337	2382	2435	2479	2524	2559	2604	2657	2702	3004

neighborhood 6020



Half round ottoman
Fully upholstered
Saddle stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0'/1
419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1129	1181	1372	1401	1430	1465	1493	1522	1545	1574	1609	1638	1834

neighborhood 6020J



Half round ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0'/1
419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1205	1257	1448	1477	1506	1541	1569	1598	1621	1650	1685	1714	1910

neighborhood 6019



Oval ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0'/1
419 mm	-	410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2105	2175	2432	2471	2510	2557	2595	2634	2665	2704	2751	2790	3054

Freestanding

neighborhood 6019J



Oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0'/1
419 mm		410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2218	2288	2545	2584	2623	2670	2708	2747	2778	2817	2864	2903	3167

neighborhood 6044



Half oval ottoman
Fully upholstered
Saddle stitched


Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1430	1500	1757	1796	1835	1882	1920	1959	1990	2029	2076	2115	2379

neighborhood 6044J



Half oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Mater Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1504	1574	1831	1870	1909	1956	1994	2033	2064	2103	2150	2189	2453

Freestanding mid height work tables




22" round worksurface with 12½" round upholstered base.
 Worksurface available in oak veneer, laminate and corian.
 When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.
 Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
 Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	22"	22"	23¾"	1.25 yds.	25.0'	95 lbs.	94.5/1
603 mm	559 mm	559 mm	603 mm	1.1 m	2.3 sqm	43.1 kg	2.7 cu.

neighborhood



R1X Oak Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1654	1679	1771	1785	1799	1816	1829	1843	1854	1868	1885	1899	1993

Specify veneer code C for oak worksurface. Specify finish code.

R1X Laminate Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1806	1831	1923	1937	1951	1968	1981	1995	2006	2020	2037	2051	2145


Specify veneer code F for laminate designer white worksurface.

R1X Corian Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2105	2130	2222	2236	2250	2267	2280	2294	2305	2319	2336	2350	2444

Specify veneer code 8 for corian glacier white worksurface.

neighborhood



R1J Oak Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1730	1755	1847	1861	1875	1892	1905	1919	1930	1944	1961	1975	2069

Specify veneer code C for oak worksurface. Specify finish code.

R1J Laminate Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1881	1906	1998	2012	2026	2043	2056	2070	2081	2095	2112	2126	2220

Specify veneer code F for laminate designer white worksurface.

R1J Corian Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2180	2205	2297	2311	2325	2342	2355	2369	2380	2394	2411	2425	2519

Specify veneer code 8 for corian glacier white worksurface.

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	X none X	X none X	

Freestanding mid height work tables




42" round worksurface with 19½" round upholstered base.
 Worksurface available in oak veneer, laminate and corian.
 When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible.
 Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
 Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
 When power is specified, (1) 15 amp receptacle, (1) 2 amp USB-A port, 10 watt and (1) 2 amp USB-C port, 20 watt are provided.
 An upcharge of \$300 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	42"	42"	23¾"	2.0 yds.	35.0'	235 lbs.	50.0/1
603 mm	1067 mm	1067 mm	603 mm	1.8 m	3.3sqm	106.8 kg	1.4 cu.

neighborhood



R2X Oak Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3572	3612	3759	3781	3804	3830	3852	3875	3892	3915	3941	3964	4115

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

R2X Laminate Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3869	3909	4056	4078	4101	4127	4149	4172	4189	4212	4238	4261	4412


Specify veneer code F for laminate designer white worksurface. Add \$300 when specifying power.

R2X Corian Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5521	5561	5708	5730	5753	5779	5801	5824	5841	5864	5890	5913	6064

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

neighborhood



R2J Oak Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3645	3685	3832	3854	3877	3903	3925	3948	3965	3988	4014	4037	4188

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

R2J Laminate Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3945	3985	4132	4154	4177	4203	4225	4248	4265	4288	4314	4337	4488

Specify veneer code F for laminate designer white worksurface. Add \$300 when specifying power.

R2J Corian Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5595	5635	5782	5804	5827	5853	5875	5898	5915	5938	5964	5987	6138

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	4 aluminum powder coat X none	Q power + usb (1) X none power module upcharge \$300	

Single Sided Connecting Modules

neighborhood 6033



Left end facing module
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28¾"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1579	1659	1953	1997	2042	2095	2139	2184	2219	2264	2317	2362	2664

neighborhood 6033J



Left end facing module
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28¾"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm		533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1693	1773	2067	2111	2156	2209	2253	2298	2333	2378	2431	2476	2778

Single Sided Connecting Modules

neighborhood 6034



Right end facing module
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28¾"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1579	1659	1953	1997	2042	2095	2139	2184	2219	2264	2317	2362	2664

neighborhood 6034J



Right end facing module
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28¾"	4.0 yds.	66.0'	60.0 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1693	1773	2067	2111	2156	2209	2253	2298	2333	2378	2431	2476	2778

Single Sided Connecting Modules

neighborhood 6031



Straight connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28¾"	3.75 yds.	61.0'	55 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.4 m	5.7 sqm	24.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1579	1654	1929	1971	2013	2063	2104	2146	2179	2221	2271	2313	2596

neighborhood 6031J



Straight connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28¾"	3.75 yds.	61.0'	55 lbs.	20.0'/1
419 mm	-	533 mm	794 mm	733 mm	3.4 m	5.7 sqm	24.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1693	1768	2043	2085	2127	2177	2218	2260	2293	2335	2385	2427	2710

Single Sided Connecting Modules

neighborhood 6035



**Two-seat
Straight connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.5 yds. leather: 58.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	31¾"	28¾"	6.0 yds.	96.0'	112 lbs.	36.75'/1
419 mm	-	1054 mm	794 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2406	2526	2966	3033	3100	3180	3246	3313	3366	3433	3513	3580	4033

neighborhood 6035J



**Two-seat
Straight connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.5 yds. leather: 58.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	31¾"	28¾"	6.0 yds.	96.0'	112 lbs.	36.75'/1
419 mm	-	1054 mm	794 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2557	2677	3117	3184	3251	3331	3397	3464	3517	3584	3664	3731	4184

Single Sided Connecting Modules

neighborhood 6038



90° Corner connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28¾"	7.25 yds.	125.0'	86 lbs.	36.75'/1
419 mm	-	1102 mm	1092 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1955	2100	2632	2713	2793	2890	2970	3051	3115	3196	3293	3373	3921

neighborhood 6038J



90° Corner connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28¾"	7.25 yds.	125.0'	86 lbs.	36.75'/1
419 mm	-	1102 mm	1092 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2105	2250	2782	2863	2943	3040	3120	3201	3265	3346	3443	3523	4071

Single Sided Connecting Modules

neighborhood 6039



**90° Curved connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28¾"	6.75 yds.	115.0'	62 lbs.	36.75'/1
419 mm	-	1102 mm	781 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1955	2090	2585	2660	2735	2825	2900	2975	3035	3110	3200	3275	3785

neighborhood 6039J



**90° Curved connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28¾"	6.75 yds.	115.0'	62 lbs.	36.75'/1
419 mm	-	1102 mm	781 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2105	2240	2735	2810	2885	2975	3050	3125	3185	3260	3350	3425	3935

Single Sided Connecting Modules

neighborhood 6040



45° Inverted curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.25 yds. leather: 53.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.25 yds. leather: 37.0sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	31¼"	31½"	28¾"	4.0 yds.	70.0'	70 lbs.	42.0'/1
419 mm	-	794 mm	800 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1806	1886	2180	2224	2269	2322	2366	2411	2446	2491	2544	2589	2891

neighborhood 6040J



45° Inverted curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.25 yds. leather: 53.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.25 yds. leather: 37.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	31¼"	31½"	28¾"	4.0 yds.	70.0'	70 lbs.	42.0'/1
419 mm	-	794 mm	800 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1919	1999	2293	2337	2382	2435	2479	2524	2559	2604	2657	2702	3004

Single Sided Connecting Modules

neighborhood 6041



90° Inverted curved connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..


- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	57¼"	33½"	28¾"	6.0 yds.	97.0'	86 lbs.	90.0'/1
419 mm	-	1467 mm	851mm	733 mm	5.5 m	9.0 sqm	39.0 kg	2.55 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2706	2826	3266	3333	3400	3480	3546	3613	3666	3733	3813	3880	4333

neighborhood 6041J



90° Inverted curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	57¼"	33½"	28¾"	7.25 yds.	125.0'	86 lbs.	90.0'/1
419 mm		1467 mm	851mm	733 mm	6.6 m	11.6 sqm	39.0 kg	2.55 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2855	2975	3415	3482	3549	3629	3695	3762	3815	3882	3962	4029	4482

Single Sided Connecting Modules

neighborhood 6048



45° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.25 yds. leather: 53.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41⅝"	32⅝"	28⅝"	5.5 yds.	90.0'	97 lbs.	54.0'/1
419 mm	-	1051 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1955	2067	2478	2540	2603	2677	2739	2802	2851	2914	2988	3051	3474

neighborhood 6048J



45° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.25 yds. leather: 53.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41⅝"	32⅝"	28⅝"	5.5 yds.	90.0'	97 lbs.	54.0'/1
419 mm	-	1051 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2069	2181	2592	2654	2717	2791	2853	2916	2965	3028	3102	3165	3588

Single Sided Connecting Modules

neighborhood 6049



**90° Curved connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 5.5 yds. leather: 88.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65½"	35¼"	28¾"	7.5 yds.	120.0'	149 lbs.	108.0/1
419 mm	-	1654 mm	889 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2706	2856	3406	3490	3573	3673	3756	3840	3906	3990	4090	4173	4740

neighborhood 6049J



**90° Curved connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 5.5 yds. leather: 88.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65½"	35¼"	28¾"	7.5 yds.	120.0'	149 lbs.	108.0/1
419 mm	-	1654 mm	889 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2855	3005	3555	3639	3722	3822	3905	3989	4055	4139	4239	4322	4889

Double Sided Connecting Modules

neighborhood 6045



**Double-sided
Curved end module
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	4.75 yds.	66.0'	86 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2480	2575	2924	2977	3029	3093	3145	3198	3240	3293	3357	3409	3768

neighborhood 6045J



**Double-sided
Curved end module
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	4.75 yds.	66.0'	86 lbs.	30.0'/1
419 mm		533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2668	2763	3112	3165	3217	3281	3333	3386	3428	3481	3545	3597	3956

Double Sided Connecting Modules

neighborhood 6042



**Double-sided single-seat
Straight connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	6.0 yds.	60.0'	50 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	5.5 m	4.6 sqm	22.7 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2480	2600	3040	3107	3174	3254	3320	3387	3440	3507	3587	3654	4107

neighborhood 6042J



**Double-sided single-seat
Straight connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28½"	6.0 yds.	60.0'	50 lbs.	30.0'/1
419 mm	-	533 mm	1422 mm	733 mm	5.5 m	4.6 sqm	22.7 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2668	2788	3228	3295	3362	3442	3508	3575	3628	3695	3775	3842	4295

Double Sided Connecting Modules

neighborhood 6043



**Double-sided two-seat
Straight connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 5.75 yds. leather: 93.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	56"	28½"	8.5 yds.	138.0'	134 lbs.	60.0'/1
419 mm	-	1054 mm	1422 mm	733 mm	7.8 m	12.8 sqm	60.8 kg	1.70 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3607	3777	4401	4495	4590	4703	4797	4892	4967	5062	5175	5270	5912

neighborhood 6043J



**Double-sided two-seat
Straight connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 5.75 yds. leather: 93.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	56"	28½"	8.5 yds.	138.0'	134 lbs.	60.0'/1
419 mm		1054 mm	1422 mm	733 mm	7.8 m	12.8 sqm	60.8 kg	1.70 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3907	4077	4701	4795	4890	5003	5097	5192	5267	5362	5475	5570	6212

Double Sided Connecting Modules

neighborhood 6046



Double-sided
90° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 6.75 yds. leather: 110.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.0 yds. leather: 65.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	78½"	56"	28½"	9.5 yds.	154.0'	160.6 lbs.	149.3'/1
419 mm	-	1997 mm	1422 mm	733 mm	8.7 m	14.3 sqm	72.8 kg	4.23 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3757	3947	4644	4750	4855	4982	5087	5193	5277	5383	5510	5615	6333

neighborhood 6046J



Double-sided
90° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for seat
yardage: 6.75 yds. leather: 110.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.0 yds. leather: 65.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	78½"	56"	28½"	9.5 yds.	154.0'	160.6 lbs.	149.3'/1
419 mm	-	1997 mm	1422 mm	733 mm	8.7 m	14.3 sqm	72.8 kg	4.23 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4058	4248	4945	5051	5156	5283	5388	5494	5578	5684	5811	5916	6634

Double Sided Connecting Modules

neighborhood 6044



Half oval ottoman
Fully upholstered
Saddle stitched


Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1430	1500	1757	1796	1835	1882	1920	1959	1990	2029	2076	2115	2379

neighborhood 6044J



Half oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Mater Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on Bernhardt.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1504	1574	1831	1870	1909	1956	1994	2033	2064	2103	2150	2189	2453

Tables for double-sided connecting modules




180° curved end module table with upholstered base. Non-marring adjustable glides. Pivoting connectors. Worksurface available in oak veneer, laminate and corian.
When specifying light finishes 836, 837, 840 or 870 for oak worksurface, the natural characteristics of the wood will be visible. Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
Connecting hardware provided for both left-hand and right-hand orientation.
When power is specified, (1) 15 amp receptacle, (1) 2 amp USB-A port, 10 watt and (1) 2 amp USB-C port, 20 watt are provided. An upcharge of \$300 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	55½"	20½"	15½"	3.75 yds.	65.0'	89.25 lbs.	77.6'/1
394 mm	1410 mm	521 mm	394 mm	3.4 m	6.0 sqm	40.5 kg	2.2 cu.

neighborhood



57X Oak Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2406	2481	2756	2798	2840	2890	2931	2973	3006	3048	3098	3140	3423

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

57X Laminate Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1955	2030	2305	2347	2389	2439	2480	2522	2555	2597	2647	2689	2972


Specify veneer code F for laminate designer white worksurface. Add \$300 when specifying power.

57X Corian Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3607	3682	3957	3999	4041	4091	4132	4174	4207	4249	4299	4341	4624

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

neighborhood



57J Oak Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2519	2594	2869	2911	2953	3003	3044	3086	3119	3161	3211	3253	3536

Specify veneer code C for oak worksurface. Specify finish code. Add \$300 when specifying power.

57J Laminate Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2069	2144	2419	2461	2503	2553	2594	2636	2669	2711	2761	2803	3086

Specify veneer code F for laminate designer white worksurface. Add \$300 when specifying power.

57J Corian Worksurface. Jump Master Stitch Upholstered Base


COM	COL	1	2	3	4	5	6	7	8	9	10	11
3721	3796	4071	4113	4155	4205	4246	4288	4321	4363	4413	4455	4738

Specify veneer code 8 for corian glacier white worksurface. Add \$300 when specifying power.

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	4 aluminum powder coat X none	Q power + usb (1) X none power module upcharge \$300	

Privacy Modules

neighborhood 6031T



**Straight privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21½"	37"	48¾"	5.25 yds.	-	89 lbs.	30.0'/1
419 mm	-	546 mm	940 mm	1241 mm	4.8 m	-	40.1 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2105	2210	2595	2654	2712	2782	2840	2899	2945	3004	3074	3132	3529

neighborhood 6031TJ



**Straight privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds leather: 37.0 sq. ft.
- B) One fabric for back. and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21½"	37"	48¾"	5.25 yds	-	89 lbs.	30.0'/1
419 mm	-	546 mm	940 mm	1241 mm	4.8 m	-	40.1 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2254	2359	2744	2803	2861	2931	2989	3048	3094	3153	3223	3281	3678

Privacy Modules

neighborhood 6035T



**Two-seat
Straight privacy connector
Fully upholstered
Saddle Stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	37"	48⅞"	8.0 yds.	-	159 lbs.	55.13'/1
419 mm	-	1054 mm	940 mm	1241 mm	7.3 m	-	72.1 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3007	3167	3754	3843	3932	4039	4127	4216	4287	4376	4483	4572	5176

neighborhood 6035TJ



**Two-seat
Straight privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	37"	48⅞"	8.0 yds.	-	159 lbs.	55.13'/1
419 mm	-	1054 mm	940 mm	1241 mm	7.3 m	-	72.1 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3232	3392	3979	4068	4157	4264	4352	4441	4512	4601	4708	4797	5401

Privacy Modules

neighborhood 6038T



**90° Corner
Privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

Diagonal Dimension: 51½"

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.5 yds. leather: 41.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 7.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	51½"	48½"	8.5 yds.	-	139 lbs.	55.13/1
419 mm	-	1311 mm	1308 mm	1241 mm	7.8 m	-	60.0 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2557	2727	3351	3445	3540	3653	3747	3842	3917	4012	4125	4220	4862

neighborhood 6038TJ



**90° Corner
Privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

Diagonal Dimension: 51½"

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for leather for seat
yardage: 2.5 yds. leather: 41.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 7.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	51½"	48½"	8.5 yds.	-	139 lbs.	55.13/1
419 mm	-	1311 mm	1308 mm	1241 mm	7.8 m	-	60.0 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2780	2950	3574	3668	3763	3876	3970	4065	4140	4235	4348	4443	5085

Privacy Modules

neighborhood 6039T



**90° Curved corner
Privacy connector
Fully upholstered
Saddle Stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 2.5 yds. leather: 41.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information..

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	36½"	48¾"	9.5 yds.	-	107 lbs.	55.13'/1
419 mm	-	1308 mm	927 mm	1241 mm	8.7 m	-	48.5 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2557	2747	3444	3550	3655	3782	3887	3993	4077	4183	4310	4415	5133

neighborhood 6039TJ



**90° Curved corner
Privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.5 yds. leather: 41.0 sq. ft
- B) One fabric for back and back side panels
yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	36½"	48¾"	9.5 yds.	-	107 lbs.	55.13'/1
419 mm	-	1308 mm	927 mm	1241 mm	8.7 m	-	48.5 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2780	2970	3667	3773	3878	4005	4110	4216	4300	4406	4533	4638	5356

Privacy Modules

neighborhood 6040T



**45° Inverted curved
Privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45⅞"	38¼"	48⅞"	6.5 yds.	-	99 lbs.	63.0'/1
419 mm	-	1165 mm	972 mm	1241 mm	6.0 m	-	44.9 kg	1.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2406	2536	3013	3085	3158	3244	3316	3389	3446	3519	3605	3678	4169

neighborhood 6040TJ



**45° Inverted curved
Privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45⅞"	38¼"	48⅞"	6.5 yds.	-	99 lbs.	63.0'/1
419 mm		1165 mm	972 mm	1241 mm	6.0 m	-	44.9 kg	1.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2557	2687	3164	3236	3309	3395	3467	3540	3597	3670	3756	3829	4320

Privacy Modules

neighborhood 6041T



**90° inverted curved
Privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 6.0 yds. leather: 98.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 6.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	85½"	43½"	48⅞"	11.0 yds.	-	184 lbs.	135.0/1
419 mm	-	2172 mm	1105 mm	1241 mm	10.1 m	-	83.5kg	3.83 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3607	3827	4634	4756	4879	5025	5147	5270	5367	5490	5636	5759	6590

neighborhood 6041TJ



**90° inverted curved
Privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 6.0 yds. leather: 98.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 6.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	85½"	43½"	48⅞"	11.0 yds.	-	184 lbs.	135.0/1
419 mm	-	2172 mm	1105 mm	1241 mm	10.1 m	-	83.5kg	3.83 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3907	4127	4934	5056	5179	5325	5447	5570	5667	5790	5936	6059	6890

Privacy Modules

neighborhood 6048T



**45° Curved privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric of leather for seat
yardage: 3.0 yds. leather: 49.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information..

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	46"	38½"	48¾"	8.0 yds.	-	126 lbs.	54.0'/1
419 mm	-	1168 mm	978 mm	1241 mm	7.3 m	-	57.2 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2557	2717	3304	3393	3482	3589	3677	3766	3837	3926	4033	4122	4726

neighborhood 6048TJ



**45° Curved privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 3.0 yds. leather: 49.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	46"	38½"	48¾"	8.0 yds.	-	126 lbs.	54.0'/1
419 mm	-	1168 mm	978 mm	1241 mm	7.3 m	-	57.2 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2706	2866	3453	3542	3631	3738	3826	3915	3986	4075	4182	4271	4875

Privacy Modules

neighborhood 6049T



90° Curved privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73½"	41½"	48¾"	10.5 yds.	-	191 lbs.	162.0'/1
419 mm	-	1867 mm	1045 mm	1241 mm	9.6 m	-	86.6 kg	4.59 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3607	3817	4587	4704	4821	4961	5077	5194	5287	5404	5544	5661	6454

neighborhood 6049TJ



90° Curved privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 4.0 yds. leather: 65.0 sq. ft.
- B) One fabric for back and back side panels
yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73½"	41½"	48¾"	10.5 yds.	-	191 lbs.	162.0'/1
419 mm	-	1867 mm	1045 mm	1241 mm	9.6 m	-	86.6 kg	4.59 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3907	4117	4887	5004	5121	5261	5377	5494	5587	5704	5844	5961	6754