

Neighborhood Seating System Specification Guide

Standard Features



Neighborhood is a modular seating and table system consisting of thirty-nine unique modules for use in creating an unlimited number of configurations. Options include single sided, double sided and privacy modules as well as freestanding modules for use with any configuration. To select modules appropriate for your application use the scope of line shown on the following pages.


Neighborhood tables are available with worksurfaces in oak veneer in a variety of standard finishes, designer white laminate, or glacier white corian® as connecting modules and freestanding units. Power + USB duplex options are available.

Pivoting connectors join units in a configuration. When rotated inward, connectors are concealed allowing the modules to be used independently.

When specifying the privacy modules, please verify that the specified sku is within size requirements for delivery (elevators, hall intersections, doorways, stairwells).

Neighborhood is SCS Indoor Advantage® Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Visit BernhardtDesign.com for a complete drawing library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.



Upholstery Specification Guide

The Neighborhood seating and table modules are fully upholstered with a saddle stitch or a jump master stitch. Thread color must be specified for the jump master stitch.

Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options available for jump master stitch only.

Leather may be specified for single sided, double sided and table modules. Leather is not applicable on privacy modules. Approved leather alternatives or fabric may be used on all Neighborhood frames.

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).



Saddle Stitch





Jump Master Stitch

COM/COL Preapproval Requirements

When specifying stripes or fabrics with linear grain, the curvature of certain frames may affect the pattern alignment. As a result, the COM/COL preapproval procedure requires $\frac{1}{2}$ yard of fabric or leather alternative, or 1 sq. ft. leather to be submitted for testing for prior approval on all frames except mobile seating, freestanding ottomans, benches and tables.

Preapproval procedure for testing COM/COL for mobile seating, freestanding ottomans and benches, and all tables requires the standard 12" x 12" sample. Reference the terms and conditions for COM/COL approval procedures.




Pattern Alignment When Specifying Directional Grain Fabric

Neighborhood Seating System Specification Guide


A. Mobile Seating

Mobile modules have non-locking casters and are used as freestanding units. The mobile lounge 6030M has a brushed aluminum handle located mid-back.



B. Freestanding Ottomans and Benches


Eight non-connecting ottomans and benches are available for use as freestanding units.




C. Freestanding Work Tables

Freestanding mid height work tables may be used with any configuration or to create a banquette configuration for dining or work applications. Power + USB options are available on 42" and 48" tables.

JR1X - 22" Round




JR2X - 42" Round



Power + USB (1)

Neighborhood Seating System Specification Guide**D. Single Sided Modules**


Single sided connecting modules are used in conjunction with other single sided modules to create seating configurations. Single sided units may not be used with double sided units or privacy units.



Neighborhood Seating System Specification Guide


F. Double-Sided Modules

Double-sided connecting modules are used in conjunction with other double-sided modules to create seating configurations. Double-sided units may not be used with single sided units or privacy units.




G. Tables for Double-Sided Connecting Modules

Double-sided connecting module tables are used in conjunction with double-sided seating modules. A power/USB option is available on double-sided connecting tables.



Neighborhood Seating System Specification Guide**H. Privacy Modules**

Privacy connecting modules are used in conjunction with other privacy modules to create seating configurations. Privacy units may not be used with single or double sided units.



Neighborhood Seating System Specification Guide


Tables for Freestanding and Connecting Modules

Neighborhood tables were designed for use as freestanding units or with single or double-sided connecting modules to create continuous configurations. Connecting tables are not available for use with privacy modules.


The Neighborhood table worksurface is available in oak veneer, laminate or corian. Connecting tables have a flat edge profile; freestanding table edges are beveled.

The base is fully upholstered with saddle stitching or a jump master stitch. Thread color must be specified for the jump master stitch. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options. When ordering multi-item configurations, please provide the total **COM** yardage from the same dye lot in a continuous roll(s).

Power + USB modules are optional and upcharges apply. Reference information on the following page for power options specifics.



JR1X - 22" Round

JR2X - 42" Round
Power + USB (1)

Surface Selection

Laminate

Order Code - F
Designer White
Wilsonart® D-354-60

Corian®

Order Code - 8
Glacier White

OAK Oak

Standard Finish
871 860 870
837 836 861
865 805 866
872 839 845
Select Finish
M73 M71 M75
M74 M76 M77

Edge Profiles

Freestanding Tables



Oak Veneer



Laminate



Corian

End Tables



Oak Veneer



Laminate



Corian


Connecting Modules

Neighborhood modules connect by inserting the ganging fork into the bracket plate located on the underside of the furniture. To connect modules, rotate the connecting forks perpendicular to the module and slide the modules together. The forks fit around the bracket plates when the modules are connected. Use the leveling glides as needed to align the overall height of the modules on uneven flooring surfaces.

To disconnect modules, lift the side of the module where the bracket plates are located, generally the left hand facing side. Pull to disconnect the brackets from the connecting forks and slide apart.

Modules used in configurations may also be used as freestanding units. The connector fork can be concealed by rotating the connecting fork underneath the furniture module.

Hardware is provided with the 180° curved module for left or right hand orientation.




Neighborhood Seating System Specification Guide

Power Module

An optional power + USB module is available for all Neighborhood tables except the 22" round table. Single sided connecting tables and the 42" round freestanding tables are available with a single power module; double-sided connecting tables and the 42" and 48" square freestanding tables are available with two modules. Upcharges apply as indicated on the price list for each table.


The power module has (1) 15 amp receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port for charging tablets or other USB friendly devices. The power module is UL approved and includes a 10', 14/3 SJT black power cord with right angle plug. The power module has an aluminum powder coat finish and installs in the side of the base. An underside zipper allows access to power.



Connecting Module Tables Power Management



180° Curved End Module Table




Underside View of Connecting Module Tables

Freestanding Tables Power Management



Mid Height Round Work Table



Underside View of Freestanding Tables

Neighborhood Seating System Sample Configurations**Single Sided Connecting Modules**

1



2



3



4



5




6



7



8




9




10




11



12




13




14

Neighborhood Seating System Sample Configurations**Double-Sided Connecting Modules**


15




16




17



18



19



20

Privacy Connecting Modules

21



22



23



24



25



26



27



28



29



30





31



32

Neighborhood Seating System Sample Configurations



1



Sku Description



6033 Single Seat, Left End Facing
6039 90° Curved Corner Connector
6034 Single Seat, Right End Facing

2





6033 Single Seat, Left End Facing
6031 Single Seat Straight Connector (3)
6034 Single Seat, Right End Facing

3




6033 Single Seat, Left End Facing
6035 Two-seat Straight Connector
6048 45° Curved Connector
6035 Two-seat Straight Connector
6034 Single Seat, Right End Facing

4





6039 90° Curved Corner Connector
6031 Single Seat Straight Connector
6039 90° Curved Corner Connector

5





6039 90° Curved Corner Connector
6035 Two-seat Straight Connector
6039 90° Curved Corner Connector

6



6038 90° Corner Connector
6035 Two-seat Straight Connector
6038 90° Corner Connector



7



6039 90° Curved Corner Connector
6031 Single Seat Straight Connector (3)
6038 90° Corner Connector
6031 Single Seat Straight Connector (2)
6039 90° Curved Corner Connector

Neighborhood Seating System Sample Configurations



8



Sku Description



6039 90° Curved Corner Connector
6031 Single Seat Straight Connector (3)
6039 90° Curved Corner Connector
6031 Single Seat Straight Connector (3)
6034 Single Seat, Right End Facing

9





6039 90° Curved Corner Connector
6048 45° Curved Connector
6035 Two-seat Straight Connector
6049 90° Curved Connector
6035 Two-seat Straight Connector
6048 45° Curved Connector
6039 90° Curved Corner Connector

10





6039 90° Curved Corner Connector
6040 45° Inverted Curved Connector
6035 Two-seat Straight Connector
6049 90° Curved Connector
6035 Two-seat Straight Connector
6048 45° Curved Connector
6039 90° Curved Corner Connector

11



6039 90° Curved Corner Connector
6031 Single Seat Straight Connector (3)
6040 45° Inverted Curved Connector
6031 Single Seat Straight Connector (2)
6039 90° Curved Corner Connector



12



6039 90° Curved Corner Connector
6031 Single Seat Straight Connector (3)
6041 90° Inverted Curved Connector
6031 Single Seat Straight Connector (2)
6039 90° Curved Corner Connector
JR1X 22" Round Table (2)

Neighborhood Seating System Sample Configurations



13



Sku Description



6039	90° Curved Corner Connector
6035	Two-seat Straight Connector
6039	90° Curved Corner Connector
6035	Two-seat Straight Connector (2)
6039	90° Curved Corner Connector
6035	Two-seat Straight Connector
6039	90° Curved Corner Connector
6021	Round Ottoman (2)
JR1X	22" Round Table (2)

14





6039	90° Curved Corner Connector
6031	Single Seat Straight Connector (3)
6039	90° Curved Corner Connector
6031	Single Seat Straight Connector (3)
6039	90° Curved Corner Connector
6030M	Mobile Single Seat Module (2)
JS2X	42" Round Table

15



6044	180° Curved Half Oval End Module
6043	Double-Sided Two-seat Straight Connector (2)
6044	180° Curved Half Oval End Module



16



6044	180° Curved Half Oval End Module
6043	Double-Sided Two-seat Straight Connector (2)
6046	Double-Sided 90° Curved Connector
6043	Double-Sided Two-seat Straight Connector (2)
6044	180° Curved Half Oval End Module

Neighborhood Seating System Sample Configurations



17



Sku Description



6044 180° Curved Half Oval End Module
6043 Double-Sided Two-seat
Straight Connector (2)
6046 Double-Sided 90° Curved Connector
6043 Double-Sided Two-seat
Straight Connector
6046 Double-Sided 90° Curved Connector
6044 180° Curved Half Oval End Module

18



6046 Double-Sided 90° Curved Connector
6043 Double-Sided Two-seat
Straight Connector
6046 Double-Sided 90° Curved Connector (2)
6043 Double-Sided Two-seat
Straight Connector
6046 Double-Sided 90° Curved Connector


19



J57X 180° Curved End Module Table
6043 Double-Sided Two-seat
Straight Connector (2)
6042 Double-Sided Single-seat
Straight Connector
6043 Double-Sided Two-seat
Straight Connector (2)
6044 180° Curved Half Oval End Module

Neighborhood Seating System Sample Configurations

20



Sku Description


6044	180° Curved Half Oval End Module
6043	Double-Sided Two-seat Straight Connector (2)
6042	Double-Sided Single-seat Straight Connector
6043	Double-Sided Two-seat Straight Connector (2)
6044	180° Curved Half Oval End Module
6021	Round Ottoman (6)
JR2X	42" Round Table (2)

21



6039T 90° Curved Corner Privacy Connector
6035T Two-seat Straight Privacy Connector
6039T 90° Curved Corner Privacy Connector

22




6039T 90° Curved Corner Privacy Connector
6031T Single Seat Straight Privacy Connector (3)
6039T 90° Curved Corner Privacy Connector

23



6038T 90° Corner Privacy Connector
6035T Two-seat Straight Privacy Connector
6038T 90° Corner Privacy Connector



24



6039T 90° Curved Corner Privacy Connector
6035T Two-seat Straight Privacy Connector
6039T 90° Curved Corner Privacy Connector
6035T Two-seat Straight Privacy Connector
6039T 90° Curved Corner Privacy Connector

Neighborhood Seating System Sample Configurations



25



Sku Description



6038T 90° Corner Privacy Connector
6031T Single Seat Straight Privacy Connector (2)
6038T 90° Corner Privacy Connector
6031T Single Seat Straight Privacy Connector (3)
6038T 90° Corner Privacy Connector

26





6039T 90° Curved Corner Privacy Connector
6048T 45° Curved Privacy Connector
6035T Two-seat Straight Privacy Connector
6049T 90° Curved Privacy Connector
6035T Two-seat Straight Privacy Connector
6048T 45° Curved Privacy Connector
6039T 90° Curved Corner Privacy Connector

27



6039T 90° Curved Corner Privacy Connector
6035T Two-seat Straight Privacy Connector
6041T 90° Inverted Curved Privacy Connector
6035T Two-seat Straight Privacy Connector
6039T 90° Curved Corner Privacy Connector



28



6035T Two-seat Straight Privacy Connector
6039T 90° Curved Corner Privacy Connector
6041T 90° Inverted Curved Privacy Connector
6039T 90° Curved Corner Privacy Connector
6035T Two-seat Straight Privacy Connector

Neighborhood Seating System Sample Configurations



29



Sku Description



6039T	90° Curved Corner Privacy Connector
6040T	45° Inverted Curved Privacy Connector
6035T	Two-seat Straight Privacy Connector
6049T	90° Curved Privacy Connector
6035T	Two-seat Straight Privacy Connector
6048T	45° Curved Privacy Connector
6039T	90° Curved Corner Privacy Connector

30





6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
6041T	90° Inverted Curved Privacy Connector
6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6021	Round Ottomans (3)
JR2X	42" Round Table
JR1X	22" Round Table

31



6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector (2)
6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
6021	Round Ottoman (2)
JR1X	22" Round Table (2)

32



6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
6031T	Single Seat Straight Privacy Connector (3)
6039T	90° Curved Corner Privacy Connector
6035T	Two-seat Straight Privacy Connector
6039T	90° Curved Corner Privacy Connector
JR2X	42" Round Table

Freestanding

neighborhood 6021M

Round mobile ottoman
Fully upholstered
Saddle stitched

Eight casters

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1114	1149	1289	1324	1344	1371	1402	1418	1445	1468	1496	1534	1671

neighborhood 6021MJ

Round mobile ottoman
Fully upholstered
Jump master stitched


Eight casters

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'1
419 mm		533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1197	1232	1372	1407	1427	1454	1485	1501	1528	1551	1579	1617	1754

neighborhood 6024M


Mobile square Ottoman.
Fully upholstered
Saddle stitched

Four casters

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'1
419 mm	-	533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1028	1073	1253	1298	1323	1358	1398	1418	1453	1483	1518	1568	1743

neighborhood 6024MJ**Mobile square ottoman
Fully upholstered
Jump master stitched**


Four casters

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1114	1159	1339	1384	1409	1444	1484	1504	1539	1569	1604	1654	1829


neighborhood 6024**Single-seat ottoman
Fully upholstered
Saddle stitched**

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	20"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
942	987	1167	1212	1237	1272	1312	1332	1367	1397	1432	1482	1657

neighborhood 6024J**Single-seat ottoman
Fully upholstered
Jump master stitched**

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	2.25 yds.	30.0'	37 lbs.	10.0'/1
419 mm		533 mm	533 mm	419 mm	2.1 m	2.8 sqm	16.8 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1028	1073	1253	1298	1323	1358	1398	1418	1453	1483	1518	1568	1743

Freestanding


neighborhood 6025
Two-seat bench
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	21"	16½"	4.0 yds.	65.0'	51 lbs.	20.0'/1
419 mm	-	1054 mm	533 mm	419 mm	3.7 m	6.0 sqm	23.1 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1455	1535	1855	1935	1980	2042	2113	2149	2211	2264	2327	2415	2727

neighborhood 6025J
Two-seat Bench
Fully upholstered
Jump master stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	21"	16½"	4.0 yds.	65.0'	51 lbs.	20.0'/1
419 mm	-	1054 mm	533 mm	419 mm	3.7 m	6.0 sqm	23.1 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1541	1621	1941	2021	2066	2128	2199	2235	2297	2350	2413	2501	2813


neighborhood 6027
Three-seat bench
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	62"	21"	16½"	6.0 yds.	100.0'	66 lbs.	25.0'/1
419 mm	-	1575 mm	533 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2052	2172	2652	2772	2839	2932	3039	3092	3186	3266	3359	3492	3959

neighborhood 6027J
**Three-seat bench
Fully upholstered
Jump master stitched**

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	62"	21"	16½"	6.0 yds.	100.0'	66 lbs.	25.0'/1
419 mm		1575 mm	533 mm	419 mm	5.5 m	9.3 sqm	29.9 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2180	2300	2780	2900	2967	3060	3167	3220	3314	3394	3487	3620	4087

neighborhood 6021
**Round ottoman
Fully upholstered
Saddle stitched**

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1028	1063	1203	1238	1258	1285	1316	1332	1359	1382	1410	1448	1585

neighborhood 6021J
**Round ottoman
Fully upholstered
Jump master stitched**

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	21"	16½"	1.75 yds.	24.0'	30 lbs.	10.0'/1
419 mm	-	533 mm	533 mm	419 mm	1.6 m	2.2 sqm	13.6 kg	.28 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1114	1149	1289	1324	1344	1371	1402	1418	1445	1468	1496	1534	1671

Freestanding

neighborhood 6022


Large round Ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0'1
419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2052	2132	2452	2532	2577	2639	2710	2746	2808	2861	2924	3012	3324

neighborhood 6022J

Large round Ottoman
Fully upholstered
Jump master stitched


Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	41"	16½"	4.0 yds.	70.0'	79 lbs.	40.0'1
419 mm	-	1041 mm	1041 mm	419 mm	3.7 m	6.5 sqm	35.9 kg	1.13 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2180	2260	2580	2660	2705	2767	2838	2874	2936	2989	3052	3140	3452

neighborhood 6020

Half round ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0'1
419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1284	1336	1544	1596	1625	1666	1712	1735	1776	1810	1851	1908	2111

neighborhood 6020J
Half round ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41"	20½"	16½"	2.6 yds.	45.0'	41 lbs.	25.0'/1
419 mm	-	1041 mm	521 mm	419 mm	2.4 m	4.2 sqm	18.6 kg	.71 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1370	1422	1630	1682	1711	1752	1798	1821	1862	1896	1937	1994	2197

neighborhood 6019
Oval ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0'/1
419 mm	-	410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2392	2462	2742	2812	2851	2906	2968	2999	3054	3100	3155	3232	3505

neighborhood 6019J
Oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	55½"	42"	16½"	3.5 yds.	60.0'	95 lbs.	45.0'/1
419 mm		410 mm	1067 mm	419 mm	3.2 m	5.6 sqm	43.1 kg	1.27 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2520	2590	2870	2940	2979	3034	3096	3127	3182	3228	3283	3360	3633

Freestanding

neighborhood 6044


Half oval ottoman
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16 1/2"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1626	1696	1976	2046	2085	2140	2202	2233	2288	2334	2389	2466	2739

neighborhood 6044J

Half oval ottoman
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Mater Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21 1/2"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1709	1779	2059	2129	2168	2223	2285	2316	2371	2417	2472	2549	2822

Freestanding mid height work tables




22" round worksurface with 12½" round upholstered base.
 Worksurface available in oak veneer, laminate and corian.
 When specifying light finishes the natural characteristics of the wood will be visible and color will vary.
 Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
 Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	22"	22"	23¾"	1.25 yds.	25.0'	95 lbs.	94.5'1
603 mm	559 mm	559 mm	603 mm	1.1 m	2.3 sqm	43.1 kg	2.7 cu.

neighborhood



R1X Oak Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1880	1905	2005	2030	2044	2064	2086	2097	2117	2133	2153	2180	2278

Specify veneer code C for oak worksurface. Specify finish code.

R1X Laminate Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2052	2077	2177	2202	2216	2236	2258	2269	2289	2305	2325	2352	2450


Specify veneer code F for laminate designer white worksurface.

R1X Corian Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2392	2417	2517	2542	2556	2576	2598	2609	2629	2645	2665	2692	2790

Specify veneer code 8 for corian glacier white worksurface.

neighborhood



R1J Oak Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1966	1991	2091	2116	2130	2150	2172	2183	2203	2219	2239	2266	2364

Specify veneer code C for oak worksurface. Specify finish code.

R1J Laminate Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2138	2163	2263	2288	2302	2322	2344	2355	2375	2391	2411	2438	2536

Specify veneer code F for laminate designer white worksurface.

R1J Corian Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2478	2503	2603	2628	2642	2662	2684	2695	2715	2731	2751	2778	2876

Specify veneer code 8 for corian glacier white worksurface.

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	X none	X none	

Freestanding mid height work tables




42" round worksurface with 19½" round upholstered base.
Worksurface available in oak veneer, laminate and corian.
When specifying light finishes the natural characteristics of the wood will be visible and color will vary.
Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified.
Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables.
When power is specified, (1) 15 amp receptacle, (1) 2 amp USB-A port, 10 watt and (1) 2 amp USB-C port, 20 watt are provided.
An upcharge of \$1073 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
23¾"	42"	42"	23¾"	2.0 yds.	35.0'	235 lbs.	50.0' / 1
603 mm	1067 mm	1067 mm	603 mm	1.8 m	3.3sqm	106.8 kg	1.4 cu.

neighborhood



R2X Oak Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4057	4097	4257	4297	4320	4351	4386	4404	4435	4462	4493	4537	4693

Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.

R2X Laminate Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4394	4434	4594	4634	4657	4688	4723	4741	4772	4799	4830	4874	5030


Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.

R2X Corian Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6270	6310	6470	6510	6533	6564	6599	6617	6648	6675	6706	6750	6906

Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.

neighborhood



R2J Oak Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4140	4180	4340	4380	4403	4434	4469	4487	4518	4545	4576	4620	4776

Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.

R2J Laminate Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4481	4521	4681	4721	4744	4775	4810	4828	4859	4886	4917	4961	5117

Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.

R2J Corian Worksurface. Jump Master Stitch Upholstered Base


COM	COL	1	2	3	4	5	6	7	8	9	10	11
6355	6395	6555	6595	6618	6649	6684	6702	6733	6760	6791	6835	6991

Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	4 aluminum powder coat X none	X none Q power + usb (1) upcharge \$1106	

Single Sided Connecting Modules

neighborhood 6033


Left end facing module
Fully upholstered
Saddle stitched

 Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28⅝"	4.0 yds.	66.0'	60.0 lbs.	20.0'1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1795	1875	2195	2275	2320	2382	2453	2489	2551	2604	2667	2755	3067

neighborhood 6033J


Left end facing module
Fully upholstered
Jump master stitched

 Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28⅝"	4.0 yds.	66.0'	60.0 lbs.	20.0'1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1924	2004	2324	2404	2449	2511	2582	2618	2680	2733	2796	2884	3196

Single Sided Connecting Modules

neighborhood 6034


Right end facing module
Fully upholstered
Saddle stitched

 Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28⅝"	4.0 yds.	66.0'	60.0 lbs.	20.0'1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1795	1875	2195	2275	2320	2382	2453	2489	2551	2604	2667	2755	3067

neighborhood 6034J


Right end facing module
Fully upholstered
Jump master stitched

 Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28⅝"	4.0 yds.	66.0'	60.0 lbs.	20.0'1
419 mm	-	533 mm	794 mm	733 mm	3.7 m	6.1 sqm	27.2 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1924	2004	2324	2404	2449	2511	2582	2618	2680	2733	2796	2884	3196

Single Sided Connecting Modules

neighborhood 6031



Straight connector

Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28⅝"	3.75 yds.	61.0'	55 lbs.	20.0'1
419 mm	-	533 mm	794 mm	733 mm	3.4 m	5.7 sqm	24.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1795	1870	2170	2245	2287	2345	2412	2445	2504	2554	2612	2695	2987

neighborhood 6031J



Straight connector

Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	31¼"	28⅝"	3.75 yds.	61.0'	55 lbs.	20.0'1
419 mm	-	533 mm	794 mm	733 mm	3.4 m	5.7 sqm	24.9 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1924	1999	2299	2374	2416	2474	2541	2574	2633	2683	2741	2824	3116

Single Sided Connecting Modules

neighborhood 6035



Two-seat
Straight connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 3.75 yds. leather: 61.0 sq. ft.
- B) One fabric or leather for back and back side panels
 yardage: 3.5 yds. leather: 58.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	31¾"	28⅞"	6.0 yds.	96.0'	112 lbs.	36.75/1
419 mm	-	1054 mm	794 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2734	2854	3334	3454	3521	3614	3721	3774	3868	3948	4041	4174	4641

neighborhood 6035J



Two-seat
Straight connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
 yardage: 3.75 yds. leather: 61.0 sq. ft.
- B) One fabric or leather for back and back side panels
 yardage: 3.5 yds. leather: 58.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	31¾"	28⅞"	6.0 yds.	96.0'	112 lbs.	36.75/1
419 mm	-	1054 mm	794 mm	733 mm	5.5 m	8.9 sqm	50.8 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2905	3025	3505	3625	3692	3785	3892	3945	4039	4119	4212	4345	4812

Single Sided Connecting Modules

neighborhood 6038


90° Corner connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28⅜"	7.25 yds.	125.0'	86 lbs.	36.75'/1
419 mm	-	1102 mm	1092 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2222	2367	2947	3092	3173	3286	3415	3479	3592	3689	3801	3962	4526

neighborhood 6038J


90° Corner connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28⅜"	7.25 yds.	125.0'	86 lbs.	36.75'/1
419 mm	-	1102 mm	1092 mm	733 mm	6.6 m	11.6 sqm	39.0 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2392	2537	3117	3262	3343	3456	3585	3649	3762	3859	3971	4132	4696

Single Sided Connecting Modules

neighborhood 6039


90° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28⅜"	6.75 yds.	115.0'	62 lbs.	36.75'/1
419 mm	-	1102 mm	781 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2222	2357	2897	3032	3107	3212	3332	3392	3497	3587	3692	3842	4367

neighborhood 6039J


90° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.25 yds. leather: 37.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.75 yds. leather: 61.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	43¾"	43¾"	28⅜"	6.75 yds.	115.0'	62 lbs.	36.75'/1
419 mm	-	1102 mm	781 mm	733 mm	6.2 m	10.7 sqm	28.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2392	2527	3067	3202	3277	3382	3502	3562	3667	3757	3862	4012	4537

Single Sided Connecting Modules

neighborhood 6040


45° Inverted curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 3.25 yds. leather: 53.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.25 yds. leather: 37.0sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	31¼"	31½"	28⅝"	4.0 yds.	70.0'	70 lbs.	42.0'1
419 mm	-	794 mm	800 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2052	2132	2452	2532	2577	2639	2710	2746	2808	2861	2924	3012	3324

neighborhood 6040J


45° Inverted curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 3.25 yds. leather: 53.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.25 yds. leather: 37.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	31¼"	31½"	28⅝"	4.0 yds.	70.0'	70 lbs.	42.0'1
419 mm	-	794 mm	800 mm	733 mm	3.7 m	6.5 sqm	31.8 kg	1.19 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2180	2260	2580	2660	2705	2767	2838	2874	2936	2989	3052	3140	3452

Single Sided Connecting Modules

neighborhood 6041


90° Inverted curved connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	57¾"	33½"	28⅝"	6.0 yds.	97.0'	86 lbs.	90.0'/1
419 mm	-	1467 mm	851mm	733 mm	5.5 m	9.0 sqm	39.0 kg	2.55 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3074	3194	3674	3794	3861	3954	4061	4114	4208	4288	4381	4514	4981

neighborhood 6041J


90° Inverted curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

A) One fabric or leather for seat
yardage: 4.25 yds. leather: 69.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 2.75 yds. leather: 45.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	57¾"	33½"	28⅝"	6.0 yds.	97.0'	86 lbs.	90.0'/1
419 mm	-	1467 mm	851mm	733 mm	6.6 m	1 sqm	39.0 kg	2.55 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3244	3364	3844	3964	4031	4124	4231	4284	4378	4458	4551	4684	5151

Single Sided Connecting Modules

neighborhood 6048


45° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.25 yds. leather: 53.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	32½"	28½"	5.5 yds.	90.0'	97 lbs.	54.0'/1
419 mm	-	1051 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2222	2334	2782	2894	2957	3044	3143	3193	3280	3355	3442	3566	4002

neighborhood 6048J


45° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 2.75 yds. leather: 45.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 3.25 yds. leather: 53.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	32½"	28½"	5.5 yds.	90.0'	97 lbs.	54.0'/1
419 mm	-	1051 mm	829 mm	733 mm	5.1 m	8.4 sqm	44.0 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2351	2463	2911	3023	3086	3173	3272	3322	3409	3484	3571	3695	4131

Single Sided Connecting Modules

neighborhood 6049


90° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 5.5 yds. leather: 88.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65½"	35¼"	28⅝"	7.5 yds.	120.0'	149 lbs.	108.0'/1
419 mm	-	1654 mm	889 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3074	3224	3824	3974	4058	4174	4308	4374	4491	4591	4708	4874	5458

neighborhood 6049J


90° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 3.75 yds. leather: 61.0 sq. ft.
B) One fabric or leather for back and back side panels
yardage: 5.5 yds. leather: 88.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	65½"	35¼"	28⅝"	7.5 yds.	120.0'	149 lbs.	108.0'/1
419 mm	-	1654 mm	889 mm	733 mm	6.9 m	11.1 sqm	67.5 kg	3.06 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3244	3394	3994	4144	4228	4344	4478	4544	4661	4761	4878	5044	5628

Double Sided Connecting Modules

neighborhood 6045



Double-sided
Curved end module
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 4.0 yds. leather: 65.0 sq. ft.
 B) One fabric or leather for back and back side panels
 yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28¾"	4.75 yds.	66.0'	86 lbs.	30.0/1
419 mm	-	533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2818	2913	3293	3388	3441	3515	3600	3642	3716	3779	3853	3958	4328

neighborhood 6045J



Double-sided
Curved end module
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 4.0 yds. leather: 65.0 sq. ft.
 B) One fabric or leather for back and back side panels
 yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28¾"	4.75 yds.	66.0'	86 lbs.	30.0/1
419 mm	-	533 mm	1422 mm	733 mm	4.3 m	6.1 sqm	39.0 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3031	3126	3506	3601	3654	3728	3813	3855	3929	3992	4066	4171	4541

Double Sided Connecting Modules

neighborhood 6042



Double-sided single-seat
Straight connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 4.25 yds. leather: 69.0 sq. ft.
- B) One fabric or leather for back and back side panels
 yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28¾"	6.0 yds.	98.0'	50 lbs.	30.0/1
419 mm	-	533 mm	1422 mm	733 mm	5.5 m	9.1 sqm	22.7 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2818	2938	3418	3538	3605	3698	3805	3858	3952	4032	4125	4258	4725

neighborhood 6042J



Double-sided single-seat
Straight connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
 yardage: 4.25 yds. leather: 69.0 sq. ft.
- B) One fabric or leather for back and back side panels
 yardage: 3.0 yds. leather: 50.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21"	56"	28¾"	6.0 yds.	98.0'	50 lbs.	30.0/1
419 mm	-	533 mm	1422 mm	733 mm	5.5 m	9.1 sqm	22.7 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3031	3151	3631	3751	3818	3911	4018	4071	4165	4245	4338	4471	4938

Double Sided Connecting Modules

neighborhood 6043



**Double-sided two-seat
Straight connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
yardage: 5.75 yds. leather: 93.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	56"	28½"	8.5 yds.	138.0'	134 lbs.	60.0'/1
419 mm	-	1054 mm	1422 mm	733 mm	7.8 m	12.8 sqm	60.8 kg	1.70 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4098	4268	4948	5118	5213	5345	5496	5572	5704	5817	5950	6138	6800

neighborhood 6043J



**Double-sided two-seat
Straight connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric or leather for seat
yardage: 5.75 yds. leather: 93.0 sq. ft.
- B) One fabric or leather for back and back side panels
yardage: 4.5 yds. leather: 73.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	56"	28½"	8.5 yds.	138.0'	134 lbs.	60.0'/1
419 mm	-	1054 mm	1422 mm	733 mm	7.8 m	12.8 sqm	60.8 kg	1.70 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4438	4608	5288	5458	5553	5685	5836	5912	6044	6157	6290	6478	7140

Double Sided Connecting Modules

neighborhood 6046



Double-sided
90° Curved connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric or leather for seat
 yardage: 6.75 yds. leather: 110.0 sq. ft.
- B) One fabric or leather for back and back side panels
 yardage: 4.0 yds. leather: 65.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	78½"	56"	28½"	9.5 yds.	154.0'	160.6 lbs.	149.3'/1
419 mm	-	1997 mm	1422 mm	733 mm	8.7 m	14.3 sqm	72.8 kg	4.23 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4268	4458	5218	5408	5514	5662	5831	5915	6063	6190	6337	6548	7287

neighborhood 6046J



Double-sided
90° Curved connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors

When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

When using a combination of fabrics or leathers, the following yardage must be used and upcharges apply. Please specify the fabric or leather application by designating the appropriate letter on the purchase order.

See terms and conditions for contrasting fabric upcharges.

- A) One fabric or leather for seat
 yardage: 6.75 yds. leather: 110.0 sq. ft.
- B) One fabric or leather for back and back side panels
 yardage: 4.0 yds. leather: 65.0 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options. options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	78½"	56"	28½"	9.5 yds.	154.0'	160.6 lbs.	149.3'/1
419 mm	-	1997 mm	1422 mm	733 mm	8.7 m	14.3 sqm	72.8 kg	4.23 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4610	4800	5560	5750	5856	6004	6173	6257	6405	6532	6679	6890	7629

Double Sided Connecting Modules

neighborhood 6044


Half oval ottoman
Fully upholstered
Saddle stitched


 Non-marring adjustable glides
 Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21½"	16 1/2"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1626	1696	1976	2046	2085	2140	2202	2233	2288	2334	2389	2466	2739

neighborhood 6044J


Half oval ottoman
Fully upholstered
Jump master stitched

 Non-marring adjustable glides
 Pivoting connectors

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Mater Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	56"	21 1/2"	16½"	3.5 yds.	60.0'	61 lbs.	20.0'/1
419 mm	-	1422 mm	546 mm	419 mm	3.2 m	5.6 sqm	27.7 kg	.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
1709	1779	2059	2129	2168	2223	2285	2316	2371	2417	2472	2549	2822

Tables for double-sided connecting modules




180° curved end module table with upholstered base. Non-marring adjustable glides. Pivoting connectors. Worksurface available in oak veneer, laminate and corian. When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Upholstered base with saddle stitch or jump master stitch. Jump master stitch specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for color options.

Contact sales representative for approved Bernhardt Textiles for Neighborhood tables. Connecting hardware provided for both left-hand and right-hand orientation. When power is specified, (1) 15 amp receptacle, (1) 2 amp USB-A port, 10 watt and (1) 2 amp USB-C port, 20 watt are provided. An upcharge of \$1073 applies.

Worksurface Height	L	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	55½"	20½"	15½"	3.75 yds.	65.0'	89.25 lbs.	77.6'1
394 mm	1410 mm	521 mm	394 mm	3.4 m	6.0 sqm	40.5 kg	2.2 cu.

neighborhood



57X Oak Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2734	2809	3109	3184	3226	3284	3351	3384	3443	3493	3551	3634	3926

Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.

57X Laminate Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2222	2297	2597	2672	2714	2772	2839	2872	2931	2981	3039	3122	3414


Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.

57X Corian Worksurface. Saddle Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4098	4173	4473	4548	4590	4648	4715	4748	4807	4857	4915	4998	5290

Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.

neighborhood



57J Oak Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2862	2937	3237	3312	3354	3412	3479	3512	3571	3621	3679	3762	4054

Specify veneer code C for oak worksurface. Specify finish code. Add \$1073 when specifying power.

57J Laminate Worksurface. Jump Master Stitch Upholstered Base

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2351	2426	2726	2801	2843	2901	2968	3001	3060	3110	3168	3251	3543

Specify veneer code F for laminate designer white worksurface. Add \$1073 when specifying power.

57J Corian Worksurface. Jump Master Stitch Upholstered Base


COM	COL	1	2	3	4	5	6	7	8	9	10	11
4227	4302	4602	4677	4719	4777	4844	4877	4936	4986	5044	5127	5419

Specify veneer code 8 for corian glacier white worksurface. Add \$1073 when specifying power.

series	sku	veneer	power finish	power	finish
J		C oak F laminate - designer white 8 corian - glacier white	4 aluminum powder coat X none	X none Q power + usb (1) upcharge \$1073	

Privacy Modules

neighborhood 6031T


Straight privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 2.25 yds. leather: 37.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21½"	37"	48⅞"	5.25 yds.	-	89 lbs.	30.0'1
419 mm	-	546 mm	940 mm	1241 mm	4.8 m	-	40.1 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2392	2497	2917	3022	3081	3162	3256	3302	3384	3454	3536	3652	4061

neighborhood 6031TJ


Straight privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 2.25 yds. leather: 37.0 sq. ft.
 B) One fabric for back. and back side panels
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	21½"	37"	48⅞"	5.25 yds	-	89 lbs.	30.0'1
419 mm	-	546 mm	940 mm	1241 mm	4.8 m	-	40.1 kg	.85 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2561	2666	3086	3191	3250	3331	3425	3471	3553	3623	3705	3821	4230

Privacy Modules

neighborhood 6035T



Two-seat
Straight privacy connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 3.5 yds. leather: 57.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	37"	48½"	8.0 yds.	-	159 lbs.	55.13'/1
419 mm	-	1054 mm	940 mm	1241 mm	7.3 m	-	72.1 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3416	3576	4216	4376	4465	4590	4732	4803	4928	5034	5159	5336	5959

neighborhood 6035TJ



Two-seat
Straight privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 3.5 yds. leather: 57.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	41½"	37"	48½"	8.0 yds.	-	159 lbs.	55.13'/1
419 mm	-	1054 mm	940 mm	1241 mm	7.3 m	-	72.1 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3671	3831	4471	4631	4720	4845	4987	5058	5183	5289	5414	5591	6214

Privacy Modules

neighborhood 6038T


90° Corner
Privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

Diagonal Dimension: 51½"

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 7.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	51½"	48½"	8.5 yds.	-	139 lbs.	55.13'/1
419 mm	-	1311 mm	1308 mm	1241 mm	7.8 m	-	60.0 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2905	3075	3755	3925	4020	4152	4303	4379	4511	4624	4757	4945	5607

neighborhood 6038TJ


90° Corner
Privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

Diagonal Dimension: 51½"

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric for leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 7.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	51½"	48½"	8.5 yds.	-	139 lbs.	55.13'/1
419 mm	-	1311 mm	1308 mm	1241 mm	7.8 m	-	60.0 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3158	3328	4008	4178	4273	4405	4556	4632	4764	4877	5010	5198	5860

Privacy Modules

neighborhood 6039T


90° Curved corner
Privacy connector
Fully upholstered
Saddle Stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information..

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51½"	36½"	48½"	9.5 yds.	-	107 lbs.	55.13'/1
419 mm	-	1308 mm	927 mm	1241 mm	8.7 m	-	48.5 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2905	3095	3855	4045	4151	4299	4468	4552	4700	4827	4974	5185	5924

neighborhood 6039TJ


90° Curved corner
Privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 2.5 yds. leather: 41.0 sq. ft
 B) One fabric for back and back side panels
 yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	51 1/2"	36½"	48½"	9.5 yds.	-	107 lbs.	55.13'/1
419 mm	-	1308 mm	927 mm	1241 mm	8.7 m	-	48.5 kg	1.56 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3158	3348	4108	4298	4404	4552	4721	4805	4953	5080	5227	5438	6177

Privacy Modules

neighborhood 6040T


**45° Inverted curved
Privacy connector
Fully upholstered
Saddle stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45½"	38¼"	48½"	6.5 yds.	-	99 lbs.	63.0'1
419 mm	-	1165 mm	972 mm	1241 mm	6.0 m	-	44.9 kg	1.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2734	2864	3384	3514	3587	3688	3803	3861	3962	4049	4150	4294	4800

neighborhood 6040TJ


**45° Inverted curved
Privacy connector
Fully upholstered
Jump master stitched**

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 3.5 yds. leather: 57.0 sq. ft.
B) One fabric for back and back side panels
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	45½"	38¼"	48½"	6.5 yds.	-	99 lbs.	63.0'1
419 mm		1165 mm	972 mm	1241 mm	6.0 m	-	44.9 kg	1.78 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2905	3035	3555	3685	3758	3859	3974	4032	4133	4220	4321	4465	4971

Privacy Modules

neighborhood 6041T


90° inverted curved
Privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabricss, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 6.0 yds. leather: 98.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	85½"	43½"	48½"	11.0 yds.	-	184 lbs.	135.0/1
419 mm	-	2172 mm	1105 mm	1241 mm	10.1 m	-	83.5kg	3.83 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4098	4318	5198	5418	5541	5712	5907	6005	6176	6323	6494	6738	7594

neighborhood 6041TJ


90° inverted curved
Privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 6.0 yds. leather: 98.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 6.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	85½"	43½"	48½"	11.0 yds.	-	184 lbs.	135.0/1
419 mm	-	2172 mm	1105 mm	1241 mm	10.1 m	-	83.5kg	3.83 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4438	4658	5538	5758	5881	6052	6247	6345	6516	6663	6834	7078	7934

Privacy Modules

neighborhood 6048T



45° Curved privacy connector

Fully upholstered
Saddle stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric of leather for seat
yardage: 3.0 yds. leather: 49.0 sq. ft.
B) One fabric for back and back side panels
yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information..

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	46"	38½"	48⅞"	8.0 yds.	-	126 lbs.	54.0/1
419 mm	-	1168 mm	978 mm	1241 mm	7.3 m	-	57.2 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2905	3065	3705	3865	3954	4079	4221	4292	4417	4523	4648	4825	5448

neighborhood 6048TJ



45° Curved privacy connector

Fully upholstered
Jump master stitched

Non-marring adjustable glides
Pivoting connectors
Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
yardage: 3.0 yds. leather: 49.0 sq. ft.
B) One fabric for back and back side panels
yardage: 6.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.


Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	46"	38½"	48⅞"	8.0 yds.	-	126 lbs.	54.0/1
419 mm	-	1168 mm	978 mm	1241 mm	7.3 m	-	57.2 kg	1.53 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3074	3234	3874	4034	4123	4248	4390	4461	4586	4692	4817	4994	5617

Privacy Modules

neighborhood 6049T


90° Curved privacy connector
Fully upholstered
Saddle stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric or leather for seat
 yardage: 4.0 yds. leather: 65.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73½"	41½"	48⅞"	10.5 yds.	-	191 lbs.	162.0'/1
419 mm	-	1867 mm	1045 mm	1241 mm	9.6 m	-	86.6 kg	4.59 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4098	4308	5148	5358	5475	5638	5825	5918	6082	6222	6385	6618	7435

neighborhood 6049TJ


90° Curved privacy connector
Fully upholstered
Jump master stitched

Non-marring adjustable glides
 Pivoting connectors
 Leather is not applicable on back and back side panels of privacy modules

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric or leather for seat
 yardage: 4.0 yds. leather: 65.0 sq. ft.
 B) One fabric for back and back side panels
 yardage: 8.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Jump Master Stitch Specification: Thread color must be specified. Reference Neighborhood/Stitching on BernhardtDesign.com for thread color options.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	-	73½"	41½"	48⅞"	10.5 yds.	-	191 lbs.	162.0'/1
419 mm		1867 mm	1045 mm	1241 mm	9.6 m	-	86.6 kg	4.59 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4438	4648	5488	5698	5815	5978	6165	6258	6422	6562	6725	6958	7775