swivel

1

alta 580



Mid back swivel 5-star polished aluminum base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½	2	24-2	27"		25½		25	7⁄8"	33½-36	/2"	2 yd	30.0'		57 I	bs	28.98'/1
445-521	mm	610 [.]	-686 mm		648	mm	65	7mm	851-927	mm	1.8 m	2.79 s	գո	25.9 kg		.82 cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11
2303	234	3	2499	253	5	2552		2588	2623	2637	2668	2695	272	6	2766	2921

alta 580F

Mid back swivel 5-star polished aluminum base and arms Fixed height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cul	bes/Qty
19¼"		26½	4 4		25½		25	7⁄8"	36"		2 yd	30.0'		57 I	bs	28.	.98'/1
489 mm		667	mm		648	mm	65	7mm	914 mm		1.8 m	2.79 s	qm	25.9 kg		.82	cu
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10		11
2303	234	3	2499	253	35	2552		2588	2623	2637	2668	2695	272	6	2766	1	2921

alta 580K



Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	er	Wei	ght	Cube	es/Qty
17½-20½	2				25½		25	7⁄8"	33½-36	⁄2"	2 yd	30.0'		57 I	bs	28.98	3'/1
445-521	mm	610	-686 mm		648	mm	65	7mm	851-927	mm	1.8 m	2.79 s	qm	25.9 kg		.82 c	u
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11	
2453	249	3	2649	268	5	2702		2738	2773	2787	2818	2845	287	6	2916	30)71

swivel

alta 581



High back swivel 5-star polished aluminum base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/	Qty
17½-20½	2	24-2	27"			•	25	7⁄8"	36%-39	8"	2.5 yd	32.0'		57 I	bs	28.98'/	1
445-521	mm	610 [.]	-686 mm		648	mm	65	7mm	924-100	0 mm	2.3 m	2.97 so	գո	25.9 kg		.82 cu	
СОМ	COL	-	1	2		3		4	5	6	7	8	9		10	11	
2450	250	0	2695	273	9	2762		2806	2850	2867	2906	2939	297	8	3028	3223	3

alta 581F

5-star polished aluminum base and arms Fixed height

High back swivel

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	1 Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
19¼"		26½	4 H		25½	•	25	7⁄8"	38%"		2.5 yd	32.0'		57 I	bs	28.98'/1
489 mm		667	mm		648	mm	65	7mm	987 mm		2.3 m	2.97 so	ηm	25.9) kg	.82 cu
СОМ	COL	_	1	2		3		4	5	6	7	8	9		10	11
2450	250	0	2695	273	9	2762		2806	2850	2867	2906	2939	297	8	3028	3223

alta 581K



High back swivel 5-star matte black powder coat base and arms Adjustable height

Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes	s/Qty
17½-20½	2"	24-2	27"		25½	•	25	7⁄8"	36¾-393	8"	2.5 yd	32.0'		57 I	bs	28.98	/1
445-521	mm	610-	-686 mm		648	mm	65	7mm	924-100	0 mm	2.3 m	2.97 so	ηm	25.9 kg		.82 cu	
СОМ	COL		1 2			3		4	5	6	7	8	9		10	11	
2600	2650)	2845	288	9	2912		2956	3000	3017	3056	3089	312	8	3178	337	73

04/25

alta 582



Mid back swivel 5-star polished aluminum base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat, back, and arm pads yardage: 2.0 yds. leather: 30.0 sq. ft.

B) One fabric or leather for back pad and welt yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage [™] Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heig	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½	2	24-2	27"		25½	"	25	7⁄8"	33½-36	/2"	3.0 yd	43.5'		57 I	bs	28.98'/1
445-521	mm	610	-686 mm		648	mm	65	7mm	851-927	mm	2.8 m	4.0 sq	n	25.9) kg	.82 cu
COM	COL	-	1	2		3		4	5	6	7	8	9		10	11
2735	279	5	3029	308	32	3109		3162	3215	3235	3282	3322	336	9	3429	3662

alta 582F

Mid back swivel 5-star polished aluminum base and arms Fixed height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat, back, and arm pads yardage: 2.0 yds. leather: 30.0 sq. ft.
B) One fabric or leather for back pad and welt yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage[™] Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght Ai	rm Height	W		D	Н		Fabric	Leathe	er	Weight	C	Cubes/Qty
19¼"	26	61/4"	25½	2"	251/8"	36"		3.0 yd	43.5'		57 lbs	2	8.98'/1
489 mm	66	67 mm	648	mm	657mm	914 mm	l	2.8 m	4.0 sq	m	25.9 kg	.8	82 cu
СОМ	COL	1	2	3	4	5	6	7	8	9	10		11
2735	2795	3029	3082	3109	3162	3215	3235	3282	3322	3369	342	9	3662

4

alta 582K



Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for seat, back, and arm pads yardage: 2.0 yds. leather: 30.0 sq. ft.

B) One fabric or leather for back pad and welt yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage [™] Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Heig	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
17½-20½	2	24-2	27"		25½	•	25	7⁄8"	33½-36	⁄2"	3.0 yd	43.5'		57 I	bs	28.98'/1
445-521	mm	610	-686 mm		648	mm	65	7mm	851-927	mm	2.8 m	4.0 sqr	n	25.9) kg	.82 cu
COM	COL	-	1	2		3		4	5	6	7	8	9		10	11
2885	294	5	3179	323	32	3259		3312	3365	3385	3432	3472	351	9	3579	3812

alta 583



04/25

High back swivel 5-star polished aluminum base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather fo	r seat, back, and arm pads
yardage: 2.5 yds.	leather: 32.0 sq. ft.
B) One fabric or leather fo	r back pad and welt
vardage: 1.0 vds.	leather: 13.5 sq. ft.

SCS Indoor Advantage[™] Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height	W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/
17½-20½	2	24-2	:7"	25½		25	7⁄8"	36¾-393	/8"	3.5 yd	45.5'		57 I	bs	28.98'/
445-521	mm	610-	686 mm	648	mm	65	7mm	924-100	0 mm	3.2 m	4.2 sqr	n	25.9) kg	.82 cu
СОМ	COL		1	2	3		4	5	6	7	8	9		10	11
2930	3000)	3273	3335	3366		3428	3490	3514	3568	3615	3669	9	3739	4012

alta 583F



High back swivel 5-star polished aluminum base and arms Fixed height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

 A) One fabric or leather for seat, back, and arm pads yardage: 2.5 yds. leather: 32.0 sq. ft.
 B) One fabric or leather for back pad and welt

yardage: 1.0 yds. leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height		W		D		н		Fabric	Leathe	r	Wei	ght	Cubes/Qty
19¼"		261⁄2	4		25½	•	25	7⁄8"	381/8"		3.5 yd	45.5'		57 I	bs	28.98'/1
489 mm		667	mm		648	mm	65	7mm	987 mm		3.2 m	4.2 sqr	n	25.9) kg	.82 cu
COM	COL	-	1	2		3		4	5	6	7	8	9		10	11
2930	300	0	3273	333	5	3366		3428	3490	3514	3568	3615	366	9	3739	4012

alta 583K



High back swivel 5-star matte black powder coat base and arms Adjustable height

Upholstered back pad Cantilevered arms with upholstered arm pads Synchro tilt mechanism with gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

When using a combination of fabrics or leathers, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting fabric and welt upcharges.

A) One fabric or leather for	or seat, back, and arm pads
yardage: 2.5 yds.	leather: 32.0 sq. ft.
B) One fabric or leather for	or back pad and welt
vardage: 1.0 vds.	leather: 13.5 sq. ft.

SCS Indoor Advantage[™] Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Hei	ght	Arm	Height	W		D		Н		Fabric	Leathe	r	Wei	ght	Cubes/0
17½-20½	2	24-2	27"	25½	2"	25	7⁄8"	36%-39	8"	3.5 yd	45.5'		57 I	bs	28.98'/1
445-521	mm	610-	-686 mm	648	mm	65	7mm	924-100	0 mm	3.2 m	4.2 sqr	n	25.9) kg	.82 cu
СОМ	COL		1	2	3		4	5	6	7	8	9		10	11
3080	3150)	3423	3485	3516		3578	3640	3664	3718	3765	3819	9	3889	4162

alta 584

Mid back swivel 5-star polished aluminum base Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 30.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sg. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257⁄8"	331⁄2-361⁄2"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

alta 584F



Mid back swivel 5-star polished aluminum base and arms Fixed height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 30.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	257⁄8"	36"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	914 mm	-	-	25.9 kg	.82 cu

alta 584K



Mid back swivel 5-star matte black powder coat base and arms Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 30.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257⁄8"	331⁄2-361⁄2"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	851-927 mm	-	-	25.9 kg	.82 cu

COL

3163

alta 585



High back swivel 5-star polished aluminum base Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Swivel/tilt mechanism with gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 32.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sg. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257⁄8"	36¾-39¾"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu

alta 585F



High back swivel 5-star polished aluminum base and arms Fixed height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with fixed height

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 32.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
19¼"	26¼"	25½"	257⁄8"	381/8"	-	-	57 lbs	28.98'/1
489 mm	667 mm	648 mm	657mm	987 mm	-	-	25.9 kg	.82 cu

alta 585K



High back swivel 5-star matte black powder coat base and arms Adjustable height

Leather with perforated leather back pad Cantilevered arms with leather arm pads Synchro tilt mechanism with adjustable height gas pneumatic lift

Inside seat width: 191/2", Inside seat depth: 193/4", Inside arm height: 7"

Available only in Bernhardt Textiles Rogue or Essential leather. Same leather used for arms and back pad. Consult Bernhardttextiles.com for colorways.

Perforated leather in the Pique pattern for the back pad may be specified in Rogue or Essential by adding the suffix P to the end of the item number. The Pique pattern is subject to the minimum purchase requirements per colorway in addition to an upcharge of \$1.00 per sq. ft.

Specify the fabric or leather application by designating the appropriate letter on the purchase order.

Leather Requirements:

A) Rogue or Essential leather for seat, back, arm pads and back pad welt

leather: 32.0 sq. ft.

B) Pique pattern in Rogue or Essential leather for back pad perforated leather: 13.5 sq. ft.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	н	Fabric	Leather	Weight	Cubes/Qty
17½-20½"	24-27"	25½"	257⁄8"	36¾-39¾"	-	-	57 lbs	28.98'/1
445-521 mm	610-686 mm	648 mm	657mm	924-1000 mm	-	-	25.9 kg	.82 cu