


**code 2100**



**Standard seat height  
Concealed legs  
Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	-	30"	29½"	29¾"	5.0 yds.	-	64 lbs.	36.09/1
403 mm	-	762 mm	749 mm	752 mm	4.6 m	-	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2074	0	2541	2619	2663	2752	2830	2863	2919	2997	3063	3141	3586

**code 2100C**



**Conference seat height  
Concealed legs  
Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	30"	29½"	29¾"	5.0 yds.	-	64 lbs.	35.16/1
457 mm	-	762 mm	749 mm	752 mm	4.6 m	-	29.1 kg	1.0 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2074	0	2541	2619	2663	2752	2830	2863	2919	2997	3063	3141	3586

**code 2105**



**Two-seat  
Standard seat height  
Concealed legs  
Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 <sup>7</sup> / <sub>8</sub> "	-	60"	29 <sup>1</sup> / <sub>2</sub> "	29 <sup>9</sup> / <sub>16</sub> "	9.0 yds.	-	130 lbs.	68.33/1
403 mm	-	1524 mm	749 mm	752 mm	8.2 m	-	59.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3627	0	4467	4607	4687	4847	4987	5047	5147	5287	5407	5547	6347

**code 2105C**



**Two-seat  
Conference seat height  
Concealed legs  
Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	60"	29 <sup>1</sup> / <sub>2</sub> "	29 <sup>9</sup> / <sub>16</sub> "	9.0 yds.	-	130 lbs.	68.33/1
457 mm	-	1524 mm	749 mm	752 mm	8.2 m	-	59.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3627	0	4467	4607	4687	4847	4987	5047	5147	5287	5407	5547	6347

**code 2107**



**Three-seat  
Standard seat height  
Concealed legs  
Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 8.25 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 $\frac{7}{8}$ "	-	90"	29 $\frac{1}{2}$ "	29 $\frac{3}{4}$ "	12.25 yds.	-	193 lbs.	101.65/1
403 mm	-	2286 mm	749 mm	752 mm	11.2 m	-	87.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4486	0	5630	5820	5929	6147	6338	6419	6555	6746	6909	7100	8189

**code 2107C**



**Three-seat  
Conference seat height  
Concealed legs  
Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 8.25 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	90"	29 $\frac{1}{2}$ "	29 $\frac{3}{4}$ "	12.25 yds.	-	193 lbs.	101.65/1
457 mm	-	2286 mm	749 mm	752 mm	11.2 m	-	87.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4486	0	5630	5820	5929	6147	6338	6419	6555	6746	6909	7100	8189

**code 2130**



**Single-seat with attached privacy wall  
Standard seat height  
Angled wall  
Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
Standard with welt around wall perimeter  
Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 10.0 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	42"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'/1
416 mm	762 mm	1067 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4315	0	5725	5960	6094	6362	6597	6698	6866	7101	7302	7537	8879

**code 2130C**



**Single-seat with attached privacy wall  
Conference seat height  
Angled wall  
Concealed legs  
Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
Standard with welt around wall perimeter  
Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 10.0 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'/1
470 mm	816 mm	1067 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4315	0	5725	5960	6094	6362	6597	6698	6866	7101	7302	7537	8879

**code 2135**



**Two-seat with attached privacy wall**  
**Standard seat height**  
**Angled wall**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	64"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21/1
416 mm	762 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5692	0	7634	7957	8142	8512	8836	8974	9205	9529	9806	10130	11979

**code 2135C**



**Two-seat with attached privacy wall**  
**Conference seat height**  
**Angled wall**  
**Concealed legs**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	64"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21/1
470 mm	816 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5692	0	7634	7957	8142	8512	8836	8974	9205	9529	9806	10130	11979

**code 2137**



**Three-seater with attached privacy wall  
Standard seat height  
Angled wall  
Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
Standard with welt around wall perimeter  
Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 16.4 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	94"	31"	52¼"	27.25 yds.	-	316 lbs.	126.88'/1
416 mm	762 mm	2388 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7933	0	10477	10901	11143	11627	12051	12233	12536	12960	13323	13747	16169

**code 2137C**



**Three-seater with attached privacy wall  
Conference seat height  
Angled wall  
Concealed legs  
Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
Standard with welt around wall perimeter  
Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 16.4 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	94"	31"	52¼"	27.25 yds.	-	316 lbs.	126.88'/1
470 mm	816 mm	2388 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7933	0	10477	10901	11143	11627	12051	12233	12536	12960	13323	13747	16169

code 2140



**Single-seat with attached privacy wall**  
**Standard seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 10.0 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	42½"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21/1
416 mm	762 mm	1080 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5005	0	6415	6650	6784	7052	7287	7388	7556	7791	7992	8227	9569

code 2140C



**Single seat with attached privacy wall**  
**Conference seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 10.0 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42½"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21/1
470 mm	816 mm	1080 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5005	0	6415	6650	6784	7052	7287	7388	7556	7791	7992	8227	9569

**code 2145**



**Two-seater with attached privacy wall**  
**Standard seat height**  
**Standard Wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	64½"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21/1
416 mm	762 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6382	0	8324	8647	8832	9202	9526	9664	9895	10219	10496	10820	12669

**code 2145C**



**Two-seater with attached privacy wall**  
**Conference seat height**  
**Standard Wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	64½"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21/1
470 mm	816 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6382	0	8324	8647	8832	9202	9526	9664	9895	10219	10496	10820	12669



code 2147



**Three-seat with attached privacy wall**  
**Standard Seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 16.4 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	94½"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
416 mm	762 mm	2400 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8624	0	11168	11592	11834	12318	12742	12924	13227	13651	14014	14438	16860

code 2147C



**Three-seat with attached privacy wall**  
**Conference Seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 16.4 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	94½"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
470 mm	816 mm	2400 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8624	0	11168	11592	11834	12318	12742	12924	13227	13651	14014	14438	16860

### Code Seating System Specification Guide

Code is a seating system designed to provide privacy and create landscapes in open spaces. The system includes modular units which can be combined to create expanded sofas, U-Shaped and L-Shaped configurations. Individual freestanding privacy units are also available, as well as conventional chairs, settees and sofas. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).


Visit [BernhardtDesign.com](http://BernhardtDesign.com) for installation instructions as well as a library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance. SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Privacy walls are attached to the seat prior to shipping. **Verify that the assembled sku are within size requirements for delivery (elevators, hall intersections, stairwells, etc.).**


### Seat Height Selection

Code units are available in two seat heights. Standard seat height is 16 $\frac{3}{8}$ ". Conference seat height is 18 $\frac{1}{2}$ ". Product numbers ending with the suffix C are Conference height.

#### Standard Seat Height




#### Conference Seat Height




### Wall Selection

Code privacy walls are available in two different models. Standard walls afford maximum privacy. Angled walls are lighter in appearance and provide improved seating access when used in a banquet application.


#### Standard Wall




#### Angled Wall




**Conventional Lounge**



2100




2105




2107


**Freestanding Privacy Lounge**




2140




2145




2147



2130




2135




2137

**Modular Privacy Lounge**




2195L

2195R




2195L

2197R



2177L

2177R





2197L

2190

2175R

2190 2161 2190

code 2191LC/2191RC



**Conference seat height**  
**Standard wall**  
**Fully upholstered**

**2191LC Left facing**  
**2191RC Right facing**

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with four adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	32¼"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74/1
470 mm	816 mm	819 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	0	5710	5885	5985	6185	6360	6435	6560	6735	6885	7060	8060

code 2171LC/2171RC



**Conference seat height**  
**Angled wall**  
**Fully upholstered**

**2171LC Left facing**  
**2171RC Right facing**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	32"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74'/1
470 mm	816 mm	813 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4315	0	5365	5540	5640	5840	6015	6090	6215	6390	6540	6715	7715

code 2195LC



**Two-seat  
Conference seat height  
Standard wall  
Fully upholstered**

**2195LC Left facing  
2195RC Right facing**

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	62¼"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58/1
470 mm	816 mm	1581 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5865	0	7517	7793	7950	8265	8540	8658	8855	9130	9366	9641	11215

code 2175LC/2175RC



**Two-seater**  
**Conference seat height**  
**Angled wall**  
**Fully upholstered**

**2175LC Left facing**  
**2175RC Right facing**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅝"	62"	31"	52¼"	17.7 yds.	-	220 lbs.	84.58'/1
470 mm	816 mm	1575 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5520	0	7172	7448	7605	7920	8195	8313	8510	8785	9021	9296	10870

code 2197LC



**Three-seat  
Conference seat height  
Standard wall  
Fully upholstered**

**2197LC Left facing  
2197RC Right facing**

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.



SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	92¼"	31"	52¼"	23.8 yds.	-	289 lbs.	123.25/1
470 mm	816 mm	2343 mm	787 mm	1340 mm	21.8 m	-	131.4 kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8105	0	10327	10697	10909	11332	11702	11861	12125	12495	12813	13183	15298



code 2177LC/2177RC



**Three-seat  
Conference seat height  
Angled wall  
Fully upholstered**

**2177LC Left facing  
2177RC Right facing**

Standard with welt around wall perimeter  
Attached facing privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	92"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25/1
470 mm	816 mm	2337 mm	787 mm	1340 mm	21.8 m	-	131.4 kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7760	0	9982	10352	10564	10987	11357	11516	11780	12150	12468	12838	14953

code 2190C



**Conference seat height**  
**Corner wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

Corner Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.75 yds.
- B) One fabric for wall  
yardage: 7.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	816 mm	33"	33"	52½"	12.4 yds.	-	134 lbs.	49.74/1
470 mm	816 mm	838 mm	838 mm	1340 mm	11.3 m	-	60.9 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	0	5818	6011	6121	6341	6534	6617	6755	6948	7113	7306	8408

code 2160C



**Conference seat height**  
**Connecting wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	30"	31"	52½"	8.75 yds.	-	141 lbs.	49.74'/1
470 mm	816 mm	762 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2765	0	3582	3718	3796	3952	4088	4146	4243	4379	4496	4632	5410

code 2161C



**Conference seat height**  
**Connecting wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	36"	31"	52½"	8.75 yds.	-	141 lbs.	49.74/1
470 mm	816 mm	914 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2936	0	3753	3889	3967	4123	4259	4317	4414	4550	4667	4803	5581

code 2165C



**Conference seat height**  
**Connecting wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds..

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32¼"	42"	31"	52¾"	8.75 yds.	-	158 lbs.	55.58'/1
470 mm	816 mm	838 mm	787 mm	1340 mm	8.0 m	-	71.8 kg	1.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3110	0	3927	4063	4141	4297	4433	4491	4588	4724	4841	4977	5755

code 2191L/2191R



Standard seat height  
Standard wall  
Fully upholstered

2191L Left facing  
2191R Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	32¼"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74/1
416 mm	762 mm	819 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	0	5710	5885	5985	6185	6360	6435	6560	6735	6885	7060	8060

code 2171L/2171R



**Standard seat height**  
**Angled wall**  
**Fully upholstered**

**2171L Left facing**  
**2171R Right facing**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	32"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74/1
416 mm	762 mm	813 mm	787 mm	52¾"	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4315	0	5365	5540	5640	5840	6015	6090	6215	6390	6540	6715	7715

code 2195L/2195R



**Two-seat**  
**Standard seat height**  
**Standard wall**  
**Fully upholstered**

**2195L Left facing**  
**2195R Right facing**

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.



SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	62½"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58/1
416 mm	762 mm	1581 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5865	0	7517	7793	7950	8265	8540	8658	8855	9130	9366	9641	11215



code 2175L/2175R



**Two-seat**  
**Standard seat height**  
**Angled wall**  
**Fully upholstered**

**2175L** Left facing  
**2175R** Right facing

Standard with welt around wall perimeter  
Attached back and right facing privacy walls on 1½" plinth base with four adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	62"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58/1
416 mm	762 mm	1575 mm	787 mm	52¾"	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5520	0	7172	7448	7605	7920	8195	8313	8510	8785	9021	9296	10870

code 2197L/2197R



**Three-seat**  
**Standard seat height**  
**Standard wall**  
**Fully upholstered**

**2197L Left facing**  
**2197R Right facing**

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached back and right facing privacy walls on 1½" plinth base with four adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	92¼"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25/1
416 mm	762 mm	2343 mm	787 mm	1340 mm	21.8 m	-	131.4kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8105	0	10327	10697	10909	11332	11702	11861	12125	12495	12813	13183	15298

code 2177L/2177R



**Three-seat**  
**Standard seat height**  
**Angled wall**  
**Fully upholstered**

**2177L Left facing**  
**2177R Right facing**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	92"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25/1
16¾"	762 mm	2337 mm	787 mm	1340 mm	21.8 m	-	131.4kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
7760	0	9982	10352	10564	10987	11357	11516	11780	12150	12468	12838	14953

code 2190



**Standard seat height**  
**Corner wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Corner Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.75 yds.
- B) One fabric for wall  
yardage: 7.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	33"	33"	52¾"	12.4 yds.	-	134 lbs.	49.74'/1
416 mm	762 mm	838 mm	838 mm	1340 mm	11.3 m	-	60.9 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4660	0	5818	6011	6121	6341	6534	6617	6755	6948	7113	7306	8408

code 2160



**Standard seat height**  
**Connecting wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	30"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74'/1
416 mm	762 mm	762 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2765	0	3582	3718	3796	3952	4088	4146	4243	4379	4496	4632	5410

code 2161



**Standard seat height**  
**Connecting wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	36"	31"	52¾"	8.75 yds.		141 lbs.	49.74/1
416 mm	762 mm	914 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2936	0	3753	3889	3967	4123	4259	4317	4414	4550	4667	4803	5581

code 2165



**Standard seat height**  
**Connecting wall**  
**Fully upholstered**

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	42"	31"	52¾"	8.75 yds.	-	158.0 lbs.	84.58/1
416 mm	762 mm	1067 mm	787 mm	1340 mm	8.0 m	-	71.8 kg	2.4 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3110	0	3927	4063	4141	4297	4433	4491	4588	4724	4841	4977	5755