


## code 2100


**Standard seat height**  
**Concealed legs**  
**Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.  
C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15½"	-	30"	29½"	29½"	5.0 yds.	-	64 lbs.	36.09/1
403 mm	-	762 mm	749 mm	752 mm	4.6 m	-	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2199	0	2688	2777	2822	2911	2999	3033	3111	3177	3255	3355	3744

## code 2100C


**Conference seat height**  
**Concealed legs**  
**Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.  
C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	30"	29½"	29½"	5.0 yds.	-	64 lbs.	35.16/1
457 mm	-	762 mm	749 mm	752 mm	4.6 m	-	29.1 kg	1.0 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2199	0	2688	2777	2822	2911	2999	3033	3111	3177	3255	3355	3744

## code 2105



**Two-seat**  
**Standard seat height**  
**Concealed legs**  
**Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.  
C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 $\frac{7}{8}$ "	-	60"	29 $\frac{1}{2}$ "	29 $\frac{3}{4}$ "	9.0 yds.	-	130 lbs.	68.33'/1
403 mm	-	1524 mm	749 mm	752 mm	8.2 m	-	59.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3845	0	4725	4885	4965	5125	5285	5345	5485	5605	5745	5925	6625

## code 2105C



**Two-seat**  
**Conference seat height**  
**Concealed legs**  
**Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.  
C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	60"	29 $\frac{1}{2}$ "	29 $\frac{3}{4}$ "	9.0 yds.	-	130 lbs.	68.33'/1
457 mm	-	1524 mm	749 mm	752 mm	8.2 m	-	59.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3845	0	4725	4885	4965	5125	5285	5345	5485	5605	5745	5925	6625

## code 2107



**Three-seat**  
**Standard seat height**  
**Concealed legs**  
**Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 8.25 yds.  
C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 $\frac{7}{8}$ "	-	90"	29 $\frac{1}{2}$ "	29 $\frac{7}{8}$ "	12.25 yds.	-	193 lbs.	101.65/1
403 mm	-	2286 mm	749 mm	752 mm	11.2 m	-	87.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4756	0	5954	6172	6281	6499	6716	6798	6989	7152	7343	7588	8540

## code 2107C



**Three-seat**  
**Conference seat height**  
**Concealed legs**  
**Fully upholstered**

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 8.25 yds.  
C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	90"	29 $\frac{1}{2}$ "	29 $\frac{7}{8}$ "	12.25 yds.	-	193 lbs.	101.65/1
457 mm	-	2286 mm	749 mm	752 mm	11.2 m	-	87.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4756	0	5954	6172	6281	6499	6716	6798	6989	7152	7343	7588	8540

## code 2130



**Single-seat with attached privacy wall**  
**Standard seat height**  
**Angled wall**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 4.25 yds.  
 B) One fabric for wall  
 yardage: 10.0 yds.  
 C) One fabric for back cushion  
 yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	42"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'/1
416 mm	762 mm	1067 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4574	0	6051	6319	6454	6722	6990	7091	7326	7527	7762	8064	9239

## code 2130C



**Single-seat with attached privacy wall**  
**Conference seat height**  
**Angled wall**  
**Concealed legs**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 4.25 yds.  
 B) One fabric for wall  
 yardage: 10.0 yds.  
 C) One fabric for back cushion  
 yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'/1
470 mm	816 mm	1067 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4574	0	6051	6319	6454	6722	6990	7091	7326	7527	7762	8064	9239

## code 2135



**Two-seater with attached privacy wall**  
**Standard seat height**  
**Angled wall**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 6.0 yds.  
 B) One fabric for wall  
 yardage: 14.0 yds.  
 C) One fabric for back cushion  
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	64"	31"	52¼"	20.8 yds.	-	246 lbs.	88.21'/1
416 mm	762 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6034	0	8068	8438	8623	8993	9362	9501	9825	10102	10426	10842	12459

## code 2135C



**Two-seater with attached privacy wall**  
**Conference seat height**  
**Angled wall**  
**Concealed legs**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 6.0 yds.  
 B) One fabric for wall  
 yardage: 14.0 yds.  
 C) One fabric for back cushion  
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	64	31"	52¼"	20.8 yds.	-	246 lbs.	88.21'/1
470 mm	816 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6034	0	8068	8438	8623	8993	9362	9501	9825	10102	10426	10842	12459

## code 2137



**Three-seat with attached privacy wall**  
**Standard seat height**  
**Angled wall**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 7.0 yds.  
 B) One fabric for wall  
 yardage: 16.4 yds.  
 C) One fabric for back cushion  
 yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	94"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
416 mm	762 mm	2388 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8409	0	11074	11558	11801	12285	12769	12951	13375	13738	14162	14707	16827

## code 2137C



**Three-seat with attached privacy wall**  
**Conference seat height**  
**Angled wall**  
**Concealed legs**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 7.0 yds.  
 B) One fabric for wall  
 yardage: 16.4 yds.  
 C) One fabric for back cushion  
 yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	94"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
470 mm	816 mm	2388 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8409	0	11074	11558	11801	12285	12769	12951	13375	13738	14162	14707	16827

## code 2140



**Single-seat with attached privacy wall**  
**Standard seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 4.25 yds.  
 B) One fabric for wall  
 yardage: 10.0 yds.  
 C) One fabric for back cushion  
 yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	42½"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'/1
416 mm	762 mm	1080 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5306	0	6783	7051	7186	7454	7722	7823	8058	8259	8494	8796	9971

## code 2140C



**Single seat with attached privacy wall**  
**Conference seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 4.25 yds.  
 B) One fabric for wall  
 yardage: 10.0 yds.  
 C) One fabric for back cushion  
 yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42½"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'/1
470 mm	816 mm	1080 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5306	0	6783	7051	7186	7454	7722	7823	8058	8259	8494	8796	9971

## code 2145



**Two-seat with attached privacy wall**  
**Standard seat height**  
**Standard Wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 6.0 yds.  
 B) One fabric for wall  
 yardage: 14.0 yds.  
 C) One fabric for back cushion  
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16⅜"	30"	64½"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21'/1
416 mm	762 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6765	0	8799	9169	9354	9724	10093	10232	10556	10833	11157	11573	13190

## code 2145C



**Two-seat with attached privacy wall**  
**Conference seat height**  
**Standard Wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
 yardage: 6.0 yds.  
 B) One fabric for wall  
 yardage: 14.0 yds.  
 C) One fabric for back cushion  
 yardage: 4.0 yds.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅝"	64½"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21'/1
470 mm	816 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6765	0	8799	9169	9354	9724	10093	10232	10556	10833	11157	11573	13190



## code 2147



**Three-seater with attached privacy wall**  
**Standard Seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
 yardage: 7.0 yds.  
 B) One fabric for wall  
 yardage: 16.4 yds.  
 C) One fabric for back cushion  
 yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	94½"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
416 mm	762 mm	2400 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
9142	0	11807	12291	12534	13018	13502	13684	14108	14471	14895	15440	17560

## code 2147C



**Three-seater with attached privacy wall**  
**Conference Seat height**  
**Standard wall**  
**Polished cast aluminum feet**  
**Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides  
 Standard with welt around wall perimeter  
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
 yardage: 7.0 yds.  
 B) One fabric for wall  
 yardage: 16.4 yds.  
 C) One fabric for back cushion  
 yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	94½"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
470 mm	816 mm	2400 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
9142	0	11807	12291	12534	13018	13502	13684	14108	14471	14895	15440	17560

Code Seating System Specification Guide

Code is a seating system designed to provide privacy and create landscapes in open spaces. The system includes modular units which can be combined to create expanded sofas, U-Shaped and L-Shaped configurations. Individual freestanding privacy units are also available, as well as conventional chairs, settees and sofas. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).


Visit [Bernhardtdesign.com](http://Bernhardtdesign.com) for installation instructions as well as a library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance. SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Privacy walls are attached to the seat prior to shipping. **Verify that the assembled sku are within size requirements for delivery (elevators, hall intersections, stairwells, etc.).**


Seat Height Selection

Code units are available in two seat heights. Standard seat height is 16¾". Conference seat height is 18½". Product numbers ending with the suffix C are Conference height.

Standard Seat Height




Conference Seat Height




Wall Selection

Code privacy walls are available in two different models. Standard walls afford maximum privacy. Angled walls are lighter in appearance and provide improved seating access when used in a banquette application.


Standard Wall




Angled Wall




Conventional Lounge



2100




2105




2107


Freestanding Privacy Lounge




2140




2145




2147



2130




2135




2137


Modular Privacy Lounge




2195L




2195R



2197L




2197R



2197L

2190

2175R



2190


2161

2190

2177R

2177L

code 2191LC/2191RC



Conference seat height  
Standard wall  
Fully upholstered

2191LC Left facing  
2191RC Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with four adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	32¼"	31"	52½"	11.25 yds.	-	150 lbs.	49.74'/1
470 mm	816 mm	819 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4940	0	6040	6240	6340	6540	6740	6815	6990	7140	7315	7540	8415

code 2171LC/2171RC



Conference seat height  
Angled wall  
Fully upholstered

2171LC Left facing  
2171RC Right facing

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	32"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74'/1
470 mm	816 mm	813 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4574	0	5674	5874	5974	6174	6374	6449	6624	6774	6949	7174	8049

code 2195LC



Two-seat  
Conference seat height  
Standard wall  
Fully upholstered

2195LC Left facing  
2195RC Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅞"	62¼"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'/1
470 mm	816 mm	1581 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6217	0	7948	8263	8420	8735	9049	9167	9443	9679	9954	10308	11685

code 2175LC/2175RC



Two-seat  
Conference seat height  
Angled wall  
Fully upholstered

2175LC Left facing  
2175RC Right facing

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅞"	62"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'/1
470 mm	816 mm	1575 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5852	0	7583	7898	8055	8370	8684	8802	9078	9314	9589	9943	11320

code 2197LC



Three-seat  
Conference seat height  
Standard wall  
Fully upholstered

2197LC   Left facing  
2197RC   Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
yardage: 7.0 yds.  
B) One fabric for wall  
yardage: 14.0 yds.  
C) One fabric for back cushion  
yardage: 5.75 yds.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅞"	92¼"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25/1
470 mm	816 mm	2343 mm	787 mm	1340 mm	21.8 m	-	131.4 kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8592	0	10920	11343	11554	11977	12400	12559	12929	13247	13617	14093	15944



code 2177LC/2177RC



Three-seat  
Conference seat height  
Angled wall  
Fully upholstered

2177LC   Left facing  
2177RC   Right facing

Standard with welt around wall perimeter  
Attached facing privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.  
B) One fabric for wall  
yardage: 14.0 yds.  
C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	92"	31"	52½"	23.8 yds.	-	289 lbs.	123.25/1
470 mm	816 mm	2337 mm	787 mm	1340 mm	21.8 m	-	131.4 kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8226	0	10554	10977	11188	11611	12034	12193	12563	12881	13251	13727	15578

code 2190C



Conference seat height  
Corner wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

Corner Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.75 yds.
- B) One fabric for wall  
yardage: 7.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	816 mm	33"	33"	52½"	12.4 yds.	-	134 lbs.	49.74'/1
470 mm	816 mm	838 mm	838 mm	1340 mm	11.3 m	-	60.9 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4940	0	6153	6373	6484	6704	6924	7007	7200	7365	7558	7806	8771

code 2160C



Conference seat height  
Connecting wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	30"	31"	52½"	8.75 yds.	-	141 lbs.	49.74'/1
470 mm	816 mm	762 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2931	0	3787	3943	4020	4176	4331	4390	4526	4643	4779	4954	5634

code 2161C



Conference seat height  
Connecting wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	36"	31"	52½"	8.75 yds.	-	141 lbs.	49.74'/1
470 mm	816 mm	914 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3113	0	3969	4125	4202	4358	4513	4572	4708	4825	4961	5136	5816

code 2165C



Conference seat height  
Connecting wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds..

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42"	31"	52¾"	8.75 yds.	-	158 lbs.	55.58'/1
470 mm	816 mm	838 mm	787 mm	1340 mm	8.0 m	-	71.8 kg	1.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3297	0	4153	4309	4386	4542	4697	4756	4892	5009	5145	5320	6000

code 2191L/2191R



Standard seat height  
Standard wall  
Fully upholstered

2191L    Left facing  
2191R    Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	32¼"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74'/1
416 mm	762 mm	819 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4940	0	6040	6240	6340	6540	6740	6815	6990	7140	7315	7540	8415

code 2171L/2171R



Standard seat height  
Angled wall  
Fully upholstered

2171L Left facing  
2171R Right facing

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 6.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16⅝"	30"	32"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74'/1
416 mm	762 mm	813 mm	787 mm	52¾"	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4574	0	5674	5874	5974	6174	6374	6449	6624	6774	6949	7174	8049

code 2195L/2195R



Two-seat  
Standard seat height  
Standard wall  
Fully upholstered

2195L Left facing  
2195R Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..

- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.


SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	62½"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'/1
416 mm	762 mm	1581 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6217	0	7948	8263	8420	8735	9049	9167	9443	9679	9954	10308	11685



code 2175L/2175R



Two-seat  
Standard seat height  
Angled wall  
Fully upholstered

2175L    Left facing  
2175R    Right facing

Standard with welt around wall perimeter  
Attached back and right facing privacy walls on 1½" plinth base with four adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 6.0 yds.
- B) One fabric for wall  
yardage: 10.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16⅝"	30"	62"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'/1
416 mm	762 mm	1575 mm	787 mm	52¾"	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5852	0	7583	7898	8055	8370	8684	8802	9078	9314	9589	9943	11320

code 2197L/2197R



Three-seat  
Standard seat height  
Standard wall  
Fully upholstered

2197L    Left facing  
2197R    Right facing

Standard with welt around wall perimeter  
Polished aluminum feet on walls  
Attached back and right facing privacy walls on 1½" plinth base with four adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16⅞"	30"	92¼"	31"	52¼"	23.8 yds.	-	289 lbs.	123.25'/1
416 mm	762 mm	2343 mm	787 mm	1340 mm	21.8 m	-	131.4kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8592	0	10920	11343	11554	11977	12400	12559	12929	13247	13617	14093	15944

code 2177L/2177R



Three-seat  
Standard seat height  
Angled wall  
Fully upholstered

2177L    Left facing  
2177R    Right facing

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 7.0 yds.
- B) One fabric for wall  
yardage: 14.0 yds.
- C) One fabric for back cushion  
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	92"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25/1
16¾"	762 mm	2337 mm	787 mm	1340 mm	21.8 m	-	131.4kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8226	0	10554	10977	11188	11611	12034	12193	12563	12881	13251	13727	15578

code 2190



Standard seat height  
Corner wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Corner Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.75 yds.
- B) One fabric for wall  
yardage: 7.5 yds.
- C) One fabric for back cushion  
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	33"	33"	52¾"	12.4 yds.	-	134 lbs.	49.74'/1
416 mm	762 mm	838 mm	838 mm	1340 mm	11.3 m	-	60.9 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4940	0	6153	6373	6484	6704	6924	7007	7200	7365	7558	7806	8771

code 2160



Standard seat height  
Connecting wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16⅝"	30"	30"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74'/1
416 mm	762 mm	762 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2931	0	3787	3943	4020	4176	4331	4390	4526	4643	4779	4954	5634

code 2161



Standard seat height  
Connecting wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	36"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74'/1
416 mm	762 mm	914 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3113	0	3969	4125	4202	4358	4513	4572	4708	4825	4961	5136	5816

code 2165



Standard seat height  
Connecting wall  
Fully upholstered

Standard with welt around wall perimeter  
Attached privacy walls on 1½" plinth base with adjustable non-marring glides  
All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat  
yardage: 4.25 yds.
- B) One fabric for wall  
yardage: 3.5 yds.
- C) One fabric for back cushion  
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16⅝"	30"	42"	31"	52¾"	8.75 yds.	-	158.0 lbs.	84.58'/1
416 mm	762 mm	1067 mm	787 mm	1340 mm	8.0 m	-	71.8 kg	2.4 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3297	0	4153	4309	4386	4542	4697	4756	4892	5009	5145	5320	6000