

Code Seating System Specification Guide**Standard Features**

Code is a seating system designed to provide privacy and create landscapes in open spaces. The system includes modular units which can be combined to create expanded sofas, U-Shaped and L-Shaped configurations. Individual freestanding privacy units are also available, as well as conventional chairs, settees and sofas. When ordering multi-item configurations, please provide the total COM yardage from the same dye lot in a continuous roll(s).

Privacy walls are attached to the seat prior to shipping. **Verify that the assembled sku are within size requirements for delivery (elevators, hall intersections, stairwells, etc.).**

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Visit BernhardtDesign.com for installation instructions as well as a library of 2D, 3D and Revit models. You may also contact your local sales representative or the Bernhardt Design corporate office for specification assistance.



Code Seating System Specification Guide


Seat Height Selection

Code units are available in two seat heights.


Standard seat height: 16½" and Conference seat height: 18½".

Product numbers ending with the suffix C are Conference height.

Standard Seat Height



Conference Seat Height




Wall Selection

Code privacy walls are available in two different models. Standard walls afford maximum privacy. Angled walls are lighter in appearance and provide improved seating access when used in a banquette application.

Standard Wall



Inside view



Outside view

Angled Wall



Inside view



Outside view

Conventional Lounge

2100



2105



2107

Freestanding Privacy Lounge

2140



2145



2147



2130



2135



2137

Modular Privacy Lounge

2195L

2195R




2197R

2195L



2190

2175R



2190

2161

2190

2177L

2177R

code 2191LC/2191RC

Conference seat height

Standard wall

Fully upholstered



2191LC Left facing
2191RC Right facing

Standard with welt around wall perimeter

Polished aluminum feet on walls

Attached privacy walls on 1½" plinth base with four adjustable non-marring glides

All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric for seat

yardage: 4.25 yds.

B) One fabric for wall

yardage: 6.5 yds.

C) One fabric for back cushion

yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	32¼"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74'/1
470 mm	816 mm	819 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5089	0	6214	6439	6564	6739	6939	7039	7214	7364	7539	7789	8664

code 2171LC/2171RC



Conference seat height

Angled wall

Fully upholstered

2171LC Left facing
2171RC Right facing

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed.



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 6.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	32"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74/1
470 mm	816 mm	813 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4712	0	5837	6062	6187	6362	6562	6662	6837	6987	7162	7412	8287


code 2195LC



Two-seat
Conference seat height
Standard wall
Fully upholstered

2195LC Left facing
2195RC Right facing

Standard with welt around wall perimeter
 Polished aluminum feet on walls
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 10.5 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	62¼"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'/1
470 mm	816 mm	1581 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6404	0	8174	8528	8725	9000	9315	9472	9748	9984	10259	10652	12029


code 2175LC/2175RC



Two-seat
Conference seat height
Angled wall
Fully upholstered

2175LC Left facing
2175RC Right facing

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed.



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 10.5 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	62"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'1
470 mm	816 mm	1575 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6028	0	7798	8152	8349	8624	8939	9096	9372	9608	9883	10276	11653


code 2197LC



Three-seat
Conference seat height
Standard wall
Fully upholstered

2197LC Left facing
2197RC Right facing

Standard with welt around wall perimeter
 Polished aluminum feet on walls
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	92¼"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25'1
470 mm	816 mm	2343 mm	787 mm	1340 mm	21.8 m	-	131.4 kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8850	0	11230	11706	11971	12341	12764	12976	13346	13663	14034	14562	16414

code 2177LC/2177RC



Three-seat

Conference seat height
Angled wall
Fully upholstered

2177LC Left facing
2177RC Right facing

Standard with welt around wall perimeter
Attached facing privacy walls on 1½" plinth base with adjustable non-marring glides
All necessary ganging brackets are included and pre-installed

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅛"	92"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25'1
470 mm	816 mm	2337 mm	787 mm	1340 mm	21.8 m	-	131.4 kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8473	0	10853	11329	11594	11964	12387	12599	12969	13286	13657	14185	16037

code 2190C


Conference seat height
Corner wall
Fully upholstered

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed.

Corner Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.75 yds.
- B) One fabric for wall
yardage: 7.5 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	33"	33"	52¾"	12.4 yds.	-	134 lbs.	49.74/1
470 mm	816 mm	838 mm	838 mm	1340 mm	11.3 m	-	60.9 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5089	0	6329	6577	6715	6908	7129	7239	7432	7597	7790	8065	9030

code 2160C



Conference seat height

Connecting wall
Fully upholstered

Standard with welt around wall perimeter
Attached privacy walls on 1½" plinth base with adjustable non-marring glides
All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 3.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅛"	30"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74/1
470 mm	816 mm	762 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3019	0	3894	4069	4167	4303	4458	4536	4672	4789	4925	5119	5800

code 2161C


Conference seat height
Connecting wall
Fully upholstered

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 3.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32⅛"	36"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74/1
470 mm	816 mm	914 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3207	0	4082	4257	4355	4491	4646	4724	4860	4977	5113	5307	5988

code 2165C


Conference seat height
Connecting wall
Fully upholstered

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed

Connecting Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.



- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 3.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds..

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42"	31"	52¾"	8.75 yds.	-	158 lbs.	55.58'1
470 mm	816 mm	838 mm	787 mm	1340 mm	8.0 m	-	71.8 kg	1.57 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3396	0	4271	4446	4544	4680	4835	4913	5049	5166	5302	5496	6177

code 2191L/2191R



Standard seat height

Standard wall

Fully upholstered

2191L Left facing
2191R Right facing

Standard with welt around wall perimeter
 Polished aluminum feet on walls
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 6.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	32¼"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74/1
416 mm	762 mm	819 mm	787 mm	1340 mm	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5089	0	6214	6439	6564	6739	6939	7039	7214	7364	7539	7789	8664

code 2171L/2171R



Standard seat height

Angled wall

Fully upholstered

2171L Left facing
2171R Right facing

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 6.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	32"	31"	52¾"	11.25 yds.	-	150 lbs.	49.74'1
416 mm	762 mm	813 mm	787 mm	52¾"	10.3 m	-	68.2 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4712	0	5837	6062	6187	6362	6562	6662	6837	6987	7162	7412	8287


code 2195L/2195R



Two-seat
Standard seat height
Standard wall
Fully upholstered

2195L Left facing
2195R Right facing

Standard with welt around wall perimeter
 Polished aluminum feet on walls
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges..


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 10.5 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	62½"	31"	52½"	17.7 yds.	-	220 lbs.	84.58/1
416 mm	762 mm	1581 mm	787 mm	1340 mm	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6404	0	8174	8528	8725	9000	9315	9472	9748	9984	10259	10652	12029


code 2175L/2175R



Two-seat
Standard seat height
Angled wall
Fully upholstered

2175L Left facing
2175R Right facing

Standard with welt around wall perimeter
 Attached back and right facing privacy walls on 1½" plinth base with four adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed.



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 10.5 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	62"	31"	52¾"	17.7 yds.	-	220 lbs.	84.58'/1
416 mm	762 mm	1575 mm	787 mm	52¾"	16.2 m	-	100.0 kg	2.40 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6028	0	7798	8152	8349	8624	8939	9096	9372	9608	9883	10276	11653


code 2197L/2197R



Three-seat
Standard seat height
Standard wall
Fully upholstered

2197L Left facing
2197R Right facing

Standard with welt around wall perimeter
 Polished aluminum feet on walls
 Attached back and right facing privacy walls on 1½" plinth base with four adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	92¼"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25'1
416 mm	762 mm	2343 mm	787 mm	1340 mm	21.8 m	-	131.4kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8850	0	11230	11706	11971	12341	12764	12976	13346	13663	14034	14562	16414


code 2177L/2177R



Three-seat
Standard seat height
Angled wall
Fully upholstered

2177L Left facing
2177R Right facing

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed



When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	92"	31"	52¾"	23.8 yds.	-	289 lbs.	123.25'1
16¾"	762 mm	2337 mm	787 mm	1340 mm	21.8 m	-	131.4kg	3.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8473	0	10853	11329	11594	11964	12387	12599	12969	13286	13657	14185	16037

code 2190



Standard seat height

Corner wall

Fully upholstered

Standard with welt around wall perimeter

Attached privacy walls on 1½" plinth base with adjustable non-marring glides

All necessary ganging brackets are included and pre-installed

Corner Wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

A) One fabric for seat

yardage: 4.75 yds.

B) One fabric for wall

yardage: 7.5 yds.

C) One fabric for back cushion


yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	33"	33"	52¾"	12.4 yds.	-	134 lbs.	49.74'1
416 mm	762 mm	838 mm	838 mm	1340 mm	11.3 m	-	60.9 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5089	0	6329	6577	6715	6908	7129	7239	7432	7597	7790	8065	9030

code 2160


Standard seat height
Connecting wall
Fully upholstered

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 3.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	30"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74/1
416 mm	762 mm	762 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3019	0	3894	4069	4167	4303	4458	4536	4672	4789	4925	5119	5800

code 2161


Standard seat height
Connecting wall
Fully upholstered

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 3.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	36"	31"	52¾"	8.75 yds.	-	141 lbs.	49.74/1
416 mm	762 mm	914 mm	787 mm	1340 mm	8.0 m	-	64.1 kg	1.41 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3207	0	4082	4257	4355	4491	4646	4724	4860	4977	5113	5307	5988

code 2165


Standard seat height
Connecting wall
Fully upholstered

Standard with welt around wall perimeter
 Attached privacy walls on 1½" plinth base with adjustable non-marring glides
 All necessary ganging brackets are included and pre-installed

Connecting wall is used in conjunction with other modules to create shaped configurations. May not be used as a freestanding unit or at the end of a modular configuration.

When using a combination of fabricss, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 3.5 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	Wall Height	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	42"	31"	52¾"	8.75 yds.	-	158.0 lbs.	84.58'/1
416 mm	762 mm	1067 mm	787 mm	1340 mm	8.0 m	-	71.8 kg	2.4 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3396	0	4271	4446	4544	4680	4835	4913	5049	5166	5302	5496	6177

code 2100


Standard seat height
Concealed legs
Fully upholstered

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric for seat
yardage: 4.25 yds.
C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 $\frac{1}{8}$ "	-	30"	29 $\frac{1}{2}$ "	29 $\frac{1}{8}$ "	5.0 yds.	-	64 lbs.	36.09'/1
403 mm	-	762 mm	749 mm	752 mm	4.6 m	-	29.1 kg	1.04 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2265	0	2765	2865	2921	2999	3088	3132	3210	3277	3354	3465	3854

code 2100C


Conference seat height
Concealed legs
Fully upholstered

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric for seat
yardage: 4.25 yds.
C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	30"	29 $\frac{1}{2}$ "	29 $\frac{1}{8}$ "	5.0 yds.	-	64 lbs.	35.16'/1
457 mm	-	762 mm	749 mm	752 mm	4.6 m	-	29.1 kg	1.0 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
2265	0	2765	2865	2921	2999	3088	3132	3210	3277	3354	3465	3854

code 2105



Two-seat
Standard seat height
Concealed legs
Fully upholstered

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric for seat
 yardage: 7.0 yds.
 C) One fabric for back cushion
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 $\frac{1}{8}$ "	-	60"	29 $\frac{1}{2}$ "	29 $\frac{1}{8}$ "	9.0 yds.	-	130 lbs.	68.33/1
403 mm	-	1524 mm	749 mm	752 mm	8.2 m	-	59.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3961	0	4861	5041	5141	5281	5441	5521	5661	5781	5921	6121	6821

code 2105C



Two-seat
Conference seat height
Concealed legs
Fully upholstered

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric for seat
 yardage: 7.0 yds.
 C) One fabric for back cushion
 yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	60"	29 $\frac{1}{2}$ "	29 $\frac{1}{8}$ "	9.0 yds.	-	130 lbs.	68.33/1
457 mm	-	1524 mm	749 mm	752 mm	8.2 m	-	59.1 kg	1.93 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
3961	0	4861	5041	5141	5281	5441	5521	5661	5781	5921	6121	6821

code 2107



Three-seat
Standard seat height
Concealed legs
Fully upholstered

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric for seat
 yardage: 8.25 yds.
 C) One fabric for back cushion
 yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for instructions for tagging COM and additional environmental information.

Seat Height	Arm Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
15 $\frac{1}{8}$ "	-	90"	29 $\frac{1}{2}$ "	29 $\frac{1}{8}$ "	12.25 yds.	-	193 lbs.	101.65'1
403 mm	-	2286 mm	749 mm	752 mm	11.2 m	-	87.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4899	0	6124	6369	6506	6696	6914	7023	7213	7377	7567	7839	8792

code 2107C



Three-seat
Conference seat height
Concealed legs
Fully upholstered

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


A) One fabric for seat
 yardage: 8.25 yds.
 C) One fabric for back cushion
 yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18"	-	90"	29 $\frac{1}{2}$ "	29 $\frac{1}{8}$ "	12.25 yds.	-	193 lbs.	101.65'1
457 mm	-	2286 mm	749 mm	752 mm	11.2 m	-	87.7 kg	2.88 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4899	0	6124	6369	6506	6696	6914	7023	7213	7377	7567	7839	8792

code 2130



Single-seat with attached privacy wall
Standard seat height
Angled wall
Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 10.0 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	42"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'1
416 mm	762 mm	1067 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4712	0	6222	6524	6692	6927	7196	7330	7565	7766	8001	8336	9511

code 2130C



Single-seat with attached privacy wall
Conference seat height
Angled wall
Concealed legs
Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 10.0 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'1
470 mm	816 mm	1067 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
4712	0	6222	6524	6692	6927	7196	7330	7565	7766	8001	8336	9511

code 2135



Two-seat with attached privacy wall
Standard seat height
Angled wall
Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	64"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21'1
416 mm	762 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6216	0	8296	8712	8944	9267	9637	9822	10145	10423	10746	11208	12826

code 2135C



Two-seat with attached privacy wall
Conference seat height
Angled wall
Concealed legs
Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	64	31"	52¾"	20.8 yds.	-	246 lbs.	88.21'1
470 mm	816 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6216	0	8296	8712	8944	9267	9637	9822	10145	10423	10746	11208	12826

code 2137

**Three-seat with attached privacy wall****Standard seat height****Angled wall****Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides

Standard with welt around wall perimeter

Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 16.4 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	94"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
416 mm	762 mm	2388 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8662	0	11387	11932	12235	12659	13144	13386	13810	14173	14597	15202	17322

code 2137C

**Three-seat with attached privacy wall****Conference seat height****Angled wall****Concealed legs****Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides

Standard with welt around wall perimeter

Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 16.4 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	94"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
470 mm	816 mm	2388 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
8662	0	11387	11932	12235	12659	13144	13386	13810	14173	14597	15202	17322

code 2140



Single-seat with attached privacy wall
Standard seat height
Standard wall
Polished cast aluminum feet
Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 10.0 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	42½"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'1
416 mm	762 mm	1080 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5466	0	6976	7278	7446	7681	7950	8084	8319	8520	8755	9090	10265

code 2140C



Single seat with attached privacy wall
Conference seat height
Standard wall
Polished cast aluminum feet
Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 4.25 yds.
- B) One fabric for wall
yardage: 10.0 yds.
- C) One fabric for back cushion
yardage: 2.5 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	42½"	31"	52¾"	15.1 yds.	-	150 lbs.	59.21'1
470 mm	816 mm	1080 mm	787 mm	1340 mm	13.8 m	-	68.2 kg	1.68 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
5466	0	6976	7278	7446	7681	7950	8084	8319	8520	8755	9090	10265

code 2145

**Two-seat with attached privacy wall****Standard seat height****Standard Wall****Polished cast aluminum feet****Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides
Standard with welt around wall perimeter
Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional finish and environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16¾"	30"	64½"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21'/1
416 mm	762 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6968	0	9048	9464	9696	10019	10389	10574	10897	11175	11498	11960	13578

code 2145C

**Two-seat with attached privacy wall****Conference seat height****Standard Wall****Polished cast aluminum feet****Fully upholstered**

Privacy wall on 1½" plinth base with four adjustable non-marring glides
Standard with welt around wall perimeter
Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 6.0 yds.
- B) One fabric for wall
yardage: 14.0 yds.
- C) One fabric for back cushion
yardage: 4.0 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	64½"	31"	52¾"	20.8 yds.	-	246 lbs.	88.21'/1
470 mm	816 mm	1638 mm	787 mm	1340 mm	19.0 m	-	111.6 kg	2.50 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
6968	0	9048	9464	9696	10019	10389	10574	10897	11175	11498	11960	13578

code 2147



Three-seat with attached privacy wall

Standard Seat height

Standard wall

Polished cast aluminum feet

Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.


- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 16.4 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
16½"	30"	94½"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
416 mm	762 mm	2400 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
9417	0	12142	12687	12990	13414	13899	14141	14565	14928	15352	15957	18077

code 2147C



Three-seat with attached privacy wall

Conference Seat height

Standard wall

Polished cast aluminum feet

Fully upholstered

Privacy wall on 1½" plinth base with four adjustable non-marring glides
 Standard with welt around wall perimeter
 Shipped assembled

When using a combination of fabrics, specify the application by designating the appropriate letter, shown below, on the purchase order. Yardage shown must be used.

See terms and conditions for contrasting upholstery upcharges.

- A) One fabric for seat
yardage: 7.0 yds.
- B) One fabric for wall
yardage: 16.4 yds.
- C) One fabric for back cushion
yardage: 5.75 yds.

SCS Indoor Advantage™ Gold and LEVEL® 2 certified. See terms and conditions for additional environmental information.

Seat Height	Seat Back Height	W	D	H	Fabric	Leather	Weight	Cubes/Qty
18½"	32½"	94½"	31"	52¾"	27.25 yds.	-	316 lbs.	126.88'/1
470 mm	816 mm	2400 mm	787 mm	1340 mm	24.9 m	-	143.6 kg	3.60 cu.

COM	COL	1	2	3	4	5	6	7	8	9	10	11
9417	0	12142	12687	12990	13414	13899	14141	14565	14928	15352	15957	18077