BERNHARDT | design

larkin table price list

october 2026



collection overview

- laminate selections 3
- veneer selections 4
- base + powder coat selections 5
- collection overview 6
- tops 7
- bases 8
- power overview 9
- larkin power overview 10
- wire management 11

rectangular tops

- 4 leg assembly 12-14
- 6 leg assembly 15-19
- 8 leg assembly 20

power 21

larkin

- grommet kit overview 22
- power 23
- power grommet kits 24-25
- power with pass thru grommet 26
- power with pass thru grommet kits 27-28
- power with light grommet 29
- power with light grommet kits 30-31
- light 32
- light grommet kits 33-34
- power with light grommet kits plus light 35

under mount

- power overview 36
- grommet placement kits 37
- grommet kits 38-39
- extron® AAP modules 40

mediatrac1™

- power overview 41
- 4-trac power system 42
- grommet placement kits 43
- grommet kits 44-47
- wire management 48-49
- extron® AAP modules 50-51

terms and conditions 52-53

guaranteed freight 54

guaranteed freight - canada 55

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.

PLL Solid Laminate

Standard Solid

671 Designer White, Wilsonart D354-60 Matte Finish

672 Frosty White, Wilsonart 1573-60 Matte Finish

673 Fashion Grey, Wilsonart D381-60 Matte Finish

674 North Sea, Wilsonart D90-60 Matte Finish

675 Black, Wilsonart 1595-60 Matte Finish

Traceless Laminates - 30% Upcharge

665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate

666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate

667 Black Velvet, Wilsonart 15505-31 Traceless Laminate

671

672

673


674


675

665 30% upcharge


666 30% upcharge


667 30% upcharge

WGL Woodgrain Laminate

Standard Woodgrain

684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection

685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection

686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection

678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish

679 Brazilwood, Wilsonart 7946-38 Matte Finish

687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish

683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish

681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish

680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish

682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish

684


685


686


678


679


687


683


681


680


682


Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a $500 net minimum.

Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

OAK Oak
Rift Cut




Standard Finish

*871	870	839
837	860	861
865	836	866
872	805	845

OAK Select Finishes

M73	M72	M75
M74	M76	M77
M71		

WLT Walnut
Flat Cut



Standard Finish

872	861	
*870	823	
860	866	
839		

*NOTE: Both solid wood and veneers are used in the design of the Larkin tables. This mixing of materials will show a tone/color difference between the parts when natural finishes are specified. Slight shading and color differences may be noticed between the two materials.

OAK Oak



***871** **837** **865** **872** **870** **860** **836** **805**



839 **861** **866** **845**

OAK Select Finishes



M73 Whitewash **M74** Fawn **M71** Blonde **M72** Toast **M76** Caramel **M75** Smoke **M77** Coffee

WLT Walnut



872 ***870** **860** **839** **861** **823** **866**

Base Standard Finishes



PA Polished Aluminum

Powder Coat Selections

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge.

Powder Coat Finishes

WH Satin White

AL Matte Aluminum

EC Ecru

LA Latte



GR Graphite



BZ Bronze



SG Sage



IG Iron Grey



RD Black Red



BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - $1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Larkin Table Collection



The Larkin meeting table offers a design that works beautifully within today's casual work environments. The table features a reverse beveled edge top, solid wood base, polished or power coat aluminum components and new innovative surface mount power options. The most unique offering is a new integrated light that can be used within a power module or alone within the work surface. Blending all these options together, the Larkin meeting table meets the needs of today's flexible work environment.



Conference Height Table
4 Leg Assembly - Ranging from 36" to 60" wide by 60" to 120" long



Conference Height Table
Shown with coordinating Larkin Credenza



Conference Height Table
6 Leg Assembly - Ranging from 36" to 60" wide by 126" to 222" long



Conference Height Table
8 Leg Assembly - Ranging from 36" to 60" wide by 228" to 240" long


Larkin Tops




Larkin tops are specifically constructed to accommodate the Larkin bases. Bases and tops are sold as a complete assembly.

Rectangular tops are available in 36" - 60" widths and 60" - 240" lengths. Tops 126"- 222" will have 6 legs, tops 228"- 240" will have 8 legs. Larkin table height is 29½".

Larkin tables are SCS Indoor Advantage™ Gold certified and LEVEL® 1 certified.



Front View



Side View


Edge Details

Laminate

PLL Solid Laminate
WGL Woodgrain Laminate

Veneer

OAK Oak
WLT Walnut



specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		**larkin power** see pages 22-35 for location codes **under mount** see pages 38-39 for location codes **mediatrac1** see pages 44-47 for location codes **000** none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum **powder coat upcharge** **WH** satin white powder coat **EC** ecru powder coat **LA** latte powder coat **AL** matte aluminum powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **SG** sage powder coat **RD** black red powder coat **BK** matte black powder coat	**PLL** solid laminate **WGL** woodgrain laminate **OAK** oak **WLT** walnut	see finish pages	**OAK** oak **WLT** walnut	see finish pages


Larkin Bases




The Larkin conference table features an aluminum frame supported by solid wood legs equipped with adjustable levelers with a ½" range. Aluminum frames are available in polished or a range of powder coat finishes. Bases and tops are sold as a complete assembly.

Wood legs are available in solid oak or solid walnut with standard Bernhardt finishes. The Larkin conference table comes in a 4, 6, or 8 leg version. Table lengths up to 120" have 4 legs, lengths 126" to 222" have 6 legs and lengths 228" to 240" have 8 legs.


Larkin tables are SCS Indoor Advantage™ Gold and LEVEL 2 certified.




Side View




Side View




Side View




Side View




Side View




Front View



Front View



Front View



Front View

Power Overview



The Larkin meeting table collection offers a selection of power options designed to meet the diverse needs in today's work environment. Our traditional undermount and mediatrac1™ power are offered along with new Larkin surface mount power options. Larkin power options are tailor made and offer a variety of power options along with an integrated light that can be used with or without the power module.



Larkin Power with Pass Thru
(3) Receptacles on the faceplate, (1) receptacle on the underside of the module, (4) USB-C ports and (1) pass thru location for HDMI or other cables. Available in white and graphite.



Larkin Power
(3) Receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports. Available in white and graphite.



Under Mount Power
(1) Grounded receptacle, (1) USB-A port and (1) USB-C port available as single corded or in multiples.



Mediatrac1
(4) Grounded receptacles with open positions for (4) AAP plates.

Larkin Power Overview




The Larkin meeting table collection features custom, surface mount power options designed to allow for increased functionality on the work surface. Options are: the Larkin Power grommet, Larkin Power with pass thru, Larkin Power with light grommet and Larkin light.


The power grommet offers USB-C and receptable power only. The power with accessory grommet offers the choice of (2) faceplate options; a power with light grommet and power with pass thru for HDMI and other cables. The power with light option features an integrated light that plugs into a power module located conveniently beneath the table and features a USB-A port. An optical sensor is used to turn on, dim and turn off the light.

The Larkin light can be used within the power with light grommet or used separately on the table. When using the light separately and additional power is needed, under mount power can be specified. Offered in white and graphite, tables can accept 1-6 lights depending on the size of the table.

Power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: Bernhardt Design provides recommendations for installation locations. End user installation will be required per individual sku. Power is specified separately.



Larkin Power with Light Grommet Side View

Larkin Power


White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
11¾"w x 2½"d x ¼"h above worksurface
integrated circuit breaker
UL 962 listed

Larkin Power with Pass Thru Grommet


White or Graphite Finish




(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle is on the underside of the module
(4) 2 amp USB-C ports, 20 watt
(1) cable pass thru
13⅝"w x 2½"d x ¼"h above worksurface
integrated circuit breaker
UL 962 listed

Larkin Power with Light Grommet

White or Graphite Finish






(1) Larkin light
(3) 15 amp receptacles,120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
(1) Integrated light pass through
13⅝"w x 2½"d x ¼"h above worksurface
18¼"w x 11⅞"d x 15¼"h - overall dimensions
integrated circuit breaker
UL 962 listed

Jumper


included in kit



Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector

Grey Finish
included in kit



Power Infeed

included in kit




10' grounded 15 amp plug,
Required per individual SKU,
Braided Cord

Larkin Wire Management




The Larkin Conference collection offers a concealed wire management solution through the use of a cable pass thru. The cable pass thru is a plastic tray that is mounted in a pocket machined in the underside of the tabletop. This allows the cable to travel above the rail to the center of the table. The cable can then be routed down a leg with clear plastic clips, or down a drop down power tube.

A drop down power tube is recommended when using a floor core. The tube does not run all the way to ground to allow for flexibility of its location to any floor cores that may be used. The drop down power tube is sold separately.



Single Under Mount Shown



Detail View of Drop Down Power Tube
Available in Oak or Walnut veneer.
Specify separately.

Note: End user installation will be required per individual sku. Drop Down Power Tube is specified separately. See accessory pages for add-ons.



rectangular tops - 4 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
EEA	60	36	29½"	(4) angled legs	6328	5274
EEB	60	42	29½"	(4) angled legs	6526	5438
EEC	60	48	29½"	(4) angled legs	6680	5567
EED	60	54	29½"	(4) angled legs	6883	5737
EFA	66	36	29½"	(4) angled legs	6426	5354
EFB	66	42	29½"	(4) angled legs	6651	5543
EFC	66	48	29½"	(4) angled legs	6822	5686
EFD	66	54	29½"	(4) angled legs	7024	5854
EFE	66	60	29½"	(4) angled legs	7258	6050
EGA	72	36	29½"	(4) angled legs	6528	5440
EGB	72	42	29½"	(4) angled legs	6705	5588
EGC	72	48	29½"	(4) angled legs	6949	5791
EGD	72	54	29½"	(4) angled legs	7180	5983
EGE	72	60	29½"	(4) angled legs	7413	6177
EHA	78	36	29½"	(4) angled legs	6635	5529
EHB	78	42	29½"	(4) angled legs	6601	5501
EHC	78	48	29½"	(4) angled legs	7048	5873
EHD	78	54	29½"	(4) angled legs	7306	6089
EHE	78	60	29½"	(4) angled legs	7566	6305
EIA	84	36	29½"	(4) angled legs	6733	5611
EIB	84	42	29½"	(4) angled legs	6699	5582
EIC	84	48	29½"	(4) angled legs	7145	5954
EID	84	54	29½"	(4) angled legs	7368	6139
EIE	84	60	29½"	(4) angled legs	7593	6325

specification codes example: LKS-SKU-XXX

series
larkin
L K S -

sku
- - - -

grommet location
larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish
PA polished aluminum

powder coat upcharge $250
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut

base finish
see finish pages



rectangular tops - 4 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36” width tables



tops 60” - 120” length x 36” - 60” wide
have one sectional top



tops 126” - 240” length x 36” - 60” wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
EJA	90	36	29½"	(4) angled legs	7192	5994
EJB	90	42	29½"	(4) angled legs	7213	6011
EJC	90	48	29½"	(4) angled legs	7659	6382
EJD	90	54	29½"	(4) angled legs	7883	6568
EJE	90	60	29½"	(4) angled legs	8107	6754
EKA	96	36	29½"	(4) angled legs	7290	6075
EKB	96	42	29½"	(4) angled legs	7313	6095
EKC	96	48	29½"	(4) angled legs	7766	6471
EKD	96	54	29½"	(4) angled legs	7990	6656
EKE	96	60	29½"	(4) angled legs	8214	6842
ELA	102	36	29½"	(4) angled legs	7388	6157
ELB	102	42	29½"	(4) angled legs	7416	6180
ELC	102	48	29½"	(4) angled legs	7861	6551
ELD	102	54	29½"	(4) angled legs	8086	6738
ELE	102	60	29½"	(4) angled legs	8310	6923
EMA	108	36	29½"	(4) angled legs	7842	6536
EMB	108	42	29½"	(4) angled legs	7887	6573
EMC	108	48	29½"	(4) angled legs	8314	6928
EMD	108	54	29½"	(4) angled legs	8538	7114
EME	108	60	29½"	(4) angled legs	8762	7300
ENA	114	36	29½"	(4) angled legs	7950	6625
ENB	114	42	29½"	(4) angled legs	8177	6814
ENC	114	48	29½"	(4) angled legs	8523	7102
END	114	54	29½"	(4) angled legs	8853	7377
ENE	114	60	29½"	(4) angled legs	9184	7653

specification codes example: LKS-SKU-XXX

series
larkin
L K S -

sku
- - - -

grommet location
larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish
PA polished aluminum

powder coat upcharge $250
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut

base finish
see finish pages



rectangular tops - 4 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
EOA	120	36	29½"	(4) angled legs	8051	6709
EOB	120	42	29½"	(4) angled legs	8302	6919
EOC	120	48	29½"	(4) angled legs	8648	7206
EOD	120	54	29½"	(4) angled legs	8992	7493
EOE	120	60	29½"	(4) angled legs	9366	7805

specification codes example: LKS-SKU-XXX

series	**sku**	**grommet location**
larkin		**larkin power** see pages 22-35 for location codes **under mount** see pages 38-39 for location codes **mediatrac1** see pages 44-47 for location codes **000** none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	**top material**	**top finish**	**base material**	**base finish**
PA polished aluminum **powder coat upcharge $250** **WH** satin white powder coat **EC** ecru powder coat **LA** latte powder coat **AL** matte aluminum powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **SG** sage powder coat **RD** black red powder coat **BK** matte black powder coat	**PLL** solid laminate **WGL** woodgrain laminate **OAK** oak **WLT** walnut	see finish pages	**OAK** oak **WLT** walnut	see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
EPA	126	36	29½"	(6) angled legs	11614	9677
EPB	126	42	29½"	(6) angled legs	12048	10040
EPC	126	48	29½"	(6) angled legs	12410	10342
EPD	126	54	29½"	(6) angled legs	12720	10600
EPE	126	60	29½"	(6) angled legs	13140	10949
EQA	132	36	29½"	(6) angled legs	11896	9914
EQB	132	42	29½"	(6) angled legs	12163	10135
EQC	132	48	29½"	(6) angled legs	12564	10470
EQD	132	54	29½"	(6) angled legs	12874	10729
EQE	132	60	29½"	(6) angled legs	13294	11078
ERA	138	36	29½"	(6) angled legs	11995	9997
ERB	138	42	29½"	(6) angled legs	12259	10216
ERC	138	48	29½"	(6) angled legs	12661	10551
ERD	138	54	29½"	(6) angled legs	12971	10809
ERE	138	60	29½"	(6) angled legs	13418	11182
ESA	144	36	29½"	(6) angled legs	12109	10091
ESB	144	42	29½"	(6) angled legs	12376	10313
ESC	144	48	29½"	(6) angled legs	12779	10649
ESD	144	54	29½"	(6) angled legs	13089	10907
ESE	144	60	29½"	(6) angled legs	13559	11300

specification codes example: LKS-SKU-XXX

series
larkin
L K S -

sku
- - - -

grommet location
larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1™
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish
PA polished aluminum

powder coat upcharge $300
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut

base finish
see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
ETA	150	36	29½"	(6) angled legs	12202	10168
ETB	150	42	29½"	(6) angled legs	12473	10394
ETC	150	48	29½"	(6) angled legs	12874	10729
ETD	150	54	29½"	(6) angled legs	13186	10988
ETE	150	60	29½"	(6) angled legs	13680	11401
EUA	156	36	29½"	(6) angled legs	12315	10262
EUB	156	42	29½"	(6) angled legs	12584	10487
EUC	156	48	29½"	(6) angled legs	12987	10823
EUD	156	54	29½"	(6) angled legs	13297	11081
EUE	156	60	29½"	(6) angled legs	13817	11514
EVA	162	36	29½"	(6) angled legs	12408	10341
EVB	162	42	29½"	(6) angled legs	12681	10567
EVC	162	48	29½"	(6) angled legs	13084	10904
EVD	162	54	29½"	(6) angled legs	13395	11163
EVE	162	60	29½"	(6) angled legs	13937	11615
EWA	168	36	29½"	(6) angled legs	11820	10431
EWB	168	42	29½"	(6) angled legs	13311	11094
EWC	168	48	29½"	(6) angled legs	13671	11393
EWD	168	54	29½"	(6) angled legs	13982	11652
EWE	168	60	29½"	(6) angled legs	14549	12125

specification codes example: LKS-SKU-XXX

series	sku	grommet location
larkin		**larkin power** see pages 22-35 for location codes **under mount** see pages 38-39 for location codes **mediatrac1™** see pages 44-47 for location codes **000** none
L K S -	-	

material + finish code example: BK OAK 871 OAK 871

rail and feet finish	top material	top finish	base material	base finish
PA polished aluminum **powder coat upcharge $300** **WH** satin white powder coat **EC** ecru powder coat **LA** latte powder coat **AL** matte aluminum powder coat **GR** graphite powder coat **BZ** bronze powder coat **IG** iron grey powder coat **SG** sage powder coat **RD** black red powder coat **BK** matte black powder coat	**PLL** solid laminate **WGL** woodgrain laminate **OAK** oak **WLT** walnut	see finish pages	**OAK** oak **WLT** walnut	see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
EXA	174	36	29½"	(6) angled legs	13313	11095
EXB	174	42	29½"	(6) angled legs	14762	12303
EXC	174	48	29½"	(6) angled legs	15165	12638
EXD	174	54	29½"	(6) angled legs	15476	12896
EXE	174	60	29½"	(6) angled legs	16067	13389
EYA	180	36	29½"	(6) angled legs	14101	11752
EYB	180	42	29½"	(6) angled legs	15538	12950
EYC	180	48	29½"	(6) angled legs	15941	13285
EYD	180	54	29½"	(6) angled legs	16253	13544
EYE	180	60	29½"	(6) angled legs	16868	14057
EZA	186	36	29½"	(6) angled legs	14227	11857
EZB	186	42	29½"	(6) angled legs	15665	13055
EZC	186	48	29½"	(6) angled legs	16067	13389
EZD	186	54	29½"	(6) angled legs	16377	13648
EZE	186	60	29½"	(6) angled legs	17019	14183
E1A	192	36	29½"	(6) angled legs	14314	11929
E1B	192	42	29½"	(6) angled legs	15763	13135
E1C	192	48	29½"	(6) angled legs	16165	13471
E1D	192	54	29½"	(6) angled legs	16475	13729
E1E	192	60	29½"	(6) angled legs	17140	14284

specification codes example: LKS-SKU-XXX

series
larkin

L K S -

sku

- -

grommet location

larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1™
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish

PA polished aluminum

powder coat upcharge $300
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut

base finish
see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
E2A	198	36	29½"	(6) angled legs	14423	12020
E2B	198	42	29½"	(6) angled legs	15874	13228
E2C	198	48	29½"	(6) angled legs	16277	13565
E2D	198	54	29½"	(6) angled legs	16587	13823
E2E	198	60	29½"	(6) angled legs	17277	14398
E3A	204	36	29½"	(6) angled legs	14519	12100
E3B	204	42	29½"	(6) angled legs	15971	13309
E3C	204	48	29½"	(6) angled legs	16373	13645
E3D	204	54	29½"	(6) angled legs	16683	13904
E3E	204	60	29½"	(6) angled legs	17398	14498
E4A	210	36	29½"	(6) angled legs	14618	12182
E4B	210	42	29½"	(6) angled legs	16078	13399
E4C	210	48	29½"	(6) angled legs	16480	13733
E4D	210	54	29½"	(6) angled legs	16781	13985
E4E	210	60	29½"	(6) angled legs	17529	14607
E5A	216	36	29½"	(6) angled legs	14733	12277
E5B	216	42	29½"	(6) angled legs	16185	13487
E5C	216	48	29½"	(6) angled legs	16645	13872
E5D	216	54	29½"	(6) angled legs	16888	14073
E5E	216	60	29½"	(6) angled legs	17660	14716

specification codes example: LKS-SKU-XXX

series
larkin
L K S -

sku
- -

grommet location
larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1™
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish
PA polished aluminum

powder coat upcharge $300
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut

base finish
see finish pages



rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36” width tables



tops 60” - 120” length x 36” - 60” wide
have one sectional top



tops 126” - 240” length x 36” - 60” wide
have two sectional tops

sku	l	w	h	legs	PLL solid laminate WGL woodgrain laminate	OAK oak WLT walnut
E6A	222	36	29½"	(6) angled legs	14824	12354
E6B	222	42	29½"	(6) angled legs	16281	13568
E6C	222	48	29½"	(6) angled legs	16840	14033
E6D	222	54	29½"	(6) angled legs	17180	14315
E6E	222	60	29½"	(6) angled legs	17781	14818

specification codes example: LKS-SKU-XXX

series
larkin
L K S -

sku
- - -

grommet location
larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1™
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish
PA polished aluminum

powder coat upcharge $300
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut

base finish
see finish pages



rectangular tops - 8 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

sku	l	w	h	legs	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
E7A	228	36	29½"	(8) angled legs	16392	13660
E7B	228	42	29½"	(8) angled legs	16802	14002
E7C	228	48	29½"	(8) angled legs	17401	14501
E7D	228	54	29½"	(8) angled legs	18028	15023
E7E	228	60	29½"	(8) angled legs	18408	15339
E8A	234	36	29½"	(8) angled legs	16490	13742
E8B	234	42	29½"	(8) angled legs	16929	14107
E8C	234	48	29½"	(8) angled legs	17528	14606
E8D	234	54	29½"	(8) angled legs	18153	15128
E8E	234	60	29½"	(8) angled legs	18783	15652
E9A	240	36	29½"	(8) angled legs	16587	13822
E9B	240	42	29½"	(8) angled legs	17025	14188
E9C	240	48	29½"	(8) angled legs	17664	14720
E9D	240	54	29½"	(8) angled legs	18308	15257
E9E	240	60	29½"	(8) angled legs	18965	15804

specification codes example: LKS-SKU-XXX

series
larkin

L K S -

sku

- -

grommet location

larkin power
see pages 22-35 for location codes

under mount
see pages 38-39 for location codes

mediatrac1
see pages 44-47 for location codes

000 none

material + finish code example: BK OAK 871 OAK 871

rail and feet finish

PA polished aluminum

powder coat upcharge $350
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish
see finish pages

base material
OAK oak
WLT walnut


base finish
see finish pages



power + accessories


Larkin Grommet Placement Kits

Larkin power options by Bernhardt Design are offered as a grommet kit which includes all lights, grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Larkin Power Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the power option
- Select the length of table that this is to be used on
  (make sure that this grommet code matches the code used when ordering your top)
- Select the faceplate finish



The Grommet Kit will ship separately and will be installed in the field.

Top Depth	Distance to Grommet	Distance to Light
42"	19¾"	15"
48"	22¾"	18"
54"	25¾"	21"
60"	28¾"	24"



Ordering Example:

120" x 60" Table Top
Oak veneer, 870 finish
WH Faceplate Finish
LKS-LP3-CRD-120

specification codes example: LKS-SKU-CRD-240

series
Larkin
L K S -

sku
- -

power option
CRD corded

table length


060	108	156	204
066	114	162	210
072	120	168	216
078	126	174	222
084	132	180	228
090	138	186	234
096	144	192	240
102	150	198	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Power




Larkin power module offers (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.

Certified to UL STD 962 A CSA STD 22.2 No 21.




Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Power
White or Graphite Finish




(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
11¾"w x 2½"d x ¼"h above worksurface
integrated circuit breaker
UL 962 listed

H-Block Connector
Grey Finish
included in kit




Not used with corded or hardwired modules

Power Infeed
included in kit



10' Grounded, 15 amp plug, Braided Cord




Single Larkin Power

Larkin Power

Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.


sku	descriptions	price
LK1	**60" - 240" Tables** **36" - 60" Wide**	$ 2348



LK2	**84" - 240" Tables** **36" - 60" Wide**	3822



LK3	**108" - 240" Tables** **36" - 60" Wide**	5350



specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length			
Larkin		**CRD** corded	060	108	156	204
			066	114	162	210
			072	120	168	216
			078	126	174	222
			084	132	180	228
			090	138	186	234
			096	144	192	240
			102	150	198	
L K S -	-					


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish	
GR	graphite
WH	white

Larkin Power


Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.




sku	descriptions	price
LK4	**144" - 240" Tables 36" - 60" Wide**	$ 6879



LK5	**180" - 240" Tables 36" - 60" Wide**	8407



LK6	**228" - 240" Tables 36" - 60" Wide**	9990



specification codes example: LKS-SKU-CRD-240

series
Larkin
L K S -

sku
- -

power option
CRD corded

table length


144	180	216
150	186	222
156	192	228
162	198	234
168	204	240
174	210	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Power with Pass Thru Grommet




The power with pass thru grommet offers a cable pass thru, (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.

Certified to UL STD 962 A CSA STD 22.2 No 21.




Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Power with Pass Thru Grommet
White or Graphite Finish




(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
(1) cable pass thru
13⅝"w x 2½"d x ¼"h above worksurface
integrated circuit breaker
UL 962 listed

Jumper
included in kit
(if required)




Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector
Grey Finish
included in kit



Power Infeed
included in kit




10' grounded 15 amp plug,
Braided Cord




HDMI Cord Connected to a Laptop for Presentation Purposes

Larkin Power with Pass Thru Grommet

Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.




sku	descriptions	price
LG1	**60" - 240" Tables 36" - 60" Wide**	$ 2457



LG2	**84" - 240" Tables 36" - 60" Wide**	4040



LG3	**108" - 240" Tables 36" - 60" Wide**	5678



specification codes example: LKS-SKU-CRD-240

series
Larkin
L K S -

sku
- - - - -

power option
CRD corded

table length

060	108	156	204
066	114	162	210
072	120	168	216
078	126	174	222
084	132	180	228
090	138	186	234
096	144	192	240
102	150	198	


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Power with Pass Thru Grommet


Grommet kits and locations codes for veneer and laminate tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.




sku	descriptions	price
LG4	**144" - 240" Tables 36" - 60" Wide**	$ 7316



LG5	**180" - 240" Tables 36" - 60" Wide**	8953



LG6	**228" - 240" Tables 36" - 60" Wide**	10646



specification codes example: LKS-SKU-CRD-240

series
Larkin
L K S -

sku
- -

power option
CRD corded

table length

144	180	216
150	186	222
156	192	228
162	198	234
168	204	240
174	210	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish
GR graphite
WH white


Larkin Power with Light Grommet



The power with light grommet features an integrated light that plugs into a power module underneath the table. The light features a USB-A port and is available in white and graphite. An optical sensor is used to turn on, dim and turn off the light.


The power module also offers (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.

Certified to UL STD 962 A CSA STD 22.2 No 21.




Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Power with Light Grommet
White or Graphite Finish



(1) Larkin Light
(3) 15 amp receptacles,120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
(1) Integrated light pass through
13⅝"w x 2½"d x ¼"h above worksurface
18¼"w x 11⅞" x 15¼"h overall dimensions
integrated circuit breaker
UL 962 listed

Jumper
included in kit
(if required)




Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector
Grey Finish
included in kit




Power Infeed
included in kit



10' Grounded 15 amp plug,
Braided Cord




Section View
Showing Light Dimensions




Front View

Larkin Power with Light Grommet


Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.




sku	descriptions	price
LT2	**90" - 240" Tables 36" - 60" Wide**	$ 7916



LT3	**120" - 240" Tables 36" - 60" Wide**	11574



LT4	**144" - 240" Tables 36" - 60" Wide**	15067



specification codes example: LKS-SKU-CRD-240

series
Larkin
L K S -

sku
- -

power option
CRD corded

table length

090	132	168	204
096	138	174	210
102	144	180	216
108	150	186	222
114	156	192	234
120	162	198	240
126			


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Power with Light Grommet


Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LT5	**180" - 240" Tables 36" - 60" Wide**	$ 18670



sku	descriptions	price
LT6	**228" - 240" Tables 36" - 60" Wide**	22164



specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length
Larkin		**CRD** corded	180 210 186 216 192 222 198 234 204 240
L K S -	-		

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Light - Only




Larkin offers a custom power module with an integrated light that plugs into a power module underneath the table. The light features a USB-A port and is available in white and graphite. An optical sensor is used to turn on, dim and turn off the light. Depending on the size of the table, 1-6 lights can be used.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Light
White or Graphite Finish




(1) USB-A port
5 watt
Dimmable touch light switch

Hexplex
Matte Black Finish




(5) 15 amp receptacles,
120 v 60 Hz.


H-Block Connector
Grey Finish
included in kit



Power Infeed
included in kit




10' grounded 15 amp plug,
Braided Cord




Larkin Light shown with optional Under Mount Power Option
Under mount to be specified separately

Larkin Light - Only



Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and necessary components based on table length and power option.
Grommet kits ship separately from tops.


sku	descriptions	price
LL1	**72" - 108" Tables 36" - 60" Wide**	$ 2293



LL2	**72" - 120" Tables 36" - 60" Wide**	4586



LL3	**90" - 144" Tables 36" - 60" Wide**	6660



specification codes example: LKS-SKU-CRD-144


series	sku	power option	table length
Larkin		**CRD** corded	072 114 078 120 084 126 090 132 096 138 102 144 108
A C S -	-		

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish
GR graphite
WH white

Larkin Light - Only




Grommet kits and locations codes for veneer and laminate tops.
Kits include Larkin light and necessary components based on table length and power option.
Grommet kits ship separately from tops.


sku	descriptions	price
LL4	**126" - 240" Tables 36" - 60" Wide**	$ 8517



LL5	**144" - 240" Tables 36" - 60" Wide**	10482



LL6	**228" - 240" Tables 36" - 60" Wide**	12556



specification codes example: LKS-SKU-CRD-240

series	sku	power option	table length		
Larkin		**CRD** corded	126	168	210
			132	174	216
			138	180	222
			144	186	228
			150	192	234
			156	198	240
			162	204	
A C S -	-				


Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish	
GR	graphite
WH	white

Larkin Power with Light Grommet and Larkin Light


Grommet kits and locations codes for veneer and laminates tops.
Kits include Larkin power with light grommets, Larkin light and all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.



sku	descriptions	price
LP3	**120" - 240" Tables 36" - 60" Wide**	$ 10263
	Includes (2) Larkin power with light grommets and (1) Larkin light	



LP5	**144" - 240" Tables 36" - 60" Wide**	17360
	Includes (4) Larkin power with light grommets and (1) Larkin light	



specification codes example: LKS-SKU-CRD-240

series
Larkin
L K S -

sku
- -

power option
CRD corded

table length

120	162	234
126	168	210
132	174	216
138	180	222
144	186	228
150	192	234
156	198	240

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish
GR graphite
WH white


Under Mount Power



Larkin offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (6) under mount power modules can be connected on one power infeed.


The under mount power modules are available in (1) configuration: (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.

The Larkin table collection provides suggested locations for 2 - 6 under mount power modules. See following pages for details on recommended configurations. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Power Module
Matte Black Finish




power + usb-a + usb-c
(1) 15 amp receptacle, 120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
36" pattern whip or
braided cotton 10' cord,
grounded plug, UL 962 listed

Jumper
included in kit
(if required)




Jumper is determined by the length of the top specified and is included in the grommet code kit

H-Block Connector
Grey Finish
included in kit



Not used with corded or hardwired modules


Power Infeed
included in kit



10' Grounded, 15 amp plug, Braided Cord


Under Mount Management

The following illustration shows a section view of the Larkin table with under mount power.



Under Mount Power Placement Kits

Under Mount power options by Bernhardt Design are offered as a kit which includes all modules and wire management needed to bring power from the floor to the user. The number of modules and lengths of wire management are determined by the table lengths selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Under Mount Power

- Select the grommet code that best suits your requirements
- Select the power style

The Grommet Kit will ship separately and will be installed in the **field.**


60"- 150" Table



Ordering Example:

60" x 150" Table Top
Oak veneer, 870 finish
LU4 Grommet Code

126 - 222" Table




Ordering Example:

126" x 222" Table Top
Walnut veneer, 872 finish
LU6 Grommet Code


Under Mount Dimensions for 60 - 90" Tables

Top Depth	Distance to Grommet
36"	10¾"
42"	10¾"
48"	10¾"
54"	10¾"
60"	10¾"



Under Mount Dimensions for 96"- 240" Tables

Top Depth	Distance to Grommet
36"	13¾"
42"	13¾"
48"	13¾"
54"	13¾"
60"	13¾"



specification codes example: ACS-SKU-PU060

series A C S -

sku - (3 blanks)

power style

PU	power + usb + usb-c





table length

060	108	156	204
066	114	162	210
072	120	168	216
078	126	174	222
084	132	180	228
090	138	186	234
096	144	192	240
102	150	198	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PU power + usb + usb-c 
1 Module Kit			
	LU1	**60"-240" Tables 36"-60" Wide Tables**	$ 576
			
4 Module Kits			
	LU4	**60"-240" Tables 36"-60" Wide Tables**	2894
			
6 Module Kits			
	LU6	**108"-240" Tables 36"-60" Wide Tables**	
		108" - 120" Table 4 Leg	4259
			
		126" - 240" Table 6 and 8 Leg Tables	4259
			

specification codes example: ACS-SKU-PU0240

series

A C S -

sku

- -

power style

PU power + usb + usb-c

P U




table length

060	108	156	204
066	114	162	210
072	120	168	216
078	126	174	222
084	132	180	228
090	138	186	234
096	144	192	240
102	150	198	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.


All kits include a 10' corded infeed with grounded and fused plug.

# of Kits	sku	specifications	PU power + usb + usb-c 
8 Module Kits			
	LU8	**228"-240" Tables 48"-60" Wide Tables** 	$ 6089
10 Module Kits			
	LU10	**228"-240" Tables 48"-60" Wide Tables** 	8025

specification codes example: ACS-SKU-PU0240

series	sku	power style	table length
A C S -	-	**PU** power + usb + usb-c P U	228 234 240

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

description	sku	w	d	h		price
 **power module**	UPM	4 3/4	3 1/2	1 1/2		603

(1) 120v 60Hz 15 amp receptacle
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
9' cord with grounded plug
UL 962 listed

Not sure use with surface mount or dual module configurations.
Can be added to any standard table as a single power source.

specification codes example: ACS-SKU

series sku


A C S -

Mediatrac1™

The Larkin collection introduces new structural rails that work in conjunction with Mediatrac1.

Mediatrac1 is a simplified system for routing power and data to the conference table worksurface while managing wires and auxiliary equipment.

Mediatrac1 grommet system provides power and (16) different options for Extron data configurations. Grommets are available in (5) different sizes ranging from an 8" x 4" single door unit to a 48" x 8" (4) door unit. All units have brushed aluminum trim with options for aluminum, laminate, or veneer lids in corded, hardwired or 4-Trac system power infeed.




Note: Bernhardt Design provides recommendations for installation locations.
End user installation will be required per individual sku. Power is specified separately.

Mediatrac1™ offers power options that utilize the electrical 4-Trac Power System, allowing for easy installation and reconfiguration capabilities. 4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. The grommet layout and wiring scheme is specified specifically for each top size, requiring the customer to separately purchase only the required infeeds and jumpers.

Mediatrac1 is certified to UL STD 962A, UL STD 1363, CSA STD 22.2 No. 308-14. 4-Trac is certified to UL STD 183 CSA STD 22.2 No. 203.1-14.


Mediatrac1 Options

8" Single Door Mediatrac™ Grommet




2 grounded outlets, 1 exit plug,
accepts 2 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame


8" Double Door Mediatrac™ Grommet



4 grounded outlets, 1 exit plug,
accepts 4 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

24" Double Door Mediatrac™ Grommet






8 grounded outlets, 2 exit plugs,
accepts 8 Extron single space AAP's,
AAP modules specified separately,
brushed aluminum frame

Mediatrac1 Grommet Kits (Includes the following)

Power Module




Number and configuration
of grommet modules determined
by the grommet code

Jumper
(if required)



Jumper are determined by the
length of the top specified

H-Block Connector
Grey Finish



Not used with cored or
hardwired modules

Power Infeed Options




72" 4-Trac Power Infeed with 20 amp plug



20 amp receptacle
4-trac Only



72" 4-Trac Power Infeed with Hardwired Conduit




72" Power Infeed with 15 amp plug




15 amp receptacle

Mediatrac1 Features


Mediatrac1 is available in a range of sizes up to 72" which can be used in longer spans. Mediatrac1 utilizes the plug and play power system and offers 1" diameter round grommets that are available for speakerphone wire management. Single door grommets have (2) receptacles and (2) AAP single plates while double door grommets have (4) receptacles and (4) AAP single plates. Mediatrac1 is UL listed.





Power/Data locations in Mediatrac1 grommets

Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System


- Power Infeed
- Power Module Whip
- Modular Connector
- Jumper
- Power Drop
- Power Module
- H-Block



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a 18" modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.



4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.


4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
  (make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/door material
- Select the lid/door finish



Top Depth	Distance to Grommet
42"	17"
48"	20"
54"	23"
60"	26"

The Grommet Kit will ship separately and will be installed in the **field.**



Ordering Example:

120" x 54" Table Top
Oak Veneer, 870 Finish
M08 Grommet Code with 4trac Corded Power
Polished Aluminum Frame, Oak Lid, 870 Finish

specification codes example: MGS-SKU-CRD120

series
top
M G S -

sku
-

power option
CRD corded
HWD hardwired
4TC four trac corded
4TH four trac hardwired

table length
048 102 150 198
054 108 156 204
060 114 162 204
066 120 168 216
072 126 174 222
078 132 180 228
084 138 186 234
090 144 192 240
096

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870

frame finish
BA brushed aluminum
upcharge will apply
see powder coat finishes




lid material
ALM aluminum
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

lid finish
see finish pages

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.
Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	**PLL** solid laminate, **WGL** woodgrain laminate	**OAK** oak, **WLT** walnut
M03	**60" - 240" Tables** **42" - 60" Wide Tables** (1) 8" double door mediatrac grommet 	$ 2183	$ 2457	$ 3413
M04	**60" - 240" Tables** **42" - 60" Wide Tables** (2) 8" single door mediatrac grommets 	3002	3275	5527
P04	**60" - 240" Tables** **42" - 60" Wide Tables** same information as M04 (1) 1" dia. grommet for microphone 	3140	3413	5663
M06	**60" - 240" Tables** **42" - 60" Wide Tables** (1) 24" double door mediatrac grommet 	3072	3345	4572

specification codes example: MGS-SKU-CRD120

series
top
M G S -

sku
- - -

power option
- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

table length

060	108	156	204
066	114	162	210
072	120	168	216
078	126	174	222
084	132	180	228
090	138	186	234
096	144	192	240
102	150	198	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870

frame finish
- **BA** brushed aluminum

powder coat upcharge $75
see powder coat finishes



lid material
- **ALM** aluminum
- **PLL** solid laminate
- **WGL** woodgrain laminate
- **OAK** oak
- **WLT** walnut

lid finish
see finish pages

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.
Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
M05	**72"- 240" Tables 42"- 60" Wide Tables** (2) 8" double door mediatrac grommets 	$ 3958	$ 4231	$ 6548
M07	**84"- 240" Tables 42"- 60" Wide Tables** (1) 8" double door mediatrac grommet (2) 8" single door mediatrac grommets 	4777	5323	8596
M08	**84"- 240" Tables 42"- 60" Wide Tables** (1) 24" double door mediatrac grommet (2) 8" single door mediatrac grommets 	5595	6140	9483

specification codes example: MGS-SKU-CRD120

series
top
M | G | S | -

sku
| | | | -

power option
CRD corded
HWD hardwired
4TC four trac corded
4TH four trac hardwired

table length
072 120 162 201
078 126 168 210
084 132 174 216
090 138 180 222
096 144 186 228
102 150 192 234
108 156 198 240
114

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870

frame finish
BA brushed aluminum
powder coat upcharge $150
see powder coat finishes

lid material
ALM aluminum
PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut


lid finish
see finish pages


Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.


Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.
Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
M10	**96"- 240" Tables 42"- 60" Wide Tables** (3) 8" double door mediatrac grommets	$5936	$ 6482	$ 9822
M15	**132"- 240" Tables 42"- 60" Wide Tables** (2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets	7777	8458	12823
M30	**156"- 240" Tables 42"- 60" Wide Tables** (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards.	8323	9141	12687







specification codes example: MGS-SKU-CRD120

series
top
M G S -

sku
- - - -

power option
- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

table length
096 138 174 210
102 144 180 216
108 150 186 222
114 156 192 228
120 162 198 234
126 168 204 240
132

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870

frame finish
- **BA** brushed aluminum

powder coat upcharge $225
see powder coat finishes

lid material
- **ALM** aluminum
- **PLL** solid laminate
- **WGL** woodgrain laminate
- **OAK** oak
- **WLT** walnut


lid finish
see finish pages


Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac1 grommet kits and locations codes for veneer, laminates and solid surface tops.
Kits include all jumpers and necessary components based on table length and power option.
Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.
Specify table length, power style, lid material and frame finish below.

sku	specifications	lid material: **ALM** aluminum	**PLL** solid laminate **WGL** woodgrain laminate	**OAK** oak **WLT** walnut
M12	**108"- 240" Tables 42"- 60" Wide Tables** (2) 24" double door mediatrac grommets	$ 6155	$ 6700	$ 8528
P12	**108"- 240" Tables 42"- 60" Wide Tables** same information as M12 (1) 1" dia. grommet for microphone	6292	6837	8665





specification codes example: MGS-SKU-CRD120

series
top
M | G | S | -

sku
- | | | |

power option
- **CRD** corded
- **HWD** hardwired
- **4TC** four trac corded
- **4TH** four trac hardwired

table length

108	144	180	216
114	150	186	222
120	156	192	228
126	162	198	234
132	168	204	240
138	174	210	

Important:
Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870



frame finish
- **BA** brushed aluminum

powder coat upcharge $150
see powder coat finishes

lid material
- **ALM** aluminum
- **PLL** solid laminate
- **WGL** woodgrain laminate
- **OAK** oak
- **WLT** walnut

lid finish
see finish pages

Note: When **ALM** Aluminum is selected for lid material, lid material will match frame finish.

	description	sku	w	d	h		price
	**wire clip**	VNZ	6	2¼	1¾		83
		hooks onto mediatrac rail smoke polycarbonate finish (4) clips come standard with each table					
	**wire mangement kit**	WMK	1⅝	⅞	1½		221
		(12) multi-wire clips (8)wire clips black finish					
	**drop down power tube**	PDW	3½	3½	24¾		1747
		wood veneered designate wood material and finish below.					

specification codes example: ACS-SKU


series: A C S -

sku:

finish code example: BA

material:
OAK oak
WLT walnut

finish: see finish pages

description	sku	w	d	h		price
 **blank plate**	VGG	3½	-	⅝		177
	Extron® AAP blank plate with black powder coat finish single space insert					
 **cable pass-through module**	VGY	3½	-	1⅜		502
	Extron® APP single space, cable pass-through plates sold as a set of (2) black powder coat finish					
 **phone/data module**	VGD	3½	-	⅝		379
	Extron® APP two RJ-45 pass-through barrels CAT 5e single space insert					
 **phone/data module**	VGK	3½	-	⅝		303
	Extron® AAP (1) RJ-45 female to punch down block leviton CAT6 data single space insert					
 **phone/data module**	VGP	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block leviton CAT6 data single space insert					

specification codes example: ACS-SKU

series sku



A C S -

description	sku	w	d	h		price
 **phone/data module**	VGL	3½	-	⅝		421
	Extron® APP (2) RJ-45 female to punch down block AMP CAT6 data single space insert					
 **phone/data module**	VGQ	3½	-	1⅜		572
	Extron® AAP (2) RJ-45 female to punch down block higher than CAT6 data type connectors systomax MGS500 backward compatible double space insert					
 **computer/audio/video module**	VG3	3½	-	⅝		421
	Extron® AAP HDMI female to HDMI female on 10" pigtail single space insert					
 **control/computer module**	VGR	3½	-	⅝		421
	Extron® AAP (2) USB-A female to female barrels single space insert					
 **usb charging module**	VGU	3½	-	⅝		815
	Extron® AAP Power Plate charging module (2).5 VCD USB power outlets 2.1 A/10.5 watts of power for charging mobile devices single space insert					

specification codes example: ACS-SKU

series sku

A C S -

	description	sku	w	d	h		price
	**AAP retrofit USB A+C**	VRA	3½	1⅓	⅝		475
		Extron® AAP plate black USB C 20 watt USB A 20 watt double space insert					
	**AAP retrofit USB C**	VRC	3½	1⅓	⅝		650
		Extron® AAP plate black USB C 60 watt double space insert					

specification codes example: ACS-SKU

series sku

A C S -

Prices and Specifications
Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry
All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation
All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping
Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or $75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims
Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waiver any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns
No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit
Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a $25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges.
A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Natural characteristics include the natural discolorations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a $500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

BERNHARDT | design

Bernhardt Design is a registered trademark of
Bernhardt Furniture Company of Lenoir, NC.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53’ trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Percent	Minimum
Zone 1	3%	$150
Zone 2	4%	$150
Zone 3	5%	$150
Zone 4	5.5%	$150
Zone 5	6%	$150

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a $500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

Zone	Minimums	Freight	Avg. Bus. Days
Zone 1	$200	5%	10 - 15
Zone 2	$200	9%	10 - 15
Zone 3	$200	8%	10 - 15
Zone 4	$200	11%	10 - 15
Zone 5	Quote	Quote	

The attached rates are strictly freight and do not include brokerage fees.



Greater Montreal Quebec Area (Postal Codes Starting with H) Freight is 5%