

BERNHARDT | design

larkin table price list

january 2026



| | |
|-------------------------------|-------|
| collection overview | |
| laminate selections | 3 |
| veneer selections | 4 |
| base + powder coat selections | 5 |
| collection overview | 6 |
| tops | 7 |
| bases | 8 |
| power overview | 9 |
| larkin power overview | 10 |
| wire management | 11 |
| rectangular tops | |
| 4 leg assembly | 12-14 |
| 6 leg assembly | 15-19 |
| 8 leg assembly | 20 |

| | |
|-------|----|
| power | 21 |
|-------|----|

| | |
|--|-------|
| larkin | |
| grommet kit overview | 22 |
| power | 23 |
| power grommet kits | 24-25 |
| power with pass thru grommet | 26 |
| power with pass thru grommet kits | 27-28 |
| power with light grommet | 29 |
| power with light grommet kits | 30-31 |
| light | 32 |
| light grommet kits | 33-34 |
| power with light grommet kits plus light | 35 |

| | |
|------------------------|-------|
| under mount | |
| power overview | 36 |
| grommet placement kits | 37 |
| grommet kits | 38-39 |
| extron® AAP modules | 40 |

| | |
|-----------------------------|-------|
| mediatrac1™ | |
| power overview | 41 |
| 4-trac power system | 42 |
| grommet placement kits | 43 |
| grommet kits | 44-47 |
| wire management | 48-49 |
| extron® AAP modules | 50-51 |
| terms and conditions | 52-53 |
| guaranteed freight | 54 |
| guaranteed freight - canada | 55 |

Laminate Selections

A three character sku identifies each laminate selection as well as the standard finish offered. Individual components are priced with standard finish on standard laminate.

A variety of Wilsonart® standard laminates with standard finishes is offered on conference and multipurpose tables. Additional colors may be available but are

subject to upcharges and extended lead times. The laminate option is available on components where noted as an option in the material specification code.

All laminate tops will have a 3mm matching edge band.


PLL Solid Laminate

Standard Solid

- 671 Designer White, Wilsonart D354-60 Matte Finish
- 672 Frosty White, Wilsonart 1573-60 Matte Finish
- 673 Fashion Grey, Wilsonart D381-60 Matte Finish
- 674 North Sea, Wilsonart D90-60 Matte Finish
- 675 Black, Wilsonart 1595-60 Matte Finish

Traceless Laminates - 30% Upcharge

- 665 Snow White Velvet, Wilsonart 15501-31 Traceless Laminate
- 666 Charcoal Velvet, Wilsonart 15504-31 Traceless Laminate
- 667 Black Velvet, Wilsonart 15505-31 Traceless Laminate



WGL Woodgrain Laminate

Standard Woodgrain

- 684 Phantom Pearl, Wilsonart 8211K-28 Gloss Line Finish w/Aeon Scratch Resistant Protection
- 685 Raw Chestnut, Wilsonart 7975K-12 Soft Grain Finish w/Aeon Scratch Resistant Protection
- 686 High Line, Wilsonart 7970K-18 Linearity Finish w/Aeon Scratch Resistant Protection
- 678 New Age Oak, Wilsonart 7938-16 Casual Rustic Finish
- 679 Brazilwood, Wilsonart 7946-38 Matte Finish
- 687 Boardwalk Oak, Wilsonart 7983-38 Fine Velvet Finish
- 683 Portico Teak (Grey), Wilsonart 8210K-28 Gloss Line Finish
- 681 Studio Teak, Wilsonart 7960-16 Casual Rustic Finish
- 680 Walnut Heights, Wilsonart 7965K-12 Soft Grain Finish
- 682 Asian Night, Wilsonart 7949-16 Casual Rustic Finish



Veneer Selections

A three character sku identifies each species as well as the standard finish offered. Individual components are priced with standard finish. Special finishes on veneers made to customer specifications are subject to factory approval and a 10% net upcharge with a \$500 net minimum.


Transparent stains and sealers are applied in multiple steps to enhance the beauty of the natural wood. A durable, baked-on, top-coat of conversion varnish

or UV topcoat is applied to protect the product. It is recommended that felt, cork or fabric backed desk pads and accessories are used on worksurfaces to minimize wear.

When specifying light finishes the natural characteristics of the wood will be visible and color will vary. Paint finishes are available as custom orders. See terms and conditions for additional finish information.

OAK Oak

Rift Cut



Standard Finish


*871 870 839
837 860 861
865 836 866
872 805 845

OAK Select Finishes

M73 M72 M75
M74 M76 M77
M71

WLT Walnut

Flat Cut



Standard Finish

872 861
*870 823
860 866
839

***NOTE:** Both solid wood and veneers are used in the design of the Larkin tables. This mixing of materials will show a tone/color difference between the parts when natural finishes are specified. Slight shading and color differences may be noticed between the two materials.

OAK Oak



OAK Select Finishes



WLT Walnut



Base Standard Finishes




PA Polished Aluminum

Powder Coat Selections

A two character sku identifies each powder coat finish offered. Individual skus are priced with standard metal finish. Non-standard finishes may incur an additional charge.

Powder Coat Finishes




WH Satin White



AL Matte Aluminum



EC Ecru



LA Latte



GR Graphite




BZ Bronze



SG Sage



IG Iron Grey



RD Black Red



BK Matte Black

Optional Powder Coat Colors - RAL

- Lead Time - Three weeks additional lead-time after color approval
- Net Up-charge - \$1000 for colors shown in Bernhardt Design RAL Powder Coat Selector
- Minimum Order Quantity - None
- Approval Sample Cost - None
- Combining Products - One up-charge is applicable for multiple products on a single purchase order when they are in the same color

Larkin Table Collection



The Larkin meeting table offers a design that works beautifully within today's casual work environments. The table features a reverse beveled edge top, solid wood base, polished or power coat aluminum components and new innovative surface mount power options. The most unique offering is a new integrated light that can be used within a power module or alone within the work surface. Blending all these options together, the Larkin meeting table meets the needs of today's flexible work environment.



Conference Height Table

4 Leg Assembly - Ranging from 36" to 60" wide by 60" to 120" long



Conference Height Table

Shown with coordinating Larkin Credenza



Conference Height Table

6 Leg Assembly - Ranging from 36" to 60" wide by 126" to 222" long



Conference Height Table

8 Leg Assembly - Ranging from 36" to 60" wide by 228" to 240" long


Larkin Tops




Larkin tops are specifically constructed to accommodate the Larkin bases. Bases and tops are sold as a complete assembly.

Rectangular tops are available in 36" - 60" widths and 60" - 240" lengths. Tops 126"- 222" will have 6 legs, tops 228"- 240" will have 8 legs. Larkin table height is 29½".

Larkin tables are SCS Indoor Advantage™ Gold certified and LEVEL® 1 certified.



Front View



Side View

specification codes example: LKS-SKU-XXX

| series | sku | grommet location |
|---------------|-----|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1 see pages 44-47 for location codes |
| | | 000 none |
| L K S - | | _____ |

material + finish code example: BK OAK 871 OAK 871


| rail and feet finish | top material | top finish | base material | base finish |
|-------------------------------|------------------------|------------------|---------------|------------------|
| PA polished aluminum | PLL solid laminate | see finish pages | OAK oak | see finish pages |
| powder coat upcharge | WGL woodgrain laminate | | WLT walnut | |
| WH satin white powder coat | OAK oak | | | |
| EC ecru powder coat | WLT walnut | | | |
| LA latte powder coat | | | | |
| AL matte aluminum powder coat | | | | |
| GR graphite powder coat | | | | |
| BZ bronze powder coat | | | | |
| IG iron grey powder coat | | | | |
| SG sage powder coat | | | | |
| RD black red powder coat | | | | |
| BK matte black powder coat | | | | |
| _____ | _____ | _____ | _____ | _____ |

Larkin Bases


The Larkin conference table features an aluminum frame supported by solid wood legs equipped with adjustable levelers with a $\frac{1}{2}$ " range. Aluminum frames are available in polished or a range of powder coat finishes. Bases and tops are sold as a complete assembly.

Wood legs are available in solid oak or solid walnut with standard Bernhardt finishes. The Larkin conference table comes in a 4, 6, or 8 leg version. Table lengths up to 120" have 4 legs, lengths 126" to 222" have 6 legs and lengths 228" to 240" have 8 legs.


Larkin tables are SCS Indoor Advantage™ Gold and LEVEL 2 certified.




Side View




Side View




Side View




Side View




Side View




Front View



Front View



Front View



Front View

Power Overview



The Larkin meeting table collection offers a selection of power options designed to meet the diverse needs in today's work environment. Our traditional undermount and mediatrac1™ power are offered along with new Larkin surface mount power options. Larkin power options are tailor made and offer a variety of power options along with an integrated light that can be used with or without the power module.



Larkin Power with Pass Thru

(3) Receptacles on the faceplate, (1) receptacle on the underside of the module, (4) USB-C ports and (1) pass thru location for HDMI or other cables. Available in white and graphite.



Larkin Power

(3) Receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports. Available in white and graphite.



Under Mount Power

(1) Grounded receptacle, (1) USB-A port and (1) USB-C port available as single corded or in multiples.



Mediatrac1

(4) Grounded receptacles with open positions for (4) AAP plates.

Larkin Power Overview




The Larkin meeting table collection features custom, surface mount power options designed to allow for increased functionality on the work surface. Options are: the Larkin Power grommet, Larkin Power with pass thru, Larkin Power with light grommet and Larkin light.


The power grommet offers USB-C and receptable power only. The power with accessory grommet offers the choice of (2) faceplate options; a power with light grommet and power with pass thru for HDMI and other cables. The power with light option features an integrated light that plugs into a power module located conveniently beneath the table and features a USB-A port. An optical sensor is used to turn on, dim and turn off the light.

The Larkin light can be used within the power with light grommet or used separately on the table. When using the light separately and additional power is needed, under mount power can be specified. Offered in white and graphite, tables can accept 1-6 lights depending on the size of the table.

Power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: Bernhardt Design provides recommendations for installation locations. End user installation will be required per individual sku. Power is specified separately.



Larkin Power with Light Grommet Side View

Larkin Power


White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
11 1/4" w x 2 1/2" d x 1/4" h above worksurface
integrated circuit breaker
UL 962 listed

Larkin Power with Pass Thru Grommet


White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
(1) cable pass thru
13 5/8" w x 2 1/2" d x 1/4" h above worksurface
integrated circuit breaker
UL 962 listed

Larkin Power with Light Grommet

White or Graphite Finish




(1) Larkin light
(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module

(4) 2 amp USB-C ports, 20 watt
(1) Integrated light pass through
13 5/8" w x 2 1/2" d x 1/4" h above worksurface
18 1/4" w x 11 1/8" d x 15 1/4" h - overall dimensions
integrated circuit breaker
UL 962 listed

Jumper

included in kit



Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector

Grey Finish
included in kit



Power Infeed

included in kit




10' grounded 15 amp plug,
Required per individual SKU,
Braided Cord


Larkin Wire Management

The Larkin Conference collection offers a concealed wire management solution through the use of a cable pass thru. The cable pass thru is a plastic tray that is mounted in a pocket machined in the underside of the tabletop. This allows the cable to travel above the rail to the center of the table. The cable can then be routed down a leg with clear plastic clips, or down a drop down power tube.

A drop down power tube is recommended when using a floor core. The tube does not run all the way to ground to allow for flexibility of its location to any floor cores that may be used. The drop down power tube is sold separately.



Single Under Mount Shown



Detail View of Drop Down Power Tube
Available in Oak or Walnut veneer.
Specify separately.

Note: End user installation will be required per individual sku. Drop Down Power Tube is specified separately. See accessory pages for add-ons.




rectangular tops - 4 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| EEA | 60 | 36 | 29½" | (4) angled legs | 6328 | 5274 |
| EEB | 60 | 42 | 29½" | (4) angled legs | 6526 | 5438 |
| EEC | 60 | 48 | 29½" | (4) angled legs | 6680 | 5567 |
| EED | 60 | 54 | 29½" | (4) angled legs | 6883 | 5737 |
| EFA | 66 | 36 | 29½" | (4) angled legs | 6426 | 5354 |
| EFB | 66 | 42 | 29½" | (4) angled legs | 6651 | 5543 |
| EFC | 66 | 48 | 29½" | (4) angled legs | 6822 | 5686 |
| EFD | 66 | 54 | 29½" | (4) angled legs | 7024 | 5854 |
| EFE | 66 | 60 | 29½" | (4) angled legs | 7258 | 6050 |
| EGA | 72 | 36 | 29½" | (4) angled legs | 6528 | 5440 |
| EGB | 72 | 42 | 29½" | (4) angled legs | 6705 | 5588 |
| EGC | 72 | 48 | 29½" | (4) angled legs | 6949 | 5791 |
| EGD | 72 | 54 | 29½" | (4) angled legs | 7180 | 5983 |
| EGE | 72 | 60 | 29½" | (4) angled legs | 7413 | 6177 |
| EHA | 78 | 36 | 29½" | (4) angled legs | 6635 | 5529 |
| EHB | 78 | 42 | 29½" | (4) angled legs | 6601 | 5501 |
| EHC | 78 | 48 | 29½" | (4) angled legs | 7048 | 5873 |
| EHD | 78 | 54 | 29½" | (4) angled legs | 7306 | 6089 |
| EHE | 78 | 60 | 29½" | (4) angled legs | 7566 | 6305 |
| EIA | 84 | 36 | 29½" | (4) angled legs | 6733 | 5611 |
| EIB | 84 | 42 | 29½" | (4) angled legs | 6699 | 5582 |
| EIC | 84 | 48 | 29½" | (4) angled legs | 7145 | 5954 |
| EID | 84 | 54 | 29½" | (4) angled legs | 7368 | 6139 |
| EIE | 84 | 60 | 29½" | (4) angled legs | 7593 | 6325 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1 see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871

| rail and feet finish | top material | top finish | base material | base finish |
|-----------------------------------|------------------------|------------------|---------------|------------------|
| | PLL solid laminate | see finish pages | OAK oak | see finish pages |
| | WGL woodgrain laminate | | WLT walnut | |
| PA polished aluminum | | | | |
| powder coat upcharge \$250 | | | | |
| WH satin white powder coat | | | | |
| EC ecru powder coat | | | | |
| LA latte powder coat | | | | |
| AL matte aluminum powder coat | | | | |
| GR graphite powder coat | | | | |
| BZ bronze powder coat | | | | |
| IG iron grey powder coat | | | | |
| SG sage powder coat | | | | |
| RD black red powder coat | | | | |
| BK matte black powder coat | | | | |




rectangular tops - 4 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| EJA | 90 | 36 | 29½" | (4) angled legs | 7192 | 5994 |
| EJB | 90 | 42 | 29½" | (4) angled legs | 7213 | 6011 |
| EJC | 90 | 48 | 29½" | (4) angled legs | 7659 | 6382 |
| EJD | 90 | 54 | 29½" | (4) angled legs | 7883 | 6568 |
| EJE | 90 | 60 | 29½" | (4) angled legs | 8107 | 6754 |
| EKA | 96 | 36 | 29½" | (4) angled legs | 7290 | 6075 |
| EKB | 96 | 42 | 29½" | (4) angled legs | 7313 | 6095 |
| EKC | 96 | 48 | 29½" | (4) angled legs | 7766 | 6471 |
| EKD | 96 | 54 | 29½" | (4) angled legs | 7990 | 6656 |
| EKE | 96 | 60 | 29½" | (4) angled legs | 8214 | 6842 |
| ELA | 102 | 36 | 29½" | (4) angled legs | 7388 | 6157 |
| ELB | 102 | 42 | 29½" | (4) angled legs | 7416 | 6180 |
| ELC | 102 | 48 | 29½" | (4) angled legs | 7861 | 6551 |
| ELD | 102 | 54 | 29½" | (4) angled legs | 8086 | 6738 |
| ELE | 102 | 60 | 29½" | (4) angled legs | 8310 | 6923 |
| EMA | 108 | 36 | 29½" | (4) angled legs | 7842 | 6536 |
| EMB | 108 | 42 | 29½" | (4) angled legs | 7887 | 6573 |
| EMC | 108 | 48 | 29½" | (4) angled legs | 8314 | 6928 |
| EMD | 108 | 54 | 29½" | (4) angled legs | 8538 | 7114 |
| EME | 108 | 60 | 29½" | (4) angled legs | 8762 | 7300 |
| ENA | 114 | 36 | 29½" | (4) angled legs | 7950 | 6625 |
| ENB | 114 | 42 | 29½" | (4) angled legs | 8177 | 6814 |
| ENC | 114 | 48 | 29½" | (4) angled legs | 8523 | 7102 |
| END | 114 | 54 | 29½" | (4) angled legs | 8853 | 7377 |
| ENE | 114 | 60 | 29½" | (4) angled legs | 9184 | 7653 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1 see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871

rail and feet finish

PA polished aluminum
powder coat upcharge \$250
WH satin white powder coat
EC ecru powder coat
LA latte powder coat
AL matte aluminum powder coat
GR graphite powder coat
BZ bronze powder coat
IG iron grey powder coat
SG sage powder coat
RD black red powder coat
BK matte black powder coat

top material

PLL solid laminate
WGL woodgrain laminate
OAK oak
WLT walnut

top finish

see finish pages

base material

OAK oak
WLT walnut

base finish

see finish pages




rectangular tops - 4 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|---------|----|------|-----------------|------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| EOA 120 | 36 | 29½" | (4) angled legs | | 8051 | 6709 |
| EOB 120 | 42 | 29½" | (4) angled legs | | 8302 | 6919 |
| EOC 120 | 48 | 29½" | (4) angled legs | | 8648 | 7206 |
| EOD 120 | 54 | 29½" | (4) angled legs | | 8992 | 7493 |
| EOE 120 | 60 | 29½" | (4) angled legs | | 9366 | 7805 |

specification codes example: LKS-SKU-XXX

| series | sku | grommet location |
|---------------|-----|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1 see pages 44-47 for location codes |
| | | 000 none |
| L K S - | | |

material + finish code example: BK OAK 871 OAK 871

| rail and feet finish | top material | top finish | base material | base finish |
|-----------------------------------|------------------------|------------------|---------------|------------------|
| PA polished aluminum | PLL solid laminate | see finish pages | OAK oak | see finish pages |
| powder coat upcharge \$250 | WGL woodgrain laminate | | WLT walnut | |
| WH satin white powder coat | | | | |
| EC ecru powder coat | | | | |
| LA latte powder coat | | | | |
| AL matte aluminum powder coat | | | | |
| GR graphite powder coat | | | | |
| BZ bronze powder coat | | | | |
| IG iron grey powder coat | | | | |
| SG sage powder coat | | | | |
| RD black red powder coat | | | | |
| BK matte black powder coat | | | | |
| | | | | |




rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| EPA | 126 | 36 | 29½" | (6) angled legs | 11614 | 9677 |
| EPB | 126 | 42 | 29½" | (6) angled legs | 12048 | 10040 |
| EPC | 126 | 48 | 29½" | (6) angled legs | 12410 | 10342 |
| EPD | 126 | 54 | 29½" | (6) angled legs | 12720 | 10600 |
| EPE | 126 | 60 | 29½" | (6) angled legs | 13140 | 10949 |
| EQA | 132 | 36 | 29½" | (6) angled legs | 11896 | 9914 |
| EQB | 132 | 42 | 29½" | (6) angled legs | 12163 | 10135 |
| EQC | 132 | 48 | 29½" | (6) angled legs | 12564 | 10470 |
| EQD | 132 | 54 | 29½" | (6) angled legs | 12874 | 10729 |
| EQE | 132 | 60 | 29½" | (6) angled legs | 13294 | 11078 |
| ERA | 138 | 36 | 29½" | (6) angled legs | 11995 | 9997 |
| ERB | 138 | 42 | 29½" | (6) angled legs | 12259 | 10216 |
| ERC | 138 | 48 | 29½" | (6) angled legs | 12661 | 10551 |
| ERD | 138 | 54 | 29½" | (6) angled legs | 12971 | 10809 |
| ERE | 138 | 60 | 29½" | (6) angled legs | 13418 | 11182 |
| ESA | 144 | 36 | 29½" | (6) angled legs | 12109 | 10091 |
| ESB | 144 | 42 | 29½" | (6) angled legs | 12376 | 10313 |
| ESC | 144 | 48 | 29½" | (6) angled legs | 12779 | 10649 |
| ESD | 144 | 54 | 29½" | (6) angled legs | 13089 | 10907 |
| ESE | 144 | 60 | 29½" | (6) angled legs | 13559 | 11300 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1™ see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871


| rail and feet finish | top material |
|-----------------------------------|------------------------|
| PA polished aluminum | PLL solid laminate |
| powder coat upcharge \$300 | WGL woodgrain laminate |
| WH satin white powder coat | OAK oak |
| EC ecru powder coat | WLT walnut |
| LA latte powder coat | |
| AL matte aluminum powder coat | |
| GR graphite powder coat | |
| BZ bronze powder coat | |
| IG iron grey powder coat | |
| SG sage powder coat | |
| RD black red powder coat | |
| BK matte black powder coat | |

| top finish | base material | base finish |
|------------------|---------------|------------------|
| see finish pages | OAK oak | see finish pages |
| | WLT walnut | |




rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| ETA | 150 | 36 | 29½" | (6) angled legs | 12202 | 10168 |
| ETB | 150 | 42 | 29½" | (6) angled legs | 12473 | 10394 |
| ETC | 150 | 48 | 29½" | (6) angled legs | 12874 | 10729 |
| ETD | 150 | 54 | 29½" | (6) angled legs | 13186 | 10988 |
| ETE | 150 | 60 | 29½" | (6) angled legs | 13680 | 11401 |
| EUA | 156 | 36 | 29½" | (6) angled legs | 12315 | 10262 |
| EUB | 156 | 42 | 29½" | (6) angled legs | 12584 | 10487 |
| EUC | 156 | 48 | 29½" | (6) angled legs | 12987 | 10823 |
| EUD | 156 | 54 | 29½" | (6) angled legs | 13297 | 11081 |
| EUE | 156 | 60 | 29½" | (6) angled legs | 13817 | 11514 |
| EVA | 162 | 36 | 29½" | (6) angled legs | 12408 | 10341 |
| EVB | 162 | 42 | 29½" | (6) angled legs | 12681 | 10567 |
| EVC | 162 | 48 | 29½" | (6) angled legs | 13084 | 10904 |
| EVD | 162 | 54 | 29½" | (6) angled legs | 13395 | 11163 |
| EVE | 162 | 60 | 29½" | (6) angled legs | 13937 | 11615 |
| EWA | 168 | 36 | 29½" | (6) angled legs | 11820 | 10431 |
| EWB | 168 | 42 | 29½" | (6) angled legs | 13311 | 11094 |
| EWC | 168 | 48 | 29½" | (6) angled legs | 13671 | 11393 |
| EWD | 168 | 54 | 29½" | (6) angled legs | 13982 | 11652 |
| EWE | 168 | 60 | 29½" | (6) angled legs | 14549 | 12125 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1™ see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871

| rail and feet finish | top material | top finish | base material | base finish |
|--|---|------------------|---------------|------------------|
| | | see finish pages | OAK oak | see finish pages |
| PA polished aluminum powder coat upcharge \$300 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat | PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | | | |
| | | | | |




rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| EXA | 174 | 36 | 29½" | (6) angled legs | 13313 | 11095 |
| EXB | 174 | 42 | 29½" | (6) angled legs | 14762 | 12303 |
| EXC | 174 | 48 | 29½" | (6) angled legs | 15165 | 12638 |
| EXD | 174 | 54 | 29½" | (6) angled legs | 15476 | 12896 |
| EXE | 174 | 60 | 29½" | (6) angled legs | 16067 | 13389 |
| EYA | 180 | 36 | 29½" | (6) angled legs | 14101 | 11752 |
| EYB | 180 | 42 | 29½" | (6) angled legs | 15538 | 12950 |
| EYC | 180 | 48 | 29½" | (6) angled legs | 15941 | 13285 |
| EYD | 180 | 54 | 29½" | (6) angled legs | 16253 | 13544 |
| EYE | 180 | 60 | 29½" | (6) angled legs | 16868 | 14057 |
| EZA | 186 | 36 | 29½" | (6) angled legs | 14227 | 11857 |
| EZB | 186 | 42 | 29½" | (6) angled legs | 15665 | 13055 |
| EZC | 186 | 48 | 29½" | (6) angled legs | 16067 | 13389 |
| EZD | 186 | 54 | 29½" | (6) angled legs | 16377 | 13648 |
| EZE | 186 | 60 | 29½" | (6) angled legs | 17019 | 14183 |
| E1A | 192 | 36 | 29½" | (6) angled legs | 14314 | 11929 |
| E1B | 192 | 42 | 29½" | (6) angled legs | 15763 | 13135 |
| E1C | 192 | 48 | 29½" | (6) angled legs | 16165 | 13471 |
| E1D | 192 | 54 | 29½" | (6) angled legs | 16475 | 13729 |
| E1E | 192 | 60 | 29½" | (6) angled legs | 17140 | 14284 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac™ see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871

| rail and feet finish | top material |
|-----------------------------------|------------------------|
| PA polished aluminum | PLL solid laminate |
| powder coat upcharge \$300 | WGL woodgrain laminate |
| WH satin white powder coat | OAK oak |
| EC ecru powder coat | WLT walnut |
| LA latte powder coat | |
| AL matte aluminum powder coat | |
| GR graphite powder coat | |
| BZ bronze powder coat | |
| IG iron grey powder coat | |
| SG sage powder coat | |
| RD black red powder coat | |
| BK matte black powder coat | |

| top finish | base material | base finish |
|------------------|---------------|------------------|
| see finish pages | OAK oak | see finish pages |
| | WLT walnut | |




rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| E2A | 198 | 36 | 29½" | (6) angled legs | 14423 | 12020 |
| E2B | 198 | 42 | 29½" | (6) angled legs | 15874 | 13228 |
| E2C | 198 | 48 | 29½" | (6) angled legs | 16277 | 13565 |
| E2D | 198 | 54 | 29½" | (6) angled legs | 16587 | 13823 |
| E2E | 198 | 60 | 29½" | (6) angled legs | 17277 | 14398 |
| E3A | 204 | 36 | 29½" | (6) angled legs | 14519 | 12100 |
| E3B | 204 | 42 | 29½" | (6) angled legs | 15971 | 13309 |
| E3C | 204 | 48 | 29½" | (6) angled legs | 16373 | 13645 |
| E3D | 204 | 54 | 29½" | (6) angled legs | 16683 | 13904 |
| E3E | 204 | 60 | 29½" | (6) angled legs | 17398 | 14498 |
| E4A | 210 | 36 | 29½" | (6) angled legs | 14618 | 12182 |
| E4B | 210 | 42 | 29½" | (6) angled legs | 16078 | 13399 |
| E4C | 210 | 48 | 29½" | (6) angled legs | 16480 | 13733 |
| E4D | 210 | 54 | 29½" | (6) angled legs | 16781 | 13985 |
| E4E | 210 | 60 | 29½" | (6) angled legs | 17529 | 14607 |
| E5A | 216 | 36 | 29½" | (6) angled legs | 14733 | 12277 |
| E5B | 216 | 42 | 29½" | (6) angled legs | 16185 | 13487 |
| E5C | 216 | 48 | 29½" | (6) angled legs | 16645 | 13872 |
| E5D | 216 | 54 | 29½" | (6) angled legs | 16888 | 14073 |
| E5E | 216 | 60 | 29½" | (6) angled legs | 17660 | 14716 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1™ see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871

| rail and feet finish | top material | top finish | base material | base finish |
|--|---|------------------|---------------|------------------|
| | | see finish pages | OAK oak | see finish pages |
| PA polished aluminum powder coat upcharge \$300 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat | PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | | | |
| | | | | |




rectangular tops - 6 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1™ power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| E6A | 222 | 36 | 29½" | (6) angled legs | 14824 | 12354 |
| E6B | 222 | 42 | 29½" | (6) angled legs | 16281 | 13568 |
| E6C | 222 | 48 | 29½" | (6) angled legs | 16840 | 14033 |
| E6D | 222 | 54 | 29½" | (6) angled legs | 17180 | 14315 |
| E6E | 222 | 60 | 29½" | (6) angled legs | 17781 | 14818 |

specification codes example: LKS-SKU-XXX

| series | sku | grommet location |
|---------------|-----|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1™ see pages 44-47 for location codes |
| | | 000 none |
| L K S - | | |

material + finish code example: BK OAK 871 OAK 871

| rail and feet finish | top material | top finish | base material | base finish |
|--|---|------------------|-----------------------|------------------|
| PA polished aluminum powder coat upcharge \$300 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat | PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | see finish pages | OAK oak WLT walnut | see finish pages |
| | | | | |




rectangular tops - 8 leg assembly

rails and die cast feet are available in polished aluminum or powder coat, specify below
mediatrac1 power not available on 36" width tables



tops 60" - 120" length x 36" - 60" wide
have one sectional top



tops 126" - 240" length x 36" - 60" wide
have two sectional tops

| sku | l | w | h | legs | PLL solid laminate | OAK oak |
|-----|-----|----|------|-----------------|------------------------|------------|
| | | | | | WGL woodgrain laminate | WLT walnut |
| E7A | 228 | 36 | 29½" | (8) angled legs | 16392 | 13660 |
| E7B | 228 | 42 | 29½" | (8) angled legs | 16802 | 14002 |
| E7C | 228 | 48 | 29½" | (8) angled legs | 17401 | 14501 |
| E7D | 228 | 54 | 29½" | (8) angled legs | 18028 | 15023 |
| E7E | 228 | 60 | 29½" | (8) angled legs | 18408 | 15339 |
| E8A | 234 | 36 | 29½" | (8) angled legs | 16490 | 13742 |
| E8B | 234 | 42 | 29½" | (8) angled legs | 16929 | 14107 |
| E8C | 234 | 48 | 29½" | (8) angled legs | 17528 | 14606 |
| E8D | 234 | 54 | 29½" | (8) angled legs | 18153 | 15128 |
| E8E | 234 | 60 | 29½" | (8) angled legs | 18783 | 15652 |
| E9A | 240 | 36 | 29½" | (8) angled legs | 16587 | 13822 |
| E9B | 240 | 42 | 29½" | (8) angled legs | 17025 | 14188 |
| E9C | 240 | 48 | 29½" | (8) angled legs | 17664 | 14720 |
| E9D | 240 | 54 | 29½" | (8) angled legs | 18308 | 15257 |
| E9E | 240 | 60 | 29½" | (8) angled legs | 18965 | 15804 |

specification codes example: LKS-SKU-XXX

series sku grommet location

| | | |
|--------|--|---|
| larkin | | larkin power see pages 22-35 for location codes |
| | | under mount see pages 38-39 for location codes |
| | | mediatrac1 see pages 44-47 for location codes |
| | | 000 none |

material + finish code example: BK OAK 871 OAK 871


| rail and feet finish | top material | top finish | base material | base finish |
|---|---|------------------|-----------------------|------------------|
| PA polished aluminum powder coat upcharge \$350 WH satin white powder coat EC ecru powder coat LA latte powder coat AL matte aluminum powder coat GR graphite powder coat BZ bronze powder coat IG iron grey powder coat SG sage powder coat RD black red powder coat BK matte black powder coat  | PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut  | see finish pages | OAK oak WLT walnut | see finish pages |



power + accessories


Larkin Grommet Placement Kits

Larkin power options by Bernhardt Design are offered as a grommet kit which includes all lights, grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Larkin Power Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the power option
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the faceplate finish



The Grommet Kit will ship separately and will be installed in the field.



Ordering Example:
120" x 60" Table Top
Oak veneer, 870 finish
WH Faceplate Finish
LKS-LP3-CRD-120

| Top Depth | Distance to Grommet | Distance to Light |
|-----------|---------------------|-------------------|
| 42" | 19 3/4" | 15" |
| 48" | 22 3/4" | 18" |
| 54" | 25 3/4" | 21" |
| 60" | 28 3/4" | 24" |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|---------------|-----|--------------|-----------------|
| Larkin | | CRD cabled | 060 108 156 204 |
| | | | 066 114 162 210 |
| | | | 072 120 168 216 |
| | | | 078 126 174 222 |
| | | | 084 132 180 228 |
| | | | 090 138 186 234 |
| | | | 096 144 192 240 |
| | | | 102 150 198 |
| | | | |
| L K S - | | | |

Important:
 Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.


faceplate finish code example: WH
faceplate finish

GR graphite
WH white

Larkin Power

Larkin power module offers (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.


Certified to UL STD 962 A CSA STD 22.2 No 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Power

White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
(1) receptacle on the underside of the module
(4) 2 amp USB-C ports, 20 watt
11 1/4" w x 2 1/2" d x 1/4" h above worksurface
integrated circuit breaker
UL 962 listed

H-Block Connector


Grey Finish
included in kit




Not used with corded or
hardwired modules

Power Infeed

included in kit




10' Grounded, 15 amp plug,
Braided Cord



Single Larkin Power

Larkin Power

Grommet kits and locations codes for veneer and laminate tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.



| sku | descriptions | price |
|-----|---|---------|
| LK1 | 60" - 240" Tables 36" - 60" Wide | \$ 2348 |
| | | |
| LK2 | 84" - 240" Tables 36" - 60" Wide | 3822 |
| | | |
| LK3 | 108" - 240" Tables 36" - 60" Wide | 5350 |
| | | |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|--------|-----|--------------|-----------------|
| Larkin | | CRD corded | 060 108 156 204 |
| | | | 066 114 162 210 |
| | | | 072 120 168 216 |
| | | | 078 126 174 222 |
| | | | 084 132 180 228 |
| | | | 090 138 186 234 |
| | | | 096 144 192 240 |
| | | | 102 150 198 |

Important:
 Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH
 faceplate finish

GR graphite
 WH white

Larkin Power

Grommet kits and locations codes for veneer and laminate tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.



| sku | descriptions | price |
|------------|--|---------|
| LK4 | 144" - 240" Tables 36"- 60" Wide | \$ 6879 |
| | | |
| LK5 | 180" - 240" Tables 36"- 60" Wide | 8407 |
| | | |
| LK6 | 228" - 240" Tables 36"- 60" Wide | 9990 |
| | | |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|---------------|-----|--------------|--------------|
| Larkin | | CRD corded | 144 180 216 |
| | | | 150 186 222 |
| | | | 156 192 228 |
| | | | 162 198 234 |
| | | | 168 204 240 |
| | | | 174 210 |
| L K S - | | | |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.


faceplate finish code example: WH
 faceplate finish

| | |
|----|----------|
| GR | graphite |
| WH | white |

Larkin Power with Pass Thru Grommet



The power with pass thru grommet offers a cable pass thru, (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.




Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Certified to UL STD 962 A CSA STD 22.2 No 21.

Power with Pass Thru Grommet

White or Graphite Finish



(3) 15 amp receptacles, 120 v 60 Hz.
 (1) receptacle on the underside of the module
 (4) 2 amp USB-C ports, 20 watt
 (1) cable pass thru
 13 5/8" w x 2 1/2" d x 1/4" h above worksurface
 integrated circuit breaker
 UL 962 listed

Jumper
 included in kit
 (if required)



Jumper is determined by the length
 of the top specified and is included
 in the grommet code kit


H-Block Connector
 Grey Finish
 included in kit



Power Infeed
 included in kit



10' grounded 15 amp plug,
 Braided Cord




HDMI Cord Connected to a Laptop for Presentation Purposes

Larkin Power with Pass Thru Grommet

Grommet kits and locations codes for veneer and laminate tops.

Kits include all jumpers and necessary components based on table length and power option.

Grommet kits ship separately from tops.



| sku | descriptions | price |
|-----|---|---------|
| LG1 | 60" - 240" Tables 36" - 60" Wide | \$ 2457 |
| | | |
| LG2 | 84" - 240" Tables 36" - 60" Wide | 4040 |
| | | |
| LG3 | 108" - 240" Tables 36" - 60" Wide | 5678 |
| | | |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|--------|-----|--------------|-----------------|
| Larkin | | CRD corded | 060 108 156 204 |
| | | | 066 114 162 210 |
| | | | 072 120 168 216 |
| | | | 078 126 174 222 |
| | | | 084 132 180 228 |
| | | | 090 138 186 234 |
| | | | 096 144 192 240 |
| | | | 102 150 198 |

table length

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH


faceplate finish

GR graphite

WH white

Larkin Power with Pass Thru Grommet

Grommet kits and locations codes for veneer and laminate tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.



| sku | descriptions | price |
|-----|---------------------------------------|---------|
| LG4 | 144" - 240" Tables 36"- 60" Wide | \$ 7316 |
| LG5 | 180" - 240" Tables 36"- 60" Wide | 8953 |
| LG6 | 228" - 240" Tables 36"- 60" Wide | 10646 |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|---------------|-----|--------------|-------------------|
| Larkin | | CRD corded | 144 180 216 |
| | | | 150 186 222 |
| | | | 156 192 228 |
| | | | 162 198 234 |
| | | | 168 204 240 |
| | | | 174 210 |
| L K S - | | | |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH
 faceplate finish

| | |
|----|----------|
| GR | graphite |
| WH | white |

Larkin Power with Light Grommet





The power with light grommet features an integrated light that plugs into a power module underneath the table. The light features a USB-A port and is available in white and graphite. An optical sensor is used to turn on, dim and turn off the light.

The power module also offers (3) receptacles on the faceplate, (1) receptacle on the underside of the module and (4) USB-C ports allowing for accessibility of power on the table top. Multiple grommets can be used on the table top depending on the size of the table.

Certified to UL STD 962 A CSA STD 22.2 No 21.

Larkin Power with Light Grommet


White or Graphite Finish



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Jumper

included in kit
(if required)



Jumper is determined by the length of the top specified and is included in the grommet code kit


H-Block Connector

Grey Finish
included in kit




Power Infeed


included in kit



10' Grounded 15 amp plug,
Braided Cord



Section View
Showing Light Dimensions




Front View



Larkin Power with Light Grommet

Grommet kits and locations codes for veneer and laminate tops.

Kits include Larkin light and all jumpers and necessary components based on table length and power option.

Grommet kits ship separately from tops.



| sku | descriptions | price |
|-----|--|---------|
| LT2 | 90" - 240" Tables 36" - 60" Wide | \$ 7916 |
| |  | |
| LT3 | 120" - 240" Tables 36" - 60" Wide | 11574 |
| |  | |
| LT4 | 144" - 240" Tables 36" - 60" Wide | 15067 |
| |  | |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|--------|-----|--------------|-----------------|
| Larkin | | CRD corded | 090 132 168 204 |
| | | | 096 138 174 210 |
| | | | 102 144 180 216 |
| | | | 108 150 186 222 |
| | | | 114 156 192 234 |
| | | | 120 162 198 240 |
| | | | 126 |

L | K | S | - | | | | | - | | | | |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH

faceplate finish

GR graphite


WH white

Larkin Power with Light Grommet

Grommet kits and locations codes for veneer and laminate tops.

Kits include Larkin light and all jumpers and necessary components based on table length and power option.

Grommet kits ship separately from tops.



| sku | descriptions | price |
|------------|---|----------|
| LT5 | 180" - 240" Tables 36" - 60" Wide | \$ 18670 |
| | | |
| LT6 | 228" - 240" Tables 36" - 60" Wide | 22164 |
| | | |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|--------|-----|--------------|--------------|
| Larkin | | CRD corded | 180 210 |
| | | | 186 216 |
| | | | 192 222 |
| | | | 198 234 |
| | | | 204 240 |

L | K | S | - | | | | | - | | | | |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH
faceplate finish


| | |
|----|----------|
| GR | graphite |
| WH | white |

|||

Larkin Light - Only


Larkin offers a custom power module with an integrated light that plugs into a power module underneath the table. The light features a USB-A port and is available in white and graphite. An optical sensor is used to turn on, dim and turn off the light. Depending on the size of the table, 1-6 lights can be used.

Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.




Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Larkin Light
White or Graphite Finish



(1) USB-A port
5 watt
Dimmable touch light switch

Hexplex
Matte Black Finish



(5) 15 amp receptacles,
120 v 60 Hz.


H-Block Connector
Grey Finish
included in kit



Power Infeed
included in kit




10' grounded 15 amp plug,
Braided Cord



Larkin Light shown with optional Under Mount Power Option
Under mount to be specified separately

Larkin Light - Only

Grommet kits and locations codes for veneer and laminate tops.
 Kits include Larkin light and necessary components based on table length and power option.
 Grommet kits ship separately from tops.



| sku | descriptions | price |
|-----|--|---------|
| LL1 | 72" - 108" Tables 36" - 60" Wide | \$ 2293 |
| | | |
| LL2 | 72" - 120" Tables 36" - 60" Wide | 4586 |
| | | |
| LL3 | 90" - 144" Tables 36" - 60" Wide | 6660 |
| | | |

specification codes example: LKS-SKU-CRD-144

| series | sku | power option | table length |
|---------------|-----|--------------|--------------|
| Larkin | | CRD corded | 072 114 |
| | | | 078 120 |
| | | | 084 126 |
| | | | 090 132 |
| | | | 096 138 |
| | | | 102 144 |
| | | | 108 |
| A C S - | | | |

Important:


Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.




faceplate finish code example: WH
faceplate finish

| | |
|----|----------|
| GR | graphite |
| WH | white |

Larkin Light - Only

Grommet kits and locations codes for veneer and laminate tops.
 Kits include Larkin light and necessary components based on table length and power option.
 Grommet kits ship separately from tops.



| sku | descriptions | price |
|-----|--|---------|
| LL4 | 126" - 240" Tables 36" - 60" Wide | \$ 8517 |
| |  | |
| LL5 | 144" - 240" Tables 36" - 60" Wide | 10482 |
| |  | |
| LL6 | 228" - 240" Tables 36" - 60" Wide | 12556 |
| |  | |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|--------|-----|--------------|-------------------|
| Larkin | | CRD cabled | 126 168 210 |
| | | | 132 174 216 |
| | | | 138 180 222 |
| | | | 144 186 228 |
| | | | 150 192 234 |
| | | | 156 198 240 |
| | | | 162 204 |

A | C | S | - | | | | | - | | | | |


Important:
 Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH
faceplate finish

GR graphite
 WH white

Larkin Power with Light Grommet and Larkin Light

Grommet kits and locations codes for veneer and laminates tops.
 Kits include Larkin power with light grommets, Larkin light and all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.



| sku | descriptions | price |
|------------|---|----------|
| LP3 | 120" - 240" Tables 36" - 60" Wide Includes (2) Larkin power with light grommets and (1) Larkin light | \$ 10263 |
| LP5 | 144" - 240" Tables 36" - 60" Wide Includes (4) Larkin power with light grommets and (1) Larkin light | 17360 |

specification codes example: LKS-SKU-CRD-240

| series | sku | power option | table length |
|--------|-----|--------------|--------------|
| Larkin | | CRD corded | 120 162 234 |
| | | | 126 168 210 |
| | | | 132 174 216 |
| | | | 138 180 222 |
| | | | 144 186 228 |
| | | | 150 192 234 |
| | | | 156 198 240 |

L | K | S | - | | | | | - | | | | |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

faceplate finish code example: WH
faceplate finish

| | |
|----|----------|
| GR | graphite |
| WH | white |

| |


Under Mount Power



Larkin offers a proprietary under mount power solution allowing quick and easy daisy chaining of modules together. A maximum of (6) under mount power modules can be connected on one power infeed.

The under mount power modules are available in (1) configuration: (1) receptacle, (1) 2 amp USB-A port and (1) 2 amp USB-C port. End user installation will be required per individual SKU. Each SKU includes a separate power infeed with a 10' grounded plug to connect to the power source. See installation instructions for installing.


The Larkin table collection provides suggested locations for 2 - 6 under mount power modules. See following pages for details on recommended configurations. Under mount power is certified to UL STD 962 A CSA STD 22.2 No. 21.



Note: Bernhardt Design provides recommendations for installation locations on the following pages. Further installation instructions are included with each power unit. End user installation will be required per individual sku. Power is specified separately.

Power Module


Matte Black Finish



power + usb-a + usb-c
(1) 15 amp receptacle, 120 v 60 Hz.
(1) 2 amp USB-A port, 10 watt
(1) 2 amp USB-C port, 20 watt
36" pattern whip or
braided cotton 10' cord,
grounded plug, UL 962 listed

Jumper

included in kit
(if required)



Jumper is determined by the length
of the top specified and is included
in the grommet code kit

H-Block Connector

Grey Finish
included in kit



Not used with corded or
hardwired modules

Power Infeed


included in kit



10' Grounded, 15 amp plug,
Braided Cord

Under Mount Management

The following illustration shows a section view of the Larkin table with under mount power.



Under Mount Power Placement Kits

Under Mount power options by Bernhardt Design are offered as a kit which includes all modules and wire management needed to bring power from the floor to the user. The number of modules and lengths of wire management are determined by the table lengths selected. Your kit will come complete with all necessary parts to install in the field.



Ordering Under Mount Power

- Select the grommet code that best suits your requirements
- Select the power style

The Grommet Kit will ship separately and will be installed in the **field**.

60"- 150" Table



Ordering Example:

60" x 150" Table Top
Oak veneer, 870 finish
LU4 Grommet Code

126 - 222" Table



Ordering Example:



126" x 222" Table Top
Walnut veneer, 872 finish
LU6 Grommet Code

Under Mount Dimensions for 60 - 90" Tables

| Top Depth | Distance to Grommet |
|-----------|---------------------|
| 36" | 10 $\frac{3}{4}$ " |
| 42" | 10 $\frac{3}{4}$ " |
| 48" | 10 $\frac{3}{4}$ " |
| 54" | 10 $\frac{3}{4}$ " |
| 60" | 10 $\frac{3}{4}$ " |

Under Mount Dimensions for 96"- 240" Tables

| Top Depth | Distance to Grommet |
|-----------|---------------------|
| 36" | 13 $\frac{3}{4}$ " |
| 42" | 13 $\frac{3}{4}$ " |
| 48" | 13 $\frac{3}{4}$ " |
| 54" | 13 $\frac{3}{4}$ " |
| 60" | 13 $\frac{3}{4}$ " |



specification codes example: ACS-SKU-PU060

| series | sku | power style | table length | Important: |
|---------------|-----|------------------------|--|---|
| | | PU power + usb + usb-c | 060 108 156 204 066 114 162 210 072 120 168 216 078 126 174 222 084 132 180 228 090 138 186 234 096 144 192 240 102 150 198 | Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit. |
| A C S - | - | P U | | |

Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.

of Kits sku specifications

| |
|---|
| PU |
| power + usb + usb-c |
|  |



1 Module Kit

| | | | |
|--|------------------|----------------------|--------|
| LU1 | 60"- 240" Tables | 36"- 60" Wide Tables | \$ 576 |
|  | | | |

4 Module Kits

| | | | |
|---|------------------|----------------------|------|
| LU4 | 60"- 240" Tables | 36"- 60" Wide Tables | 2894 |
|  | | | |

6 Module Kits


| | | | |
|---|-------------------|----------------------|------|
| LU6 | 108"- 240" Tables | 36"- 60" Wide Tables | |
| 108" - 120" Table 4 Leg | | | 4259 |
|  | | | |
| 126" - 240" Table 6 and 8 Leg Tables | | | 4259 |
|  | | | |

specification codes example: ACS-SKU-PU0240

| series | sku | power style | table length | Important: |
|---------------|-----|------------------------|--|---|
| | | PU power + usb + usb-c | 060 108 156 204 066 114 162 210 072 120 168 216 078 126 174 222 084 132 180 228 090 138 186 234 096 144 192 240 102 150 198 | Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit. |
| A C S - | - | P U | | |


Under mount power kits are specified and sold separately. Each kit lists the table top sizes compatible with the number of power units shown.

All kits include a 10' corded infeed with grounded and fused plug.


| |
|---|
| PU |
| power + usb + usb-c |
|  |

of Kits sku specifications

8 Module Kits


| | | | |
|---|-------------------|----------------------|---------|
| LU8 | 228"- 240" Tables | 48"- 60" Wide Tables | \$ 6089 |
|  | | | |

10 Module Kits

| | | | |
|---|-------------------|----------------------|------|
| LU10 | 228"- 240" Tables | 48"- 60" Wide Tables | 8025 |
|  | | | |

specification codes example: ACS-SKU-PU0240

| series | sku | power style | table length | Important: |
|--------|-----|------------------------|-------------------|---|
| | | PU power + usb + usb-c | 228 234 240 | Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit. |

| description | sku | w | d | h | specifications | price |
|---|-----|-------|-------|-------|---|--------|
|  power module | UPM | 4 3/4 | 3 1/2 | 1 1/2 | (1) 15 amp receptacle, 120 v 60 Hz. (1) 2 amp USB-A port, 10 watt (1) 2 amp USB-C port, 20 watt 9' cord grounded plug UL 962 listed | \$ 603 |


specification codes example: ACS-SKU

series sku

accessories

| | |
|---------------|--|
| A C S - | |
|---------------|--|

Mediatrac1™ 4-Trac Power System




Mediatrac1 Grommets Using Electrical 4-Trac Power System


| | |
|---------------------|----------------|
| ■ Power Infeed | ■ Power Drop |
| ■ Power Module Whip | ■ Power Module |
| ■ Modular Connector | ■ H-Block |
| ■ Jumper | |



4-Trac Infeed snaps into an H-Block connected to a Mediatrac1 power module with a **18"** modular end.



4-Trac H-Block connects up to (4) Jumpers and Power Modules.



4-Trac Jumpers used in conjunction with the H-Block to wire the system.

Mediatrac1 is available in our 4-Trac Power System, allowing for easy installation and reconfiguration capabilities.


4-Trac snaps together easily underneath the worksurface using whips from each power module and the integral 4-Trac jumpers specified for use with each particular Mediatrac1 grommet size. **The grommet layout and wiring scheme is specified specifically for each top size and is included with each kit.**

Each power transition is accommodated by an H-Block, which gives the ability to snap together four power leads. Using the provided documentation to facilitate installation, powering the Mediatrac1 system is as easy as snapping together connectors.

Infeeds are available in both hardwired and corded version in a 72" length. The plug version for the Mediatrac1 power system is 20 amps and will require plugging into a 20 amp outlet to comply with electrical codes.



72" 4-Trac Power Infeed with Hardwired Conduit



72" 4-Trac Power Infeed with 20 amp Plug




20 amp Receptacle

Illustrations showing electrical 4-Trac power infeed end options – hardwired conduit and 20 amp corded plug. Both are available in 72" lengths. 20 amp receptacle must be used with the plug.


Mediatrac 1™ Grommet Placement Kits

Mediatrac 1™ power options by Bernhardt Design are offered as a grommet kit which includes all grommets, jumpers and necessary components needed to bring power from the floor to the user. The number of grommets and lengths of jumpers are determined by the lengths and power options selected. Your kit will come complete with all necessary parts to install in the field.




Ordering Mediatrac 1 Grommets

- Determine the amount of power and data needed
- Select the grommet code that best suits your requirements
- Select the type of power infeed you need
- Select the length of table that this is to be used on
(make sure that this grommet code matches the code used when ordering your top)
- Select the grommet trim/frame finish
- Select the lid/frame material
- Select the lid/frame finish



| Top Depth | Distance to Grommet |
|-----------|---------------------|
| 42" | 17" |
| 48" | 20" |
| 54" | 23" |
| 60" | 26" |

The Grommet Kit will ship separately and will be installed in the **field**.



Ordering Example:

120" x 54" Table Top
Oak Veneer, 870 Finish
M08 Grommet Code with 4trac Corded Power
Polished Aluminum Frame, Oak Lid, 870 Finish

specification codes example: MGS-SKU-CRD120

| series | sku | power option | table length |
|--------|-----|--|---|
| top | | CRD corded HWD hardwired 4TC four trac corded 4TH four trac hardwired | 048 102 150 198 054 108 156 204 060 114 162 204 066 120 168 216 072 126 174 222 078 132 180 228 084 138 186 234 090 144 192 240 096 |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.




material + finish code example: BA WLT 870

| frame finish | lid material | lid finish |
|---|---|------------------|
| BA brushed aluminum upcharge will apply see powder coat finishes | ALM aluminum PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | see finish pages |

Mediatac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Mediatac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | | |
|-----|---|------------------------------|--------------------|---|
| | | ALM aluminum | PLL solid laminate | OAK oak WGL woodgrain laminate WLT walnut |
| M03 | 60" - 240" Tables (1) 8" double door mediatac grommet | 42" - 60" Wide Tables | \$ 2183 | \$ 2457 |
| |  | | | |
| M04 | 60" - 240" Tables (2) 8" single door mediatac grommets | 42" - 60" Wide Tables | 3002 | 3275 |
| |  | | | |
| P04 | 60" - 240" Tables same information as M04 | 42" - 60" Wide Tables | 3140 | 3413 |
| |  | | | |
| M06 | 60" - 240" Tables (1) 24" double door mediatac grommet | 42" - 60" Wide Tables | 3072 | 3345 |
| |  | | | |

specification codes example: MGS-SKU-CRD120

| series | sku | power option | table length | Important: | material + finish code example: BA WLT 870 | | |
|--------|---------------|--|--|---|--|---|------------------|
| | | | | | frame finish | lid material | lid finish |
| top | | CRD cored HWD hardwired 4TC four trac cored 4TH four trac hardwired | 060 108 156 204 066 114 162 210 072 120 168 216 078 126 174 222 084 132 180 228 090 138 186 234 096 144 192 240 102 150 198 | Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit. | BA brushed aluminum powder coat upcharge \$75 see powder coat finishes | ALM aluminum PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | see finish pages |
| | M G S - | | | | | | |

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac¹ grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | | |
|-----|--|--------------|--|-----------------------|
| | | ALM aluminum | PLL solid laminate WGL woodgrain laminate | OAK oak WLT walnut |
| M05 | 72"- 240" Tables 42"- 60" Wide Tables (2) 8" double door mediatac grommets | | \$ 3958 | \$ 4231 |
| | | | | |
| M07 | 84"- 240" Tables 42"- 60" Wide Tables (1) 8" double door mediatac grommet (2) 8" single door mediatac grommets | | 4777 | 5323 |
| | | | | |
| M08 | 84"- 240" Tables 42"- 60" Wide Tables (1) 24" double door mediatac grommet (2) 8" single door mediatac grommets | | 5595 | 6140 |
| | | | | |

specification codes example: MGS-SKU-CRD120




| series | sku | power option | table length | Important: | | material + finish code example: BA WLT 870 | |
|--------|---------------|--|--|---|---|---|------------------|
| | | | | | | frame finish | lid material |
| top | | CRD cored HWD hardwired 4TC four trac cored 4TH four trac hardwired | 072 120 162 201 078 126 168 210 084 132 174 216 090 138 180 222 096 144 186 228 102 150 192 234 108 156 198 240 114 | Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit. | BA brushed aluminum powder coat upcharge \$150 see powder coat finishes | ALM aluminum PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | see finish pages |
| | M G S - | | | | | | |

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | | |
|------------|--|--------------|--|-----------------------|
| | | ALM aluminum | PLL solid laminate WGL woodgrain laminate | OAK oak WLT walnut |
| M10 | 96"- 240" Tables 42"- 60" Wide Tables | \$5936 | \$ 6482 | \$ 9822 |
| | (3) 8" double door mediatrac grommets | | | |
| |  | | | |
| M15 | 132"- 240" Tables 42"- 60" Wide Tables | 7777 | 8458 | 12823 |
| | (2) 8" single door mediatrac grommets (2) 24" double door mediatrac grommets | | | |
| |  | | | |
| M30 | 156"- 240" Tables 42"- 60" Wide Tables | 8323 | 9141 | 12687 |
| | (3) 24" double door mediatrac grommets Two power infeeds will be arranged for a power drop located at the center of the table. Complies with UL standards. | | | |
| |  | | | |

specification codes example: MGS-SKU-CRD120

| series | sku | power option | table length |
|--------|---------------|--|---|
| top | | CRD cored HWD hardwired 4TC four trac cored 4TH four trac hardwired | 096 138 174 210 102 144 180 216 108 150 186 222 114 156 192 228 120 162 198 234 126 168 204 240 132 |
| | M G S - | | |

Important:

Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit.

material + finish code example: BA WLT 870



| frame finish | lid material | lid finish |
|---|---|------------------|
| BA brushed aluminum powder coat upcharge \$225 see powder coat finishes | ALM aluminum PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | see finish pages |

Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

Mediatrac 1 grommet kits and locations codes for veneer, laminates and solid surface tops.
 Kits include all jumpers and necessary components based on table length and power option.
 Grommet kits ship separately from tops.

Mediatrac not available on 36" wide tables.

Specify table length, power style, lid material and frame finish below.

| sku | specifications | lid material | | |
|------------|---|--------------|--|-----------------------|
| | | ALM aluminum | PLL solid laminate WGL woodgrain laminate | OAK oak WLT walnut |
| M12 | 108"- 240" Tables 42"- 60" Wide Tables (2) 24" double door mediatrac grommets | | \$ 6155 | \$ 6700 |
| |  | | | \$ 8528 |
| P12 | 108"- 240" Tables 42"- 60" Wide Tables same information as M12 (1) 1" dia. grommet for microphone | | 6292 | 6837 |
| |  | | | 8665 |


specification codes example: MGS-SKU-CRD120

| series | sku | power option | table length | Important: | | material + finish code example: BA WLT 870 | |
|--------|-------------------------|--|--|---|---|---|------------------|
| | | | | | | frame finish | lid material |
| top | | CRD cabled HWD hardwired 4TC four trac cabled 4TH four trac hardwired | 108 144 180 216 114 150 186 222 120 156 192 228 126 162 198 234 132 168 204 240 138 174 210 | Specify the length of the table that your configuration is to go on, this will insure the proper length of wiring is provided in the kit. | BA brushed aluminum powder coat upcharge \$150 see powder coat finishes | ALM aluminum PLL solid laminate WGL woodgrain laminate OAK oak WLT walnut | see finish pages |
| | M G S - - | | | | | | |


Note: When ALM Aluminum is selected for lid material, lid material will match frame finish.

| description | sku | w | d | h | price |
|---|-----|-------|-------|-------|-------|
|  wire clip hooks onto mediatac™ rail smoke polycarbonate finish 4 included with each table at no charge | VNZ | 6 | 2 1/4 | 1 3/4 | \$ 83 |
|  wire management kit 12 multi wire clips 8 wire clips black | WMK | 1 5/8 | 7/8 | 1 1/2 | 221 |

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

| description | sku | w | d | h | price |
|--|-----|----|----|-----|---------|
|  drop down power tube wood veneered | PDW | 3½ | 3½ | 24¾ | \$ 1747 |

| series | sku | material | finish |
|-------------|-----|-----------------------|------------------|
| accessories | | OAK oak WLT walnut | see finish pages |

| description | sku | w | d | h | price | |
|--|---|-----|----|---|-------|--------|
|  | blank plate | VGG | 3½ | - | 5/8 | \$ 177 |
| | Extron [®] AAP blank plate with black powder coat finish single space insert | | | | | |
|  | cable pass-through module | VGY | 3½ | - | 1 1/8 | 502 |
| | Extron [®] AAP single space, cable pass-through plates sold as a set of (2) black powder coat finish specify for use with VMW cable sling | | | | | |
|  | phone/data module | VGD | 3½ | - | 5/8 | 379 |
| | Extron [®] AAP two RJ-45 pass-through barrels CAT 5e single space insert | | | | | |
|  | phone/data module | VGK | 3½ | - | 5/8 | 303 |
| | Extron [®] AAP one RJ-45 female to punch down block leviton CAT6 data single space insert | | | | | |
|  | phone/data module | VGP | 3½ | - | 5/8 | 421 |
| | Extron [®] AAP two RJ-45 female to punch down block leviton CAT6 data single space insert | | | | | |
|  | phone/data module | VGL | 3½ | - | 5/8 | 421 |
| | Extron [®] AAP two RJ-45 female to punch down block AMP CAT6 data single space insert | | | | | |

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

| description | sku | w | d | h | price |
|---|-----|----|---|-----|--------|
|  phone/data module Extron [®] AAP two RJ-45 female to punch down block higher than CAT6 data type connectors systemax MGS500 backward compatible double space insert | VGQ | 3½ | - | 1⅓ | \$ 572 |
|  computer/audio/video module Extron [®] AAP HDMI female to HDMI female on 10" pigtail single space insert | VG3 | 3½ | - | 5/8 | 421 |
|  control/computer module Extron [®] AAP two USB A female to female barrels single space insert | VGR | 3½ | - | 5/8 | 421 |
|  power plate charging module type 5 VDC USB C power outlet 3 A/45 watts type 5 VDC USB A power outlet 2.1A/10.5 watts of power for charging mobile devices, single space insert | VG9 | 3½ | - | 5/8 | 1437 |
|  usb charging module Extron [®] AAP Power Plate charging module 2 5 VCD USB power outlets 2.1 A / 10.5 watts of power for charging mobile devices single space insert | VGU | 3½ | - | 5/8 | 815 |

| series | sku |
|---------------|-----|
| accessories | |
| A C S - | |

Prices and Specifications

Prices and specifications are subject to change without notice. All prices quoted will be FOB our factories. If applicable, sales tax will be based on ship-to destination.

Bernhardt Design reserves the right to make changes in dimensions, construction, price lists, or product literature without prior notice.

All measurements and weights are approximate and subject to change without notice.

Order Entry

All orders are subject to final acceptance by Bernhardt Design in Lenoir, NC. Receipt of our acknowledgment indicates acceptance of your order subject to the terms set forth on the acknowledgment.

Bernhardt Design attempts to clarify all purchase orders. However, in the event the price list number and description on the purchase order differ, the price list number will prevail.

Changes/Cancellation

All orders in production are considered firm orders and are not subject to changes or cancellation.

Shipping

Bernhardt Design will ship in accordance with customer instructions whenever possible. For convenience, Bernhardt Design offers a guaranteed freight program (GFP). Bernhardt Design will exercise our best judgment in selecting a carrier under our GFP. When selecting a carrier, Bernhardt Design will make our best effort to meet requested delivery dates.

Transportation lead-times and delays including equipment problems, weather, general traffic, traffic accidents, customer warehouse space, labor disputes, customer changes, etc., that occur on a carrier will not be the responsibility of Bernhardt Design. Furthermore, Bernhardt Design will not be responsible for additional costs incurred due to aforementioned delays.

For customers who decline our GFP, Bernhardt Design will stage orders for pick up at 1% of the list price, or \$75 minimum.

Customer orders in production will be shipped as scheduled and will not be held. Bernhardt Design reserves the right to make partial shipments on any order, unless notified otherwise by the customer.

High quality cartoning meeting trucking and railroad specifications is standard at no extra charge. Some items may be blanket wrapped for shipment.

Freight Damage and Claims

Bernhardt Design is not liable for any damages to products that occur during transit or storage. The carrier assumes all responsibility upon acceptance of product. It is the customer's responsibility to inspect products upon receipt and file any claims with the carrier. No product should be refused. If products are received damaged, a written exception should be made on the bill of lading and an immediate inspection be requested of the carrier.

Concealed damage must be reported to the carrier within 10 business days from date of delivery. Failure to make claims shall constitute acceptance of the products and waive any claims of defects, errors or shortages. In the event delivery is made on a Bernhardt Design truck, the products should be carefully inspected for transit damage. If contents are damaged, the driver should be notified to call his dispatcher for immediate disposition.

Concealed damage must be reported within 10 business days from date of delivery and product/packaging held for inspection by a Bernhardt Design representative. Replacements for product damaged in shipment or storage will be manufactured upon receipt of a purchase order.

Returns

No merchandise may be returned to Bernhardt Design without written consent in the form of a Return Authorization from our Quality Assurance Department stating why item is being returned and how item will be shipped.

Unauthorized returns will be automatically refused by our receiving department as well as returns not in accordance with Bernhardt Design shipping instructions. Liability for defective merchandise shall be limited to the replacement or repair of that merchandise, and Bernhardt Design shall not be liable for other damages or losses.

Terms and Credit

Pricing and terms of sale apply to orders accepted by Bernhardt Design, and no terms, stipulations, or conditions contained in the dealer's submitted purchase orders shall have any force or effect. Bernhardt Design requires a completed and signed credit application from every dealer.

Bernhardt Design also requires dealers to provide a Blanket Certificate of Resale/Use containing valid sales tax exemption number(s) for their respective state(s).

If credit has been approved, the standard terms for all Bernhardt Design products are Net 30 from the invoice date. In certain instances, as an additional condition of order acceptance, buyer may be required to provide a deposit at time of order and/or remit the balance before shipment is released. If credit has not been approved, a 100% prepayment, including any freight charges, is required prior to production.

Acceptable forms of payment include a certified check or electronic bank transfer. For information on where to send check/electronic bank information contact our Financial Services Department. If a dealer or company check is submitted, three (3) weeks should be allowed for the clearance of the check. If electronic bank transfer is submitted, one (1) week should be allowed for the clearance of the electronic bank transfer. The order is subject to cancellation if payment in full is not received within three (3) weeks from the acknowledgment date.

The dealer may not make deductions for advertising, promotions, quality problems, freight, or any other reason without prior authorization by Bernhardt Design. Such a deduction could result in the curtailment or suspension of further shipments until the matter is resolved.

Delinquency notices are generated and mailed periodically. Service charges of 18% per annum will be added to each past-due transaction. Unpaid service charges will be accrued and invoiced on a periodic basis. Past-due notices may result in orders being held until the situation is resolved.

This credit hold could prevent orders from being placed into production or shipped. Orders not in production that are placed on credit hold for three (3) weeks will be subject to cancellation.

Severe past-due situations may result in the employment of a collection agency or other collection litigation. If any collection activity is necessary regarding a dealer account, the dealer will be responsible for the payment of any and all attorney and collection agency fees.

A slow payment history may result in reducing or eliminating an open line of credit. At the discretion of Bernhardt Design, amounts owed by a dealer to Bernhardt Design arising from any transaction or dealings between the dealer and Bernhardt Design may be offset against any amounts owed to the dealer by Bernhardt Design.

Warranty

Bernhardt Design will repair or replace, at its discretion, any product or part thereof which fails as the result of defects in material and workmanship, under single shift use and normal care for five years from date of shipment. This warranty shall apply only to the original purchaser.

This warranty does not cover normal wear and tear, misuse or abuse of product, dramatic temperature changes, exposure to unusual conditions or damages incurred by contact with seating products, tables, desks or other surfaces. Natural color changes, variations or movements in lumber or veneer products, exposure to extreme temperature changes and direct sunlight may cause color changes and/or surface damage. These are circumstances beyond the control of Bernhardt Design and are not warranty issues. Repair or replacement of discontinued product will be at the discretion of Bernhardt Design.

This warranty is the customer's exclusive remedy for product defect and does not apply to damage caused by a freight carrier, dealer, installer, user modification, attachments to a product, or any third party. Bernhardt Design has the exclusive right to make the final determination of product misuse or abuse. Except as stated above, Bernhardt Design makes no express or implied warranties as to any product, and in particular, makes no warranty of merchantability or of fitness for any particular purpose. Bernhardt Design shall not be liable for any consequential or incidental damages or for commercial loss arising from any product defect.

Operational Parts Warranty

Drawer glides, drawer boxes, drawer pulls, and lock mechanisms have a Life-Time Warranty for original purchaser. Power and communication components are warranted for one year.

Parts Order

Bernhardt Design parts have a \$25 net minimum per order. This does not include freight costs.

Custom Design

Bernhardt Design may alter products to meet specific needs. Contact your local sales representative when a custom design is needed. Custom designs,

if approved, require minimum quantities, additional leadtime and upcharges. A custom job number, available from your Bernhardt Design sales representative, must be submitted with purchase orders. Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Wood Finishes

Bernhardt Design tables are available in finishes that are compatible with credenzas and seating finishes. However, finishes on tables may vary slightly from those on seating due to the natural characteristics of the wood. No absolute match is implied or guaranteed.

Light Finishes

Bernhardt Design offers lighter finishes on certain veneers and solid woods. When specifying light finishes the natural characteristics of the wood will be

visible and color will vary. Natural characteristics include the natural discolourations of the wood substance and color variations in glued up stock. These natural characteristics are not considered defects by Bernhardt Design, and therefore merchandise will not be replaced.

Special Finishes

Special finishes, made to customer specifications and subject to factory approval, may be available at a 10% net upcharge with a \$500 net minimum.

Additional leadtime may be required for special finish items. Special finish orders will not be acknowledged until the special finish sample is approved in writing and received by Bernhardt Design Customer Service. Special finish orders are not subject to revision or cancellation after acknowledgment.

Installation and Maintenance

All freestanding tables and credenzas are equipped with leveling devices. Local floor conditions vary, and it is always necessary to properly adjust leveling devices. Proper leveling is essential to the alignment and function of doors and drawers.

Improperly leveled units result in misaligned doors and drawers and may impair locking mechanisms or other functional hardware. After the initial installation of credenzas, it may be necessary to readjust and align the units to compensate for settling. This should be expected as a matter of routine maintenance and follow-up to assure proper case function.

Proper installation of Bernhardt Design tables and credenzas is the responsibility of the dealer. Improperly installed units can result in permanent damage to case components. Damage due to improperly installed furniture not covered under product warranty.

Orders combining custom design with standard product cannot be scheduled for production until custom items are approved. Custom design orders are not subject to revision or cancellation after acknowledgment.

Care and Cleaning

Finished wood surfaces should be cleaned with a soft damp cloth, wiping in the direction of the grain. Furniture should be buffed dry immediately with a soft cloth.

Design and Patent Rights

All of the products shown in Bernhardt Design catalogs and described in Bernhardt Design price lists are, and remain, the property of Bernhardt Design, with the sole right reserved to manufacture and to distribute.

Some of the product designs shown are patented in the United States and will remain the property of Bernhardt Design. Any reproduction of the products constitutes an infringement of patented copyright laws and will be subject to prosecution.

Environmental

Some tables and credenzas are LEVEL® for ANSI/BIFMA e3-2019 – Furniture Sustainability Standard and SCS Indoor Advantage™ Gold certified. Visit the product page at bernhardtdesign.com for certifications.

Preferred Carrier Guaranteed Freight Rates

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone. All zones are located within the Continental United States.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. **If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments.** Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.


Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

| Zone | Percent | Minimum |
|--------|---------|---------|
| Zone 1 | 3% | \$150 |
| Zone 2 | 4% | \$150 |
| Zone 3 | 5% | \$150 |
| Zone 4 | 5.5% | \$150 |
| Zone 5 | 6% | \$150 |

Percent bases on List Price.



Preferred Carrier Guaranteed Freight Rates - Canada

Freight charges will be applied to orders as a separate line item based on the zones listed. Rates are based on zones with a minimum for each zone.

The freight amount is calculated on the total merchandise list COM price. Additional freight fuel surcharges may apply. Rates are based on deliveries made Monday through Friday, 8 am until 5 pm.

All orders are shipped by Bernhardt Design company trucks or preferred carriers specified by Bernhardt Design. If a purchase order does not specify that the product must ship complete, Bernhardt Design reserves the right to select the most effective shipping method necessary, including split shipments. Dealer warehouse information, including phone number and contact name, must be specified on the purchase order.

Direct site deliveries may be requested with an additional freight cost. Requests for direct site deliveries must be made 2 weeks prior to the scheduled ship week and meet the following criteria:

- Minimum of half truckload
- Delivery site accessible by a 53' trailer
- Complete delivery site address with contact name and on-site phone number
- Labor available for unloading

Deliveries that do not meet the criteria must be directed to a receiver warehouse. If a receiver warehouse is not available, the dealer may make arrangements with their own 3rd party carrier. If a 3rd party carrier is elected, a contact name, phone number and e-mail address is required.

Bernhardt Design has a no touch freight policy. Drivers are not allowed to unload freight.

Weekend direct site deliveries will incur a \$500 per trailer weekend delivery fee. Weekend is defined as between 5 pm Friday and 8 am Monday.

Customers who decline GFP should refer to the shipping section of the Terms and Conditions page.

| Zone | Minimuns | Freight | Avg. Bus. Days |
|--------|----------|---------|----------------|
| Zone 1 | \$200 | 5% | 10-15 |
| Zone 2 | \$200 | 9% | 10-15 |
| Zone 3 | \$200 | 8% | 10-15 |
| Zone 4 | \$200 | 11% | 10-15 |
| Zone 5 | Quote | Quote | |

The attached rates are strictly freight and do not include brokerage fees.

