




pattern name	specifications	number	description	net price per yard	
allude 	Application	Upholstery, Direct Glue Wall	3812-000	Snow	\$77.00
	Content	Face: 100% Polyurethane	3812-200	Tusk	
		Back: 65% Polyester, 35% Rayon	3812-032	Cocoa	
	Width	54"	3812-235	Fields	
	Weight per Linear Yard	18 Ounces	3812-122	Woodpecker	
	Finish	None	3812-500	Espresso	
	Abrasion	400,000 Double Rubs Wyzenbeek*	3812-227	Bronze	
	Hydrolysis	14+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C	3812-314	Stone Blue	
			3812-044	Atlantic	
	Flammability	California TB 117-2013	3812-010	Ash	
		UFAC, Class 1	3812-004	Shale	
		NFPA 260, Class 1	3812-011	Battleship	
		ASTM E84, Adhered Class 1	3812-001	Black	
		FMVSS 302		Performance	
	Sustainability	SCS Indoor Advantage™ Gold UL GREENGUARD Gold, OEKO-Tex® REACH Compliant, PFAS Free FR Free, LBC Red List Free, ISO 14001		Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds	
Cleaning Code	WS		Coated fabrics must be purchased in full yard increments only		
Bernhardt Design	Seating Grade 6				
Origin	Japan				
			Prop 65 - DMF		

aura 	Application	Upholstery, Direct Glue Wall Wrapped Panel	3842-000	Bone	\$48.00
	Content	Face: 100% Polyurethane	3842-002	Khaki	
		Back: 65% Polyester, 35% Cotton	3842-020	Bark	
	Width	54"	3842-010	Sterling	
	Repeat	None	3842-101	Greyhound	
	Weight per Linear Yard	12.53 ounces	3842-011	Truffle	
	Finishes	PFAS Free Ink & Stain Resistant	3842-044	Ink	
	Abrasion	250,000 Double Rubs Wyzenbeek	3842-001	Noir	
	Hydrolysis	10 weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C		Performance	
	Flammability	California TB 117-2013		Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds	
		UFAC, Class 1		Coated fabrics must be purchased in full yard increments only	
		NFPA 260, Class 1			
		FMVSS #302			
		ASTM E84, Adhered Class 1			
	Sustainability	ASTM E84, Unadhered Class 1 SCS Indoor Advantage™ Gold REACH Compliant, PFAS Free FR Free, LBC Red List		Prop 65 - Antimony Oxide	
Cleaning Code	WS				
Bernhardt Design	Seating Grade 1				
Country of Origin	Mexico				


pattern name	specifications	number	description	net price per yard
--------------	----------------	--------	-------------	--------------------

blended




Application	Upholstery, Direct Glue Wall	3840-010	Silverstone	\$79.00
Content	100% Proprietary Polycarbonate and Biobased Surface	3840-002	Khaki	
	Back: 65% REPREVE® (Recycled Polyester), 35% ECOVERO™ (Environmentally Friendly Rayon)	3840-022	Honey	
		3840-222	Whiskey	
		3840-011	Putty	
Width	54"	3840-100	Gravity	
Weight per Linear Yard	12.1 Ounces	3840-101	Flannel	
Finish	None	3840-044	Indigo	
Abrasion	300,000 Double Rubs Wyzenbeek	3840-001	Pitch Black	
Hydrolysis	16+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C			
Flammability	California TB 117-2013 UFAC, Class 1 NFPA 260, Class 1			Performance Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds
Sustainability	ASTM E84 Adhered - Class A SCS Indoor Advantage™ Gold, UL GREENGUARD Gold, OEKO-Tex® REACH Compliant, PFAS Free, FR Free Anti-Microbial Free, BioPreferred Program Certified, U.S. Department of Agriculture LBC Red List Free, ISO 14001			Coated fabrics must be purchased in full yard increments only
Cleaning Code	WS			
Bernhardt Design	Seating Grade 6			
Origin	Japan			


bomber jacket



Application	Upholstery	3839-010	Buff	\$54.00	
Content	Face: 100% CPU-Polyurethane	3839-101	Taupe		
	Back: 100% Polyester	3839-002	Dusty		
Width	54"	3839-062	Amaretto		
Weight per Linear Yard	25.0 Ounces	3839-022	Dark Brown		
Finish	None	3839-044	Navy		
Abrasion	200,000 Double Rubs Wyzenbeek	3839-011	Woodsy		
Hydrolysis	15+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C	3839-110	Lead		
Flammability	California TB 117-2013 UFAC, Class 1 NFPA 260, Class 1				Performance Bleach cleanable with 10:1 water/household bleach solution that must be extracted within 30 seconds.
Sustainability	IMO A652 (16) 8.2 SCS Indoor Advantage™ Gold REACH Compliant, PFAS Free, FR Free LBC Red List Free, DMF Free				Coated fabrics must be purchased in full yard increments only
Cleaning Code	WS				
Bernhardt Design	Seating Grade 2				
Origin	China				

pattern name	specifications	number	description	net price per yard	
image					
	Application	Upholstery, Direct Glue Wall	3799-022	Ash	\$77.00
	Content	100% Micronylon Matrix	3799-002	Mink	
	Width	54"	3799-210	Oak	
	Weight per Linear Yard	10.8 Ounces	3799-025	Saddle	
	Finish	None	3799-004	Blueberry	
	Abrasion	250,000 Double Rubs Wyzenbeek*	3799-044	Newport	
	Hydrolysis	10+ Weeks, ASTM D3690-02	3799-211	Otter	
		Sect. 6.11, ISO 1419 Method C	3799-001	Black	
	Flammability	California 117-2013	Performance		
		UFAC, Class 1	Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds.		
		NFPA 260, Class 1	Coated fabrics must be purchased in full yard increments only		
	Sustainability	ASTM E84, Adhered Class 1			
		SCS Indoor Advantage™ Gold			
	Cleaning Code	PFAS Free, FR Free			
	Bernhardt Design	WS			
Origin	Seating Grade 6				
	United States	Prop 65 - Antimony Oxide			

wonder

	Application	Upholstery	3841-000	Bone	\$46.00
	Content	Face: 100% Polyurethane	3841-002	Merino	
		Back: 100% Recycled Polyester	3841-025	Autumn	
	Width	54"	3841-020	Havana	
	Weight per Linear Yard	22.05 oz.	3841-022	Clove	
	Finish	None	3841-077	Copper	
	Abrasion	250,000 Double Rubs Wyzenbeek	3841-066	Oxblood	
	Hydrolysis	15 Weeks, ISO 1419 Method C	3841-101	Grey	
	Flammability	California TB 117-2013	3841-011	Taupe	
		UFAC, Class 1	3841-013	Slate	
		NFPA 260, Class 1	3841-003	Eucalyptus	
		FMVSS/CMVSS #302	3841-033	Basil	
		IMO A.652 (16) 8.2	3841-014	Steel Blue	
	Sustainability	SCS Indoor Advantage™ Gold	3841-044	Royale	
		REACH Compliant, PFAS Free	3841-001	Noir	
	FR Free, LBC Red List Free	Performance			
Cleaning Code	WS	Bleach cleanable with 10:1 water/household bleach solution that must be extracted within 30 seconds.			
Bernhardt Design	Seating Grade 1				
Origin	China				