| pattern name | specifications | | number | description | net price per yard |
|---|---|---|---|---|---|
| **allude** | | | | | |
|  | Application | Upholstery, Direct Glue Wall | 3812-000 | Snow | **$77.00** |
| | Content | Face: 100% Polyurethane | 3812-200 | Tusk | |
| | | Back: 65% Polyester, 35% Rayon | 3812-032 | Cocoa | |
| | Width | 54" | 3812-235 | Fields | |
| | Weight per Linear Yard | 18 Ounces | 3812-122 | Woodpecker | |
| | Finish | None | 3812-500 | Espresso | |
| | Abrasion | 400,000 Double Rubs Wyzenbeek* | 3812-227 | Bronze | |
| | Hydrolysis | 14+ Weeks, ASTM D3690-02 | 3812-314 | Stone Blue | |
| | | Sect. 6.11, ISO 1419 Method C | 3812-044 | Atlantic | |
| | Flammability | California TB 117-2013 | 3812-010 | Ash | |
| | | UFAC, Class 1 | 3812-004 | Shale | |
| | | NFPA 260, Class 1 | 3812-011 | Battleship | |
| | | ASTM E84, Adhered Class 1 | 3812-001 | Black | |
| | | FMVSS 302 | Performance | | |
| | Sustainability | SCS Indoor Advantage™ Gold | | | |
| | | UL GREENGUARD Gold, OEKO-Tex® | Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds | | |
| | | REACH Compliant, PFAS Free | | | |
| | | FR Free, LBC Red List Free, ISO 14001 | | | |
| | Cleaning Code | WS | Coated fabrics must be purchased in full yard increments only | | |
| | Bernhardt Design | Seating Grade 6 | | | |
| | Origin | Japan | Prop 65 - DMF | | |
| **aura** | | | | | |
|  | Application | Upholstery, Direct Glue Wall | 3842-000 | Bone | **$48.00** |
| | | Wrapped Panel | 3842-002 | Khaki | |
| | Content | Face: 100% Polyurethane | 3842-020 | Bark | |
| | | Back: 65% Polyester, 35% Cotton | 3842-010 | Sterling | |
| | Width | 54" | 3842-101 | Greyhound | |
| | Repeat | None | 3842-011 | Truffle | |
| | Weight per Linear Yard | 12.53 ounces | 3842-044 | Ink | |
| | Finishes | PFAS Free Ink & Stain Resistant | 3842-001 | Noir | |
| | Abrasion | 250,000 Double Rubs Wyzenbeek | Performance | | |
| | Hydrolysis | 10 weeks, ASTM D3690-02 | | | |
| | | Sect. 6.11, ISO 1419 Method | Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds | | |
| | Flammability | California TB 117-2013 | | | |
| | | UFAC, Class 1 | | | |
| | | NFPA 260, Class 1 | Coated fabrics must be purchased in full yard increments only | | |
| | | FMVSS #302 | | | |
| | | ASTM E84, Adhered Class 1 | | | |
| | | ASTM E84, Unadhered Class 1 | Prop 65 - Antimony Oxide | | |
| | Sustainability | SCS Indoor Advantage™ Gold | | | |
| | | REACH Compliant, PFAS Free | | | |
| | | FR Free, LBC Red List | | | |
| | Cleaning Code | WS | | | |
| | Bernhardt Design | Seating Grade 1 | | | |
| | Country of Origin | Mexico | | | |

## blended



| specifications | | number | description | net price per yard |
|---|---|---|---|---|
| Application | Upholstery, Direct Glue Wall | 3840-010 | Silverstone | **$79.00** |
| Content | 100% Proprietary Polycarbonate and Biobased Surface<br>Back: 65% REPREVE® (Recycled Polyester), 35% ECOVERO™ (Environmentally Friendly Rayon) | 3840-002 | Khaki | |
| | | 3840-022 | Honey | |
| | | 3840-222 | Whiskey | |
| | | 3840-011 | Putty | |
| | | 3840-100 | Gravity | |
| Width | 54" | 3840-101 | Flannel | |
| Weight per Linear Yard | 12.1 Ounces | 3840-044 | Indigo | |
| Finish | None | 3840-001 | Pitch Black | |
| Abrasion | 300,000 Double Rubs Wyzenbeek | Performance | | |
| Hydrolysis | 16+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C | Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds | | |
| Flammability | California TB 117-2013<br>UFAC, Class 1<br>NFPA 260, Class 1<br>ASTM E84 Adhered - Class A | Coated fabrics must be purchased in full yard increments only | | |
| Sustainability | SCS Indoor Advantage™ Gold, UL GREENGUARD Gold, OEKO-Tex® REACH Compliant, PFAS Free, FR Free Anti-Microbial Free, BioPreferred Program Certified, U.S. Department of Agriculture LBC Red List Free, ISO 14001 | | | |
| Cleaning Code | WS | | | |
| Bernhardt Design | Seating Grade 6 | | | |
| Origin | Japan | | | |

## bomber jacket



| specifications | | number | description | net price per yard |
|---|---|---|---|---|
| Application | Upholstery | 3839-010 | Buff | **$54.00** |
| Content | Face: 100% CPU-Polyurethane<br>Back: 100% Polyester | 3839-101 | Taupe | |
| | | 3839-002 | Dusty | |
| | | 3839-062 | Amaretto | |
| Width | 54" | 3839-022 | Dark Brown | |
| Weight per Linear Yard | 25.0 Ounces | 3839-044 | Navy | |
| Finish | None | 3839-011 | Woodsy | |
| Abrasion | 200,000 Double Rubs Wyzenbeek | 3839-110 | Lead | |
| Hydrolysis | 15+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C | Performance | | |
| Flammability | California TB 117-2013<br>UFAC, Class 1<br>NFPA 260, Class 1<br>IMO A652 (16) 8.2 | Bleach cleanable with 10:1 water/household bleach solution that must be extracted within 30 seconds. | | |
| Sustainability | SCS Indoor Advantage™ Gold<br>REACH Compliant, PFAS Free, FR Free<br>LBC Red List Free, DMF Free | Coated fabrics must be purchased in full yard increments only | | |
| Cleaning Code | WS | | | |
| Bernhardt Design | Seating Grade 2 | | | |
| Origin | China | | | |

| pattern name | specifications | | number | description | net price per yard |
|---|---|---|---|---|---|
| **brisa** | | | | | |
|  | Application | Upholstery, Direct Glue Wall | 3802-200 | Bone | **$77.00** |
| | Content | Face: 100% Polycarbonate Polyurethane | 3802-220 | Desert Clay | |
| | | Back: 65% Recycled Polyester, 35% Rayon | 3802-025 | Aztec | |
| | Width | 54" | 3802-122 | Putty | |
| | Weight per Linear Yard | 8.9 Ounces | 3802-011 | Ash | |
| | Finish | None | 3802-444 | Night Navy | |
| | Abrasion | 300,000 Double Rubs Wyzenbeek* | 3802-226 | Truffle | |
| | Hydrolysis | 14+ Weeks, ASTM D3690-02 | 3802-044 | Indigo | |
| | | Sect. 6.11, ISO 1419 Method C | 3802-111 | Black Onyx | |
| | Flammability | California TB 117-2013 | Performance | | |
| | | UFAC, Class 1 | | | |
| | | NFPA 260, Class 1 | Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds | | |
| | | ASTM E84, Adhered Class 1 | | | |
| | | FMVSS 302 | | | |
| | Sustainability | SCS Indoor Advantage™ Gold | Coated fabrics must be purchased in full yard increments only | | |
| | | UL GREENGUARD Gold, OEKO-Tex® | | | |
| | | REACH Compliant, PFAS Free | | | |
| | | FR Free, LBC Red List Free, ISO 14001 | Prop 65 - DMF | | |
| | Cleaning Code | WS | | | |
| | Bernhardt Design | Seating Grade 6 | | | |
| | Origin | Japan | | | |
| **emerge** | | | | | |
|  | Application | Upholstery | 3838-000 | Dove | **$47.00** |
| | Content | Face: 100% Vinyl | 3838-110 | Mist | |
| | | Back: 100% Polyester Knit | 3838-010 | Ash | |
| | Width | 54" | 3838-101 | Storm | |
| | Weight per Linear Yard | 28 Ounces | 3838-011 | Charcoal | |
| | Finish | Prefixx® Protective Finish | 3838-001 | Coal | |
| | Abrasion | 100,000 Double Rubs Wyzenbeek | 3838-200 | Limestone | |
| | Flammability | California 117-2013 | 3838-212 | Mushroom | |
| | | UFAC, Class 1 | 3838-020 | Bark | |
| | | NFPA 260, Class 1 | 3838-002 | Canvas | |
| | Sustainability | SCS Indoor Advantage™ Gold | 3838-205 | Sand | |
| | | PFAS Free, FR Free | 3838-022 | Saddle | |
| | Cleaning Code | WS | 3838-225 | Clay | |
| | Bernhardt Design | Seating Grade 1 | 3838-222 | Sable | |
| | Origin | Thailand | 3838-030 | Sage | |
| | | | 3838-040 | Slate | |
| | | | 3838-044 | Midnight | |
| | | | 3838-033 | Marine | |
| | | | 3838-333 | Forest | |
| | | | 3838-078 | Apricot | |
| | | | 3838-072 | Umber | |
| | | | 3838-066 | Paprika | |
| | | | Performance | | |
| | | | Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds | | |
| | | | Coated fabrics must be purchased in full yard increments only | | |

| pattern name | specifications | | number | description | net price per yard |
|---|---|---|---|---|---|
| image | | | | | |
|  | Application | Upholstery, Direct Glue Wall | 3799-022 | Ash | **$77.00** |
| | Content | 100% Micronylon Matrix | 3799-002 | Mink | |
| | Width | 54" | 3799-210 | Oak | |
| | Weight per Linear Yard | 10.8 Ounces | 3799-025 | Saddle | |
| | Finish | None | 3799-004 | Blueberry | |
| | Abrasion | 250,000 Double Rubs Wyzenbeek* | 3799-044 | Newport | |
| | Hydrolysis | 10+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C | 3799-211 | Otter | |
| | Flammability | California 117-2013 UFAC, Class 1 NFPA 260, Class 1 ASTM E84, Adhered Class 1 | 3799-001 | Black | |
| | Sustainability | SCS Indoor Advantage™ Gold PFAS Free, FR Free | Performance | | |
| | Cleaning Code | WS | Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds. | | |
| | Bernhardt Design | Seating Grade 6 | | | |
| | Origin | United States | Coated fabrics must be purchased in full yard increments only | | |
| | | | Prop 65 - Antimony Oxide | | |
| wonder | | | | | |
|  | Application | Upholstery | 3841-000 | Bone | **$46.00** |
| | Content | Face: 100% Polyurethane Back: 100% Recycled Polyester | 3841-002 | Merino | |
| | Width | 54" | 3841-025 | Autumn | |
| | Weight per Linear Yard | 22.05 oz. | 3841-020 | Havana | |
| | Finish | None | 3841-022 | Clove | |
| | Abrasion | 250,000 Double Rubs Wyzenbeek | 3841-077 | Copper | |
| | Hydrolysis | 15 Weeks, ISO 1419 Method C | 3841-066 | Oxblood | |
| | Flammability | California TB 117-2013 UFAC, Class 1 NFPA 260, Class 1 FMVSS/CMVSS #302 IMO A.652 (16) 8.2 | 3841-101 | Grey | |
| | | | 3841-011 | Taupe | |
| | | | 3841-013 | Slate | |
| | | | 3841-003 | Eucalyptus | |
| | | | 3841-033 | Basil | |
| | | | 3841-014 | Steel Blue | |
| | | | 3841-044 | Royale | |
| | | | 3841-001 | Noir | |
| | Sustainability | SCS Indoor Advantage™ Gold REACH Compliant, PFAS Free FR Free, LBC Red List Free | Performance | | |
| | Cleaning Code | WS | Bleach cleananable with 10:1 water/household bleach solution that must be extracted within 30 seconds. | | |
| | Bernhardt Design | Seating Grade 1 | | | |
| | Origin | China | | | |