pattern name	specifications		number	description	net price per yard	
allude						
	Application	Upholstery, Direct Glue Wall	3812-000	Snow	\$71.00	
	Content	Face: 100% Polyurethane	3812-200	Tusk		
		Back: 65% Polyester, 35% Rayon	3812-032	Cocoa		
	Width	54"	3812-235	Fields		
	Weight per Linear Yard	18 Ounces	3812-122	Woodpecker		
	Finish	None	3812-500	Espresso		
	Abrasion	400,000 Double Rubs Wyzenbeek*	3812-227			
	Hydrolysis	14+ Weeks, ASTM D3690-02	3812-314			
		Sect. 6.11, ISO 1419 Method C	3812-044			
	Flammability	California TB 117-2013	3812-010			
		UFAC, Class 1	3812-004			
		NFPA 260, Class 1	3812-011	'		
		ASTM E84, Adhered Class 1	3812-001	Black		
	Sustainability	FMVSS 302 SCS Indoor Advantage™ Gold	Performance			
	,	PFAS Free, FR Free, LBC Red List Free	Bleach cle	anable with 5:1 water	/household bleach	
	Cleaning Code	WS	Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds			
	Bernhardt Design	Seating Grade 6	Coldion	at must be extracted	Main oo ooonao	
	Origin	Japan	Coated fal	brics must be purchas	ed in full vard	
			increments only			
			Prop 65 -	DMF		
blended						
	Application	Upholstery, Direct Glue Wall	3840-010	Silverstone	\$75.00	
	Content	100% Proprietary Polycarbonate	3840-002		ψ, σ.σσ	
	Someric	and Biobased Surface	3840-022			
		Back: 65% REPREVE® (Recycled	3840-222	•		
		Polyester), 35% ECOVERO™	3840-011	•		
		(Environmentally Friendly Rayon)	3840-100	,		
	Width	54"	3840-101	Flannel		
250000000000000000000000000000000000000	Weight per Linear Yard	12.1 Ounces	3840-044	Indigo		
	Finish	None	3840-001	Pitch Black		
	Abrasion	300,000 Double Rubs Wyzenbeek	Performar	nce		
	Hydrolysis	16+ Weeks, ASTM D3690-02				
		Sect. 6.11, ISO 1419 Method C	Bleach cle	anable with 5:1 water	/household bleach	
	Flammability	California TB 117-2013 UFAC, Class 1	solution th	at must be extracted	within 30 seconds	
		NFPA 260, Class 1				
		ASTM E84 Adhered - Class A		brics must be purchas	sed in full yard	
	Sustainability	SCS Indoor Advantage™ Gold	increment	s only		
	Gustamability	PFAS Free, FR Free, Anti-Microbial Free,				
		REACH Compliant, BioPreferred Program				
		Certified II.S. Department of Agriculture				

Certified, U.S. Department of Agriculture, LBC Red List Free

WS

Seating Grade 7 Japan

Cleaning Code Bernhardt Design Country of Origin

\$71.00

pattern name specifications number description net price per yard

bomber jacket



3839-010 Application Upholstery Buff \$49.00 Content Face: 100% CPU-Polyurethane 3839-101 Taupe

Back: 100% Polyester 3839-002 Dusty Width 54" 3839-062 Amaretto Repeat None 3839-022 Dark Brown Weight per Linear Yard 25 0 07 3839-044 Navy Additional Finishes None 3839-011 Woodsy 200,000 Double Rubs Wyzenbeek Abrasion 3839-110 Lead

15+ Weeks, ASTM D3690-02 Hydrolysis Sect. 6.11, ISO 1419 Method C

California TB 117-2013 Flammability UFAC, Class 1 NFPA 260, Class 1

IMO A652 (16) 8.2 Sustainability SCS Indoor Advantage™ Gold

PFAS Free, FR Free, LBC Red List Free,

REACH Compliant, DMF Free WS

Cleaning Code Bernhardt Design Seating Grade 2

Origin China

Performance

increments only



Upholstery, Direct Glue Wall 3802-200 Application Bone Content Face: 100% Polycarbonate Polyurethane 3802-220 Desert Clay Back: Reinforced Rayon 3802-025 Aztec Width 54" 3802-122 Putty Weight per Linear Yard 13.8 Ounces 3802-011 Ash Finish

None 3802-444 Night Navy Truffle Abrasion 300,000 Double Rubs Wyzenbeek* 3802-226 Hydrolysis 14+ Weeks, ASTM D3690-02 3802-044 Indigo Sect. 6.11, ISO 1419 Method C 3802-111 Black Onyx California TB 117-2013 Flammability

UFAC, Class 1 NFPA 260, Class 1 ASTM E84, Adhered Class 1

FMVSS 302

Sustainability SCS Indoor Advantage™ Gold PFAS Free, FR Free, LBC Red List Free

WS

Bernhardt Design Seating Grade 6

Origin Japan

Cleaning Code

Performance Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds

Bleach cleanable with 10:1 water/household bleach solu-

tion that must be extracted within 30 seconds.

Coated fabrics must be purchased in full yard

Coated fabrics must be purchased in full yard

increments only

Prop 65 - DMF

Performance

canvas

01/25

brisa



Design Teri Figliuzzi 3837-000 Snow \$62.00 Application Upholstery 3837-001 Noir 100% Polyurethane Content 3837-011 Charcoal

Width 3837-034 Teal 16 Ounces Weight per Linear Yard 3837-040 Clipper Finish Graffiti-Free® Water Based Chemistry 3837-003 Grass 200,000 Double Rubs Wyzenbeek* Abrasion 3837-101 Porcelain Flammability California TB 117-2013 3837-110 Cloud UFAC, Class 1, 3837-200 Sand NFPA 260, Class 1 3837-212 Gull

Sustainability SCS Indoor Advantage™ Gold

PFAS Free, FR Free, LBC Red List Free

Cleaning Code WS

Seating Grade 4 Bernhardt Design

Origin Korea Bleach cleanable with 4:1 water/household bleach solution that must be extracted within 30 seconds.

Coated fabrics must be purchased in full yard increments only

pattern name specifications number description net price per yard

emerge



Upholstery Application Content Face: 100% Vinyl 3838-110 Mist Back: 100% Polyester Knit 3838-010 Ash Width 54" 3838-101 Storm Weight per Linear Yard 28 Ounces 3838-011 Charcoal Prefixx® Protective Finish Finish 3838-001 Coal Abrasion 100,000 Double Rubs Wyzenbeek 3838-200 Limestone Flammability California 117-2013 3838-212 Mushroom

UFAC, Class 1 NFPA 260, Class 1 SCS Indoor Advantage™ Gold

Seating Grade 1

Thailand

Sustainability PFAS Free, FR Free WS

Cleaning Code Bernhardt Design Origin

3838-000 \$43.00 Dove 3838-020 Bark 3838-002 Canvas 3838-205 Sand 3838-022 Saddle 3838-225 Clay 3838-222 Sable 3838-030 Sage 3838-040 Slate 3838-044 Midnight 3838-033 Marine 3838-333 Forest 3838-078 Apricot 3838-072 Umber 3838-066 Paprika

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds

Performance

Coated fabriccs must be purchased in full yard increments only

image

01/25



Upholstery Direct Glue Wall Application 3799-022 Ash Content 100% Micronylon Matrix 3799-002 Mink Width 54" 3799-210 Oak Weight per Linear Yard 10.8 Ounces 3799-025 Saddle Finish None 3799-004 Blueberry 250,000 Double Rubs Wyzenbeek* Abrasion 3799-044 Newport Hydrolysis 10+ Weeks, ASTM D3690-02 3799-211 Otter Sect. 6.11, ISO 1419 Method C 3799-001 Black Flammability California 117-2013 Performance UFAC, Class 1

NFPA 260, Class 1 ASTM E84, Adhered Class 1 SCS Indoor Advantage™ Gold

PFAS Free, FR Free, LBC Red List Free Cleaning Code WS

Seating Grade 6 Bernhardt Design Origin United States

Sustainability

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds.

Coated fabrics must be purchased in full yard increments only

Prop 65 - Antimony Oxide

\$71.00