		iaiiii Gai Giiai go G/G			000100 1001100	
pattern name	specifications		number	description	net price per yard	
allude						
	Application	Upholstery, Direct Glue Wall	3812-000	Snow	\$75.00	
	Content	Face: 100% Polyurethane	3812-200	Tusk		
		Back: 65% Polyester, 35% Rayon	3812-032			
	Width	54"	3812-235			
	Weight per Linear Yard	18 Ounces		Woodpecker		
	Finish	None	3812-500	•		
	Abrasion	400,000 Double Rubs Wyzenbeek*	3812-227			
	Hydrolysis	14+ Weeks, ASTM D3690-02	3812-314			
	Flammability	Sect. 6.11, ISO 1419 Method C California TB 117-2013	3812-044			
	Fiaminability	UFAC, Class 1	3812-010			
		NFPA 260, Class 1	3812-004 3812-011	Battleship		
		ASTM E84, Adhered Class 1	3812-011			
		FMVSS 302				
	Sustainability	SCS Indoor Advantage™ Gold	Performar	ice		
	•	PFAS Free, FR Free, LBC Red List Free	Bleach cla	eanable with 5:1 water	/household bleach	
	Cleaning Code	WS		nat must be extracted		
	Bernhardt Design	Seating Grade 6	COIGHOIT H	iat made be extraoled	Millim 00 0000ma0	
	Origin	Japan	Coated fabrics must be purchased in full yard increments only			
			Prop 65 - DMF			
blended						
	Application	Upholstery, Direct Glue Wall	3840-010	Silverstone	\$79.00	
	Content	100% Proprietary Polycarbonate	3840-002	Khaki		
		and Biobased Surface	3840-022	•		
		Back: 65% REPREVE® (Recycled	3840-222	,		
	888	Polyester), 35% ECOVERO™	3840-011	-		
	NAC 111	(Environmentally Friendly Rayon)	3840-100	,		
	Width	54"	3840-101			
	Weight per Linear Yard Finish	12.1 Ounces None	3840-044	•		
	Abrasion	300,000 Double Rubs Wyzenbeek	3840-001			
	Hydrolysis	16+ Weeks, ASTM D3690-02	Performar	nce		
	Trydrorysis	Sect. 6.11, ISO 1419 Method C	Dlooch -!-	anable with E.1t	/hausahald blaash	
	Flammability	California TB 117-2013	Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds			
	- ·	UFAC, Class 1	องเนแงก แ	iai musi ne extracteu i	within 30 SCOUIUS	
		NFPA 260, Class 1	Coated fa	brics must be purchas	ed in full vard	
		ASTM E84 Adhered - Class A	increment	·	ou iii iuli yuru	
	Sustainability	SCS Indoor Advantage TM Cold	morement	o omy		

SCS Indoor Advantage™ Gold

WS

Seating Grade 7 Japan

PFAS Free, FR Free, Anti-Microbial Free REACH Compliant, BioPreferred Program Certified, U.S. Department of Agriculture LBC Red List Free

Sustainability

Cleaning Code

Bernhardt Design Country of Origin

pattern name specifications number description net price per yard

bomber jacket



Application Upholstery 3839-010 Buff \$52.0 Content Face: 100% CPU-Polyurethane 3839-101 Taupe

Back: 100% Polyester
Width 54"
Weight per Linear Yard 25.0 oz.
Additional Finishes None

Abrasion 200,000 Double Rubs Wyzenbeek Hydrolysis 15+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C

Flammability California TB 117-2013 UFAC, Class 1

NFPA 260, Class 1 IMO A652 (16) 8.2

Sustainability SCS Indoor Advantage™ Gold

PFAS Free, FR Free, LBC Red List Free

REACH Compliant, DMF Free

Cleaning Code WS

Bernhardt Design Seating Grade 2

Origin China

3839-010 Buff \$52.00
3839-101 Taupe
3839-022 Dusty
3839-062 Amaretto
3839-022 Dark Brown
3839-044 Navy
3839-011 Woodsy
3839-110 Lead

Performance

Bleach cleanable with 10:1 water/household bleach solution that must be extracted within 30 seconds.

Coated fabrics must be purchased in full yard

increments only

brisa



Application Upholstery, Direct Glue Wall 3802-200 Bone \$75.00

Content Face: 100% Polycarbonate Polyurethane 3802-220 Desert Clay

Back: Reinforced Rayon 3802-025 Aztec

Width 54" 13.8 Ounces
Finish None
Abrasion 300,000 Double Rubs Wyzenbeek*

Hydrolysis 14+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C Flammability California TB 117-2013

UFAC, Class 1 NFPA 260, Class 1

ASTM E84, Adhered Class 1

FMVSS 302

Sustainability SCS Indoor Advantage™ Gold

 ${\sf PFAS\ Free},\,{\sf FR\ Free},\,{\sf LBC\ Red\ List\ Free}$

WS

Japan

Bernhardt Design Seating Grade 6

Origin

Cleaning Code

3802-200 Bone
3802-220 Desert Clay
3802-025 Aztec
3802-122 Putty
3802-011 Ash
3802-444 Night Navy
3802-226 Truffle
3802-044 Indigo
3802-111 Black Onyx
Performance

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds

Coated fabrics must be purchased in full yard

increments only

Prop 65 - DMF

pattern name specifications number description net price per yard

emerge



Upholstery Application Content Face: 100% Vinyl Back: 100% Polyester Knit Width 54" Weight per Linear Yard 28 Ounces Prefixx® Protective Finish Finish Abrasion 100,000 Double Rubs Wyzenbeek Flammability California 117-2013 UFAC, Class 1 NFPA 260, Class 1 SCS Indoor Advantage™ Gold Sustainability

PFAS Free, FR Free Cleaning Code WS Seating Grade 1 Bernhardt Design Thailand

Origin

3838-000 \$46.00 Dove 3838-110 Mist 3838-010 Ash 3838-101 Storm 3838-011 Charcoal 3838-001 Coal 3838-200 Limestone 3838-212 Mushroom 3838-020 Bark 3838-002 Canvas 3838-205 Sand 3838-022 Saddle 3838-225 Clay 3838-222 Sable 3838-030 Sage 3838-040 Slate 3838-044 Midnight 3838-033 Marine 3838-333 Forest 3838-078 Apricot 3838-072 Umber 3838-066 Paprika Performance

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds

Coated fabriccs must be purchased in full yard increments only

image

08/25



Application Content Width Weight per Linear Yard Finish Abrasion Hydrolysis Flammability

Sustainability Cleaning Code Bernhardt Design Origin

Upholstery Direct Glue Wall 100% Micronylon Matrix 54" 10.8 Ounces None 250,000 Double Rubs Wyzenbeek* 10+ Weeks, ASTM D3690-02 Sect. 6.11, ISO 1419 Method C California 117-2013 UFAC, Class 1 NFPA 260, Class 1

ASTM E84, Adhered Class 1 SCS Indoor Advantage™ Gold PFAS Free, FR Free, LBC Red List Free WS

Seating Grade 6 United States

3799-022 Ash 3799-002 Mink 3799-210 Oak 3799-025 Saddle 3799-004 Blueberry 3799-044 Newport 3799-211 Otter 3799-001 Black Performance

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds.

Coated fabrics must be purchased in full yard increments only

Prop 65 - Antimony Oxide

\$75.00

pattern name	specifications		number	description	net price per yard
wonder					
	Application Content Width Weight per Linear Yard Additional Finishes Abrasion Hydrolysis Flammability	Upholstery Face: 100% Polyurethane Back: 100% Recycled Polyester 54" 22.05 oz. None 250,000 Double Rubs Wyzenbeek 15 Weeks, ISO 1419 Method C California TB 117-2013 UFAC, Class 1 FMVSS/CMVSS #302 IMO A.652 (16) 8.2	3841-000 3841-022 3841-022 3841-022 3841-077 3841-066 3841-101 3841-013 3841-033	Merino Autumn Havana Clove Copper Oxblood Grey Taupe Slate Eucalyptus	\$46.00
	Sustainability Cleaning Code Bernhardt Design	SCS Indoor Advantage™ Gold PFAS Free, LBC Red List Free REACH Compliant WS Seating Grade 1	3841-014 3841-044 3841-001 Performar	Royale Noir	
	Country of Origin	China	Bleach cleananable with 10:1 water/household bleach		

solution that must be extracted within 30 seconds.