



pattern name specifications number description net price per yard

allude





Application	Upholstery, Direct Glue Wall	3812-000	Snow	<b>\$77.00</b>
Content	Face: 100% Polyurethane	3812-200	Tusk	
	Back: 65% Polyester, 35% Rayon	3812-032	Cocoa	
Width	54"	3812-235	Fields	
Weight per Linear Yard	18 Ounces	3812-122	Woodpecker	
Finish	None	3812-500	Espresso	
Abrasion	400,000 Double Rubs Wyzenbeek*	3812-227	Bronze	
Hydrolysis	14+ Weeks, ASTM D3690-02	3812-314	Stone Blue	
	Sect. 6.11, ISO 1419 Method C	3812-044	Atlantic	
Flammability	California TB 117-2013	3812-010	Ash	
	UFAC, Class 1	3812-004	Shale	
	NFPA 260, Class 1	3812-011	Battleship	
	ASTM E84, Adhered Class 1	3812-001	Black	
	FMVSS 302		<b>Performance</b>	
Sustainability	SCS Indoor Advantage™ Gold		<b>Bleach cleanable</b> with 5:1 water/household bleach solution that must be extracted within 30 seconds	
	UL GREENGUARD Gold, OEKO-Tex®			
	REACH Compliant, PFAS Free			
	FR Free, LBC Red List Free, ISO 14001			
Cleaning Code	WS		Coated fabrics must be purchased in full yard increments only	
Bernhardt Design	Seating Grade 6			
Origin	Japan			
			Prop 65 - DMF	

blended




Application	Upholstery, Direct Glue Wall	3840-010	Silverstone	<b>\$79.00</b>
Content	100% Proprietary Polycarbonate and Biobased Surface	3840-002	Khaki	
	Back: 65% REPREVE® (Recycled Polyester), 35% ECOVERO™ (Environmentally Friendly Rayon)	3840-022	Honey	
		3840-222	Whiskey	
		3840-011	Putty	
Width	54"	3840-100	Gravity	
Weight per Linear Yard	12.1 Ounces	3840-101	Flannel	
Finish	None	3840-044	Indigo	
Abrasion	300,000 Double Rubs Wyzenbeek	3840-001	Pitch Black	
Hydrolysis	16+ Weeks, ASTM D3690-02		<b>Performance</b>	
	Sect. 6.11, ISO 1419 Method C		<b>Bleach cleanable</b> with 5:1 water/household bleach solution that must be extracted within 30 seconds	
Flammability	California TB 117-2013			
	UFAC, Class 1			
	NFPA 260, Class 1		Coated fabrics must be purchased in full yard increments only	
	ASTM E84 Adhered - Class A			
Sustainability	SCS Indoor Advantage™ Gold,			
	UL GREENGUARD Gold, OEKO-Tex®			
	REACH Compliant, PFAS Free, FR Free			
	Anti-Microbial Free, BioPreferred Program			
	Certified, U.S. Department of Agriculture			
	LBC Red List Free, ISO 14001			
Cleaning Code	WS			
Bernhardt Design	Seating Grade 6			
Country of Origin	Japan			

pattern name	specifications	number	description	net price per yard	
<b>bomber jacket</b>					
	Application	Upholstery	3839-010	Buff	<b>\$54.00</b>
	Content	Face: 100% CPU-Polyurethane	3839-101	Taupe	
		Back: 100% Polyester	3839-002	Dusty	
	Width	54"	3839-062	Amaretto	
	Weight per Linear Yard	25.0 Ounces	3839-022	Dark Brown	
	Additional Finishes	None	3839-044	Navy	
	Abrasion	200,000 Double Rubs Wyzenbeek	3839-011	Woodsy	
	Hydrolysis	15+ Weeks, ASTM D3690-02	3839-110	Lead	
		Sect. 6.11, ISO 1419 Method C	<b>Performance</b>		
	Flammability	California TB 117-2013	<b>Bleach cleanable</b> with 10:1 water/household bleach solution that must be extracted within 30 seconds.		
		UFAC, Class 1			
		NFPA 260, Class 1			
	Sustainability	IMO A652 (16) 8.2	Coated fabrics must be purchased in full yard increments only		
		SCS Indoor Advantage™ Gold			
		REACH Compliant, PFAS Free, FR Free			
Cleaning Code	LBC Red List Free, DMF Free				
	WS				
Bernhardt Design	Seating Grade 2				
Origin	China				

<b>brisa</b>					
	Application	Upholstery, Direct Glue Wall	3802-200	Bone	<b>\$77.00</b>
	Content	Face: 100% Polycarbonate Polyurethane	3802-220	Desert Clay	
		Back: 65% Recycled Polyester, 35% Rayon	3802-025	Aztec	
	Width	54"	3802-122	Putty	
	Weight per Linear Yard	8.9 Ounces	3802-011	Ash	
	Finish	None	3802-444	Night Navy	
	Abrasion	300,000 Double Rubs Wyzenbeek*	3802-226	Truffle	
	Hydrolysis	14+ Weeks, ASTM D3690-02	3802-044	Indigo	
		Sect. 6.11, ISO 1419 Method C	3802-111	Black Onyx	
	Flammability	California TB 117-2013	<b>Performance</b>		
		UFAC, Class 1			
		NFPA 260, Class 1			
	Sustainability	ASTM E84, Adhered Class 1	<b>Bleach cleanable</b> with 5:1 water/household bleach solution that must be extracted within 30 seconds		
		FMVSS 302			
		SCS Indoor Advantage™ Gold			
Cleaning Code	UL GREENGUARD Gold, OEKO-Tex®	Coated fabrics must be purchased in full yard increments only			
	REACH Compliant, PFAS Free				
	FR Free, LBC Red List Free, ISO 14001				
Bernhardt Design	WS	Prop 65 - DMF			
Origin	Seating Grade 6				
	Japan				

pattern name	specifications	number	description	net price per yard
--------------	----------------	--------	-------------	--------------------

emerge




Application	Upholstery	3838-000	Dove	<b>\$47.00</b>
Content	Face: 100% Vinyl	3838-110	Mist	
	Back: 100% Polyester Knit	3838-010	Ash	
Width	54"	3838-101	Storm	
Weight per Linear Yard	28 Ounces	3838-011	Charcoal	
Finish	Prefix® Protective Finish	3838-001	Coal	
Abrasion	100,000 Double Rubs Wyzenbeek	3838-200	Limestone	
Flammability	California 117-2013	3838-212	Mushroom	
	UFAC, Class 1	3838-020	Bark	
	NFPA 260, Class 1	3838-002	Canvas	
Sustainability	SCS Indoor Advantage™ Gold	3838-205	Sand	
	PFAS Free, FR Free	3838-022	Saddle	
Cleaning Code	WS	3838-225	Clay	
Bernhardt Design	Seating Grade 1	3838-222	Sable	
Origin	Thailand	3838-030	Sage	
		3838-040	Slate	
		3838-044	Midnight	
		3838-033	Marine	
		3838-333	Forest	
		3838-078	Apricot	
		3838-072	Umber	
		3838-066	Paprika	

Performance

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds

Coated fabrics must be purchased in full yard increments only

image



Application	Upholstery, Direct Glue Wall	3799-022	Ash	<b>\$77.00</b>
Content	100% Micronylon Matrix	3799-002	Mink	
Width	54"	3799-210	Oak	
Weight per Linear Yard	10.8 Ounces	3799-025	Saddle	
Finish	None	3799-004	Blueberry	
Abrasion	250,000 Double Rubs Wyzenbeek*	3799-044	Newport	
Hydrolysis	10+ Weeks, ASTM D3690-02	3799-211	Otter	
	Sect. 6.11, ISO 1419 Method C	3799-001	Black	
Flammability	California 117-2013			
	UFAC, Class 1			
	NFPA 260, Class 1			
Sustainability	ASTM E84, Adhered Class 1			
	SCS Indoor Advantage™ Gold			
	PFAS Free, FR Free			
Cleaning Code	WS			
Bernhardt Design	Seating Grade 6			
Origin	United States			

Performance

Bleach cleanable with 5:1 water/household bleach solution that must be extracted within 30 seconds.

Coated fabrics must be purchased in full yard increments only

Prop 65 - Antimony Oxide

pattern name	specifications	number	description	net price per yard
--------------	----------------	--------	-------------	--------------------

wonder



Application	Upholstery	3841-000	Bone	<b>\$47.00</b>
Content	Face: 100% Polyurethane Back: 100% Recycled Polyester	3841-002	Merino	
		3841-025	Autumn	
Width	54"	3841-020	Havana	
Weight per Linear Yard	22.05 oz.	3841-022	Clove	
Additional Finishes	None	3841-077	Copper	
Abrasion	250,000 Double Rubs Wyzenbeek	3841-066	Oxblood	
Hydrolysis	15 Weeks, ISO 1419 Method C	3841-101	Grey	
Flammability	California TB 117-2013	3841-011	Taupe	
	UFAC, Class 1	3841-013	Slate	
	NFPA 260, Class 1	3841-003	Eucalyptus	
	FMVSS/CMVSS #302	3841-033	Basil	
	IMO A.652 (16) 8.2	3841-014	Steel Blue	
Sustainability	SCS Indoor Advantage™ Gold	3841-044	Royale	
	REACH Compliant, PFAS Free	3841-001	Noir	
	FR Free, LBC Red List Free		<b>Performance</b>	
Cleaning Code	WS		<b>Bleach cleanable</b> with 10:1 water/household bleach solution that must be extracted within 30 seconds.	
Bernhardt Design	Seating Grade 1			
Country of Origin	China			