




D2 INSTALLATION PROCESS - WAVE GRILLES
SCALE: 1 1/2" = 1"




D3 PLAN VIEW - WAVE GRILLE "1.8"
SCALE: 1 1/2" = 1"




C1 INSTALLATION PROCESS - WAVE GRILLE
SCALE: 1/4" = 1"




C3 SECTION - WAVE GRILLE
SCALE: 1/2" = 1"




C4 SECTION - CANTILEVER RULES
SCALE: 1/4" = 1"




B1 SECTION - PERIMETER
SCALE: 1/4" = 1"




B2 SECTION - LIGHT FIXTURE
SCALE: 1/4" = 1"




B3 SECTION - SPRINKLER
SCALE: 1/4" = 1"




B4 SECTION - PERIMETER
SCALE: 1/4" = 1"




A1 SECTION - PERIMETER
SCALE: 1/4" = 1"



A2 SECTION - LIGHT FIXTURE
SCALE: 1/4" = 1"



A3 SECTION - ABUTTING REVEAL
SCALE: 1/4" = 1"



A4 SECTION - PERIMETER
SCALE: 1/4" = 1"

PROJECT

PROJECT NUMBER:
PROPOSAL NUMBER:

REVISION HISTORY

REV#	DATE	DESCRIPTION
10		
9		
8		
7		
6		
5		
4		
3		
2		
1		
0	02.18.25	RELEASE FOR APPROVALS

SHEET INFORMATION

DRAWING TYPE: SHOP DRAWINGS
DRAWN BY: JBH
STANDARDS REVIEW: RAC
TECHNICAL REVIEW: RAC

THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF 9WOOD, INC.
COPYRIGHT © 2025 9WOOD, INC.
ALL RIGHTS RESERVED.

KEY NOTES

- 1 15/16" HEAVY DUTY T-BAR MAIN RUNNER (TYP. BY SUBCONTRACTOR)
- 2 15/16" T-BAR CROSS TEE (TYP. BY SUBCONTRACTOR)
- 3 HANGER WIRE (TYP. BY SUBCONTRACTOR)
- 4 WALL ANGLE AND APPROPRIATE INSTALLATION FASTENER (TYP. BY SUBCONTRACTOR)
- 5 PERIMETER CONDITION (TYP. BY OTHERS)

SHEET TITLE

SYSTEM DETAILS

9WOOD WAVE CEILING GRILLE (TYP.) PREVIOUSLY INSTALLED
 9WOOD WAVE CEILING GRILLE (BEING INSTALLED)
 RADIUS OF METAL FLEXI BACKER AND T-BAR (TYP.)
 1 13/32" SYSTEM DEPTH
 9WOOD METAL FLEXI BACKER (TYP.)
 5 5/8" INDEX
 1" INSET (TYP.)
 1'-0" OC (TYP.)
 3/4" X 1 3/8" WOOD MEMBER (TYP.)
 5 5/8" REM
 7'-11 1/4"
 SCALE: 1 1/2" = 1"
 0 3" 6" 1" 1-6"
 1 13/32" SYSTEM DEPTH
 9WOOD WAVE CEILING GRILLE (TYP. PREVIOUSLY INSTALLED)
 1'-0" OC (TYP.)
 #6 X 1 1/4" FINE THREAD BLACK FASTENER DRIVEN THROUGH THE METAL FLEXI BACKER AND INTO THE MAIN RUNNER IT ALIGNS WITH (TYP. BY SUBCONTRACTOR)
 9WOOD WAVE CEILING GRILLE (BEING INSTALLED)
 SCALE: 1/4" = 1"
 0 2" 4" 8"
 9WOOD METAL FLEXI BACKER
 3/4" X 1 3/8" WOOD MEMBER (TYP.)
 1 1/2" OC (TYP.)
 3/4" REVEAL (TYP.)
 1'-0 1/2"
 SCALE: 1/2" = 1"
 0 1" 2" 3" 4"
 6" MAX
 MAXIMUM SUSPENSION CANTILEVER IS 6" FROM CENTER OF T-BAR MAIN RUNNER TO EDGE OF GRILLE.
 3" MAX
 MAXIMUM MEMBER CANTILEVER IS 3". IF MEMBER CANTILEVER EXCEEDS 3", A SUPPLEMENTAL END BACKER IS REQUIRED FOR LATERAL SUPPORT OF MEMBERS.
 SCALE: 1/4" = 1"
 0 2" 4" 8"
 4
 3
 2
 1
 0 02.18.25 RELEASE FOR APPROVALS
 REV# DATE DESCRIPTION
 SHEET INFORMATION
 DRAWING TYPE: SHOP DRAWINGS
 DRAWN BY: JBH
 STANDARDS REVIEW: RAC
 TECHNICAL REVIEW: RAC
 THIS DOCUMENT CONTAINS PROPRIETARY INFORMATION OF 9WOOD, INC.
 COPYRIGHT © 2025 9WOOD, INC.
 ALL RIGHTS RESERVED.
 KEY NOTES
 1 15/16" HEAVY DUTY T-BAR MAIN RUNNER (TYP. BY SUBCONTRACTOR)
 2 15/16" T-BAR CROSS TEE (TYP. BY SUBCONTRACTOR)
 3 HANGER WIRE (TYP. BY SUBCONTRACTOR)
 4 WALL ANGLE AND APPROPRIATE INSTALLATION FASTENER (TYP. BY SUBCONTRACTOR)
 5 PERIMETER CONDITION (TYP. BY OTHERS)
 SHEET TITLE
SYSTEM DETAILS
 Z-501
 SHEET 3 OF 3