Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 4263246299136

CLASSIFICATION: 09 54 26 Suspended Wood Ceilings

PRODUCT DESCRIPTION: The 4600 True Access Tile combines a floating wood tile design with the function of a fully accessible system. Every panel is accessible without the use of tools or fasteners. True reveals are maintained after every return with alignment clips gliding panels back into place. This means your ceiling won't get bent out of shape over time while throughways remain unnoticed to occupants

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

Nested Materials Method

C Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

€ 1,000 ppm C Per GHS SDS

Other

Completed in 4 of 4 Materials

Residuals/Impurities Evaluation

Explanation(s) provided for Residuals/Impurities?

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ○ Yes ⊙ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY**

GREENSCREEN SCORE | HAZARD TYPE

HARDWOOD PLYWOOD [WOOD CHIPS OR FIBER BORIC ACID LT-1] END | DEV | REP | MUL | MAM | EYE | SKI UREA, POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE LT-UNK **VENEER UREA, POLYMER WITH FORMALDEHYDE LT-P1** SKI SLACK WAX (PETROLEUM) LT-1 | CAN | MUL | DEV UNDISCLOSED LT-UNK | | MUL UNDISCLOSED BM-4 |] TRUE ACCESS HARDWARE [ASTM A653 CS TYPE B CARBON OR STEEL ALLOY NoGS UNS G10500 CARBON OR STEEL ALLOY NoGS | INTERIOR CLEAR MATTE FINISH [UNDISCLOSED NoGS CELLULOSE, NITRATE LT-UNK | PHY] EDGEBANDING [VENEER ACETIC ACID ETHENYL **ESTER, POLYMER WITH ETHENE LT-UNK**

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... LT-1, LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

Inventory represents standard product design without stain. Disclosures were obtained from manufacturers, some ingredient names and CAS numbers were asked to be withheld as proprietary information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method - Not tested

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

Yes No

VERIFIER:

VERIFICATION #:

PREPARER: Self-Prepared

SCREENING DATE: 2024-10-09 PUBLISHED DATE: 2024-10-09 EXPIRY DATE: 2027-10-09

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

HARDWOOD PLYWOOD %: 93.1900 - 93.4700

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Review was conducted using best practices flow chart and no additional residuals or impurities were added

OTHER MATERIAL NOTES: Hardwood plywood with fire rated ULEF particleboard core

WOOD CHIPS OR FIBER ID: Biological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 63.6200 - 82.9800 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Douglas-fir and other softwoods native to PNW

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

BORIC ACID ID: 10043-35-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-09 13:00:35

%: 4.6100 - 13.8300 GreenScreen: LT-1 RC: None NANO: Unknown SUBSTANCE ROLE: Flame retardant

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
DEV	MAK	Pregnancy Risk Group B
REP	EU - Annex VI CMRs	Reproductive Toxicity - Category 1B
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
END	EU - Priority Endocrine Disruptors	Category 1 - In vivo evidence of Endocrine Disruption Activity
REP	GHS - Japan	H360 - May damage fertility or the unborn child [Toxic to reproduction - Category 1B]
REP	GHS - Australia	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
REP	EU - GHS (H-Statements) Annex 6 Table 3-1	H360FD - May damage fertility. May damage the unborn child [Reproductive toxicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
REP	GHS - New Zealand	Reproductive toxicity category 2
REP	EU - SVHC List	Toxic to reproduction - Candidate list
REP	EU - SVHC List	Toxic to reproduction - Prioritized for listing
REP	EU - REACH Annex XVII CMRs	Reproductive toxicants: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

UREA, POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE

ID: 25036-13-9

AZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-10-09 13:00:36		
%: 4.6100 - 11.0640	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precautionary	List
			Precautionary list of s avoidance	substances recommended for
RESTRICTED LIST	International Living Future Inst	tute (ILFI)	Living Building Challe Chemicals - Effective	enge 4.0 - Red List of Materials & April 1, 2024
			Red List substances t V4.0 projects	to avoid in Living Building Challenge
SUBSTANCE NOTES:				

VENEER				ID: Biological Material		
HAZARD DATA SO	OURCE: HPDC Special Conditions Po	licy				
%: 6.4000	GreenScreen: Not Required	RC: None	NANO: No	MATERIAL ROLE: Structure component		
HAZARD TYPE	AGENCY AND LIST	TITLES	WARNINGS			
	Hazard Screeni	ng is not applicable to	this Special Condi	ition		
BIOLOGICAL MA	BIOLOGICAL MATERIALS CATEGORY: Tree-based materials					
INGREDIENT DE	SCRIPTION: Various hardwood species					

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UREA, POLYMER WITH FORMALDEHYDE

ID: 9011-05-6

HAZARD DATA SOURCE: F	Pharos Chemical and Materials Libra	ry	HAZARD SCR	EENING DATE: 2024-10-09 13:00:36
%: 0.0000 - 2.7660	GreenScreen: LT-P1	RC: None	NANO: Unknown	SUBSTANCE ROLE: Scavenger
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
SKI	GHS - New Zealand		Skin sensitisation cat	egory 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List
		Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects
SUBSTANCE NOTES:		

SLACK WAX (PETROLEUM) ID: 64742-61-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREENING DATE: 2024-10-09 13:00:37
%: 0.0000 - 0.9220	GreenScreen: LT-1 RC: None	NANO: Unknown SUBSTANCE ROLE: Water resistance
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Formulated Consumer Products
	(C2CPII)	, , , , , , , , , , , , , , , , , , ,

SUBSTANCE NOTES:

UNDISCLOSED ID: Undisclosed

HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2024-10-09 12:35:06

%: 0.7700 - 0.7700	GreenScreen: LT-UNK	RC: Nor	пе	NANO: Unknown	SUBSTANCE ROLE: Adhesive
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
	EC - CEPA DSL	Persistence			
MUL	EC - CEPA DSL		Mu	lt*	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NC	TIFICATION	
None found				No listing	s found on Additional Hazard Lists

SUBSTANCE NOTES: Proprietary, manufacturer requested not to disclose name or CAS.

SUBSTANCE NOTES: Proprietary, manufacturer requested not to disclose name or CAS.

UNDISCLOSED ID: Undisclosed HAZARD DATA SOURCE: Toxnot Chemical Hazard Screening Library HAZARD SCREENING DATE: 2024-10-09 12:35:07 %: 0.5600 - 0.5600 GreenScreen: BM-4 RC: None NANO: Unknown SUBSTANCE ROLE: Solvent HAZARD TYPE LIST NAME AND SOURCE **WARNINGS** EC - CEPA DSL Persistence ADDITIONAL LISTINGS LIST NAME AND SOURCE **NOTIFICATION** No listings found on Additional Hazard Lists None found

TRUE ACCESS HARDWARE %: 5.0200 - 5.0200

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Review was conducted using best practices flow chart and no additional residuals or impurities were added OTHER MATERIAL NOTES: Spring and attachment/guide clips for True Access System

ID: 12597-69-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2024-10-09 13:03:19
%: 89.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	DN
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

UNS G10500 CARBON (OR STEEL ALLOY			ID: Not registered
HAZARD DATA SOURCE	Pharos Chemical and Materials Library		HAZAI	RD SCREENING DATE: 2024-10-09 13:02:59
%: 11.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No	warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	N
None found				No listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

INTERIOR CLEAR MATTE FINISH %: 1.3500 - 1.3500

PRODUCT THRESHOLD: 1000 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material RESIDUALS AND IMPURITIES NOTES: Review was conducted using best practices flow chart and no additional residuals or impurities were added OTHER MATERIAL NOTES:

UNDISCLOSED	ID: Undisclosed

HAZARD DATA SOURCE: To	xnot Chemical Hazard Screening Library		HAZARD SCREI	ENING DATE: 2024-10-09 12:35:14
%: 60.8600 - 60.8600	GreenScreen: NoGS	RC: None	NANO: Unknown	SUBSTANCE ROLE: Film former
HAZARD TYPE	LIST NAME AND SOURCE	W	ARNINGS	
None found			No warnings	found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO	OTIFICATION	
None found			No listin	gs found on Additional Hazard Lists

SUBSTANCE NOTES: Proprietary, manufacturer requested not to disclose name or CAS.

CELLULOSE, NITRATE				ID: 9004-70-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SC	REENING DATE: 2024-10-09 13:00:38
%: 24.4200 - 24.4200	GreenScreen: LT-UNK	RC: None	NANO: Unknown	SUBSTANCE ROLE: Film former
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
PHY	GHS - Japan		H201 - Explosive; m Division 1.1]	ass explosive hazard [Explosives -
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	stings found on Additional Hazard Lists
SUBSTANCE NOTES:				

EDGEBANDING	%: 0.1600 - 0.4300	
PRODUCT THRESHOLD: 1000 ppm	RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes	MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Review was conducted using best practices flow chart and no additional residuals or impurities were added OTHER MATERIAL NOTES:

VENEER ID: Biological Material

HAZARD DATA SOURCE: HPDC Special Conditions Policy

%: 67.0000 GreenScreen: Not Required RC: None NANO: No MATERIAL ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

Hazard Screening is not applicable to this Special Condition

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Various hardwood species

MATERIAL CONTENT NOTES: This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

ACETIC ACID ETHENYL ESTER, POLYMER WITH ETHENE

SUBSTANCE NOTES:

ID: 24937-78-8

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-10-09 13:00:38 %: 29.7000 - 29.7000 GreenScreen: LT-UNK RC: None NANO: Unknown SUBSTANCE ROLE: Adhesive HAZARD TYPE LIST NAME AND SOURCE **WARNINGS** None found No warnings found on HPD Priority Hazard Lists ADDITIONAL LISTINGS **NOTIFICATION** LIST NAME AND SOURCE None found No listings found on Additional Hazard Lists

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

CDPH Standard Method - Not tested

CERTIFYING PARTY: Self-declared APPLICABLE FACILITIES: Springfield, OR ISSUE DATE: 2024-10-09 00:00:00 **EXPIRY DATE:**

CERTIFIER OR LAB: None

CERTIFICATE URL:

CERTIFICATION AND COMPLIANCE NOTES:



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

Information and documentation is provided in good faith, based on the products as currently formulated, and relies upon information provided to us by our raw material suppliers. While 9Wood uses reasonable efforts to provide accurate and up-to-date information, some of the information provided is gathered by third parties and has not been independently verified. 9Wood expresses no opinion and makes no representations as to the validity, applicability, suitability, accuracy, or completeness of the documentation.

MANUFACTURER INFORMATION

MANUFACTURER: 9Wood ADDRESS: 999 S A Street Springfield, Oregon 97477

COUNTRY: United States

WEBSITE: **9wood.com**CONTACT NAME: **Louis Leatherman**

TITLE: Sustainability Manager PHONE: 971-369-4949

EMAIL: Ileatherman@9wood.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

N- 00 N- 0

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material **Nested Method / Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

