

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Forte Opening Solutions

Corporate Office: 4301 Anchor Plaza Pkwy, Suite 220, Tampa, FL 33634; **Manufacturing Sites:** US; 2510 19th St SW Mason City, IA 50401; 980 Point Township Drive, P.O. Box 112, Northumberland, PA 17857; 506 Municipal Drive, Jefferson City, TN 37760; 1401 East Fourth Street, Marshfield, WI 54449; CA: 3799 Commerce Road, London, Ontario, N6N 1P9, CA; 430, Route 108, Ouest Saint-Ephrem, Quebec G0M 1R0, CA

For the following product(s):

See Addendum

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

Indoor Advantage™ Gold

Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHBL Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the private office¹, school classroom¹, and single-family residence¹⁻²⁻³ parameters.

¹Modeled Product Type: Interior Doors

²Modeled Product Type: Exterior Doors

³Modeled Product Type: Closet Doors

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in

Registration # SCS-IAQ-04499

Valid from: October 02, 2025 to June 30, 2026

SCSglobal
SERVICES



Diana Kirsanova Phillips

Diana Kirsanova Phillips, Chief Assurance Officer,
SCS Global Services

Certification Addendum

Forte Opening Solutions

Certification: Registration # SCS-IAQ-04499 | Valid from: October 02, 2025 to June 30, 2026

Addendum Indoor Advantage™ Gold

Conformance: Indoor Air Quality Certified to SCS-105 v4.2-2023

Conforms to the CDPH/EHLB Standard Method (CA 01350) v1.2-2017 (effective January, 2017) for the private office¹, school classroom¹, and single-family residence¹⁻²⁻³ parameters.

¹Modeled Product Type: Interior Doors

²Modeled Product Type: Exterior Doors

³Modeled Product Type: Closet Doors

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in

Products:

Doors:

Standard and Environmental Doors with cores of the following type:

Acoustic, Agrifiber, Fire Resistant Composite, High Density Fiberboard (HDF), Hollow Core, Laminated Veneer Lumber (LVL), Lead, Particleboard (Standard and NAUF), Staved Lumber, Structural Composite Lumber (SCL), Type I Foam

Cores:

Duraflake, Response Engineered Core

Door Surfaces:

Finished Wood Veneers (includes use of anti-microbial additive), High Impact Surfaces, Laminates, Primed, Painted, and Transparent Finish Hardboard (Embossed and Molded)

Stiles and Rails

Includes only factory finished doors