

- ** Inspect bumper prior to installation.
- ** Due to the weight of the bumper it is recommended at least two people for installation

Hardware List:

10MM-30MM Hex Head Bolt Qty: 4
12MM-25MM Hex Head Bolt Qty: 8
12MM-75MM Hex Head Bolt Qty: 2
10MM Flat washer Qty: 8
10MM Lock Washer Qty: 4
12MM Flat Washer Qty: 10
12MM Lock Washer Qty: 8
Tube Spacer Qty: 2
Nut Plate Qty: 2



Bumper Hardware




Spacer Hardware

Removing Bumper:

- Step 1 Remove the (2) push-pin screws to remove the plastic frame cover-plate.
- Step 2 If equipped, disconnect the OE driving lights at the back of the light housings. Insulate ends and tie the wires to the frame. Do not cut ends.
- Step 3 Using appropriate tools, remove the OE front bumper by removing the hex nuts holding the bumper to frame mount flanges. Installation kit contains all new necessary attaching hardware for your Body Armor JK Bumper. The Plastic bumper face is separate from the internal frame.

Gille Guard Hardware



- Step 1 Attach grille guard hoop to the bumper using the 4-10MM hex head bolts, flat and lock washers.
- step 2 Locate 12MM-25MM hex head bolts flat washers and lock washers. Place the lock washer over the bolt first followed by the flat washer. You will need 4 bolts and washers per side of the bumper. With a helper lift the bumper so that the mounting holes line up on each side. Loosely attach the bumper with the 8 12MM bolts.




Driverside Bracket



Passengerside Bracket

- Step 3 Locate the 2 flat plates with the welded nut, 2-12MM-75MM bolts washers and lock washers and 2 black spacer tubes. Insert the plates into the vertical cross member brace. Carefully line up the 12MM-75MM bolts with washers through the lower tab into the spacer attaching to the nut on the flat plate that is inserted into the vertical brace.



- Step 4 Tighten all bolts and install winch and wire lights if used.
** Install optional Body Armor skid plate Part Number JK-5123.

WARRANTY POLICY & PROCEDURE

Contact your Body Armor 4x4 Distributor or Body Armor 4x4 directly regarding any issue prior to removing product from vehicle. If it appears said product is warrantable, you will be given a Return Authorization Number (RA #) and asked to return said product freight pre- paid. The RA # must appear on the outside of the carton/box of any returned product. Unauthorized returns will be refused. RA # must be given by Body Armor 4x4 in advance of return.

BODY ARMOR LIMITED LIFETIME WARRANTY

Body Armor 4x4 (BA) warrants to the original purchaser that these products will be free from defects in material and workmanship prior to shipping and/or installation for the life of the product. This non-transferable limited lifetime warranty does not cover damage or impairment in any part due to misuse, improper installation, accident or contact with on-road or off-road hazards, product modification, improper or inadequate cleaning and/or maintenance. All other warranties and representations express or implied are hereby disclaimed, including fitness for merchantability and buyer's intended use or purpose.

BA products are built and sold for highway and off-road use. The original purchaser assumes all risks as to the selection, suitability and performance of all goods and products purchased.

BA's sole and exclusive obligation under this warranty shall be to repair or replace the item(s) and their discretion and BA will not issue any credit or refund to the consumer. Proof of purchase is required on all warranty claims. BA may require pictures to diagnose the warranty claim and may require the product(s) be returned if determined by BA to be necessary. If a return is required then a RGA number will be issued by BA. Any item arriving to BA without a valid

RGA number will be refused and sent back. Upon evaluating the RGA and no valid warranty claim is made, the RGA will be returned to the consumer at their expense or disposed by BA after 60 days. BA will not be responsible for incidental charges such as removal, installation, shipping costs or lost during transit. Any items that are ordered in error, refused or cancelled are not considered a valid warranty claim and cannot be returned to BA.

WARRANTY PROCESS

Contact an authorized BA dealer to initiate warranty process. Authorized dealers must contact BA to assist in evaluating the warranty claims. Valid warranties will have a RGA issued. Once issued the dealer will request the product be returned to BA facilities. Products purchased through an authorized BA dealer will be refunded and/or credited by that BA dealer.

Warranty contact: orders@bodyarmor4x4.com

Return address: Body Armor 4x4, 1050 N. Vineyard Ave. Ontario CA, 91764, P: 951-808-0750

FINISH WARRANTY

The finish is warranted to be free of defects for a period of 3 years from date of purchase. Product(s) that have been abused, altered, incorrectly installed or used in competition are void of said warranty. Surface rust, pitting or discoloration is a direct result of improper maintenance is not covered by this warranty. It is the responsibility of the owner to preserve and maintain the finish of their product(s). In areas where high concentrations of road salts and other corrosive agents are used, rust or damage to the finish may occur if BA product(s) are not properly maintained. Lack of proper maintenance in these areas may void the finish warranty. See below for routine maintenance tips and recommendations.

**PRODUCT CARE AND MAINTENANCE**

Textured coat finished should be cleaned ONLY with a mild soap on a damp sponge.

BA recommends wiping down the product with a light coat of lubricate (i.e. WD40) periodically to maintain its luster.

DO NOT apply polish or wax that requires buffing for removal as this may damage the finish.

DO NOT coat the product with any type of shine such as Tire Shine or glossy aerosol or gel. This can cause discoloration, staining or bubbling.