HardyCHROM[™] Candida+auris

Now You Can Know For Sure






Emerging Fungus


Candida auris (C. auris) is an emerging fungus, which has caused global concern and has been classified as an Urgent Threat by the Centers for Disease Control and Prevention (CDC). C. auris is resistant to most first-line antifungal medications and spreads easily through direct contact as well as contact with contaminated surfaces. C. auris is predominant in patients with underlying medical issues or weakened immune systems.

C. auris can cause bloodstream infections and even death among patients with serious underlying medical factors. In fact, more than one out of three patients with an invasive *C. auris* infection affecting the blood, heart or brain are likely to die.1



Intended Use


HardyCHROM™ Candida + auris is recommended for the selective isolation and differential identification of *Candida* species. Colonies of *C. auris* will appear white with a characteristic teal to teal-green "bullseye" center and show a unique fluorogenic reaction under UV light. *C. auris* is unique amongst other *Candida* species because it causes outbreaks and is resistant to nearly all antifungal drugs; and is difficult to identify thus can be misidentified as other species of yeasts. This medium will also identify *C. tropicalis*, *C. glabrata*, *C. albicans*, and *C. krusei*.



HardyCHROM™ Candida + auris 15x100mm plate, 10/pk, Cat. no. G343

Fluorogenic Reaction

The fluorescent reaction of *C. auris* on this HardyCHROM™ plate increases the reliability of your identification. Most typical yeast colonies tested for fluorescence at 48 hours using a UV lamp at 365nm will be negative, except for *C. auris* which will be positive at 48-72 hours. All suspected colonies should be subject to automated confirmatory ID method such as MALDI.



UV Lamp, Longwave

Handheld UV Lamp (6 watts) are uniquely designed with an ergonomically designed handle. EΑ UVL56 This medium also allows for the identification of *C. albicans*, *C. tropicalis*, *C. krusei*, and the presumptive identification of *C. glabrata*.




C. tropicalis colonies appear medium blue to dark metallic blue with a blue halo.



C. krusei produces rough, spreading, pink colonies.



C. glabrata produces smooth, pink colonies, often with a darker mauve center.



C. albicans produces a smooth, medium to green dark metallic green colonies.

C. glabrata Confirmation

HardyCHROM™ Candida + auris can be used in conjunction with Rapid Trehalose Broth (Cat. no. Z205) or GlabrataQuick™ (Cat. no. Z298) to aid in the identification of C. glabrata. When HardyCHROM™ Candida + auris is used as the primary plating medium, only colonies that morphologically resemble C. glabrata should be tested for trehalose assimilation.



GlabrataQuick™


For the rapid identification of Candida glabrata by sugar fermentation. 24 tests/kit

Z298



The BLOK BOX™

Hardy Diagnostics offers free BLOK-BOXES for all light sensitive media. One box holds a sleeve of ten Petri plates. Ask for a free box added to your order today.



Trehalose Broth, Rapid

A rapid screening method to aid in the detection of Candida glabrata, with results in 3 hours. 10 tubes/box Z205









1980



Hardy Diagnostics donates 1% of each sale to charity.



FM 572526

Hardy Diagnostics has a Quality Management System that is certified to ISO 13485 and is a FDA licensed medical device manufacturer.

Headquarters

1430 West McCoy Lane Santa Maria, CA 93455 800.266.2222 Sales@HardyDiagnostics.com HardyDiagnostics.com

Distribution Centers

Santa Maria, California Olympia, Washington Salt Lake City, Utah Phoenix, Arizona Dallas, Texas Springboro, Ohio Lake City, Florida Albany, New York Raleigh, North Carolina

