


TUBERCULOSIS

Microbiology

Contents

- 1 Media for the cultivation and identification of TB
- 2 Direct Specimen Staining, Fluorescent Method
- 3 Staining and Slide Preparation
- 3 Reagents and Disks
- 4 Digestion and Decontaminaton Reagents
- 4 Control Slides
- 5 Lab Supplies



Media for the Cultivation and Identification of Tuberculosis

Arylsulfatase Broth

For use in detecting arylsulfatase production in rapidly growing *Mycobacteria* spp.

Mycobacteria spp.		
0.001M, 2ml, 16x125mm tube, 20pk	K93	
0.003M, 2ml, 16x125mm tube, 20pk	K94	

Carbon Utilization

For the differentiation of *Mycobacterium* spp.

Carbon Utilization Base, Slant, 20x125mm tube, 20pk	Y125
Carbon Utilization with Insolitol, Slant 20x125mm tube, 20pk	, Y126
Carbon Utilization with Mannitol, Slan 20x125mm tube, 20pk	t, Y127
Carbon Utilization with Citrate, Slant, 20x125mm tube, 20pk	Y128

Lowenstein Jensen

Egg based media for use in the cultivation and isolation of *Mycobacterium* spp.

5ml deep, 20x150mm tube, 20pk C27

Slant, 10ml, 20x125mm tube, 20pk C21

HardyFlask™, 20pk X22

Bovine Serum Albumin

Enhances the growth of Mycobacteria	spp.
Tube, 3ml, 13x100mm tube, 20/bx	Z81

Lowenstein Jensen - Gruft Modification

Slant, 20x125mm tube, 20pk	C23
HardyFlask™, 20pk	X23

Lowenstein Jensen with Pyruvate

Slant, 20x125mm tube, 20pk	C28
HardyFlask™, 20pk	X19

Lowenstein Jensen - Selective

Addition of cycloheximide, lincomycin	, and
nalidixic acid.	
Slant 20v125mm tube 20nk	C25

Slant, 20x125mm tube, 20pk C25

Lowenstein Jensen with Sodium Chloride

lant, 5ml, 20x125	mm tube, 20pk	C29
-------------------	---------------	-----

Lowenstein Jensen with Ferric Ammonium Citrate

HardyFlask™, 20pk X2

Middlebrook 7H9

Recommended for use in the cutivation of *Mycobacterium* spp. from sterile fluids.
Middlebrook 7H9 with Tween® 80,
5ml, 16x125mm tube, 20pk C62
Middlebrook 7H9 Broth

Middlebrook 7H10

10ml, 16x125mm tube, 20pk

Agar based media for the isolation and cultivation of *Mycobacterium* spp. Middlebrook 7H10, Deep fill. 26ml. 15x100mm plate.

10pk		·	W30
Slant, 20x1	125mm tube	e, 20pk	C34

HardyFlask™, 20pk	X26
Middlebrook 7H10 with 10% Human	Blood,
10ml, 20x125mm tube, 20pk	C42

Middlebrook 7H10. Cat. no. W30

C32

Middlebrook 7H11

Recommended for use in the cultivation and isolation of *Mycobacterium* spp. Deep fill, 28ml, 15x100mm plate,

Deep iiii, Zoiiii, ioxiooiiiiii piate,	
10pk	W35
HardyFlask™, 20pk	X25
Space Saver Plate, 10x100mm, 15pk	SP57
Slant, 20x125mm polycarbonate tube, 20pk C.36	

Middlebrook 7H11 Selective

Mitchison formula with CAPT antibiotics for selective isolation of *Mycobacterium* spp.

Deep fill, 15x100mm plate, 10/pk W40

Slant, 20x125mm tube, 20/pk C38

HardyFlask™. 20/pk X28

Middlebrook 7H11/Middlebrook 7H11

For use in the selective isolation is recommended for use in the isolation and cultivation of Mycobacterium species.

15x100mm biplate, 10/pk

J7

Middlebrook OADC Supplement

A supplement for Middlebrook culture media.

100ml fill, 180ml bottle, each U98

Nitrate Substrate Broth

For the determination of nitrate reactions of *Mycobacteria* spp. Use with AFB nitrate reagents (Cat. nos. Z124 and Z125). 2ml, 13x100mm tube, 20/pk R97

Pyrazinamidase Agar

For the differentiation of *Mycobacteria* spp. by pyrazinamidase activity.
5ml, 16x125mm tube, 20/pk K158

Wallenstein Slant

For the cultivation of *Mycobacterium* spp. especially Mycobacteria avium complex. Slant, 20x125mm tube, 20/pk C61

Direct Specimen Staining Fluorescent Method



Cat. no. 630K

AFB Fluorescent Stain Set (Auromine O)

Kit includes one 250ml bottle of each of the following: auramine O fluorescent stain, decolorizer and potassium/ permanganate.

3x250ml 418K

Auramine Fluorescent Stain

An aqueous solution of phenol and auramine O Stain.

250ml 418D8

Auramine-Rhodamine Stain

An aqueous solution of phenol, glycerine, isopropyl alcohol, rhodamine B and auramine O.

8 oz	789D8
32 oz	789D32
3x8 oz	630K

Potassium Permanganate (0.55%)

An aqueous solution of potassium permanganate.
250ml

PPC18

Staining and Slide Preparation

AFB Stain Kit

Carbol Fuchsin (Kinyoun), Acid Alcohol 3%, Methylene Blue Counterstain.

3x8 oz AF900

Acid-Fast Smear Fix

For BACTEC™ blood cultures, for better slide adhesion of specimens,
15ml 756

131111 230

Acid Alcohol, 3% HCl in Alcohol

For AFB staining, Kinyoun or Ziehl-Neelsen. 250ml AA008

AFB Brilliant Green Stain Kit

Contains Carbol Fuchsin (Kinyoun), Acid Alcohol 3%, Brilliant Green Counterstain. 3x8 oz 483KB

Carbol Fuchsin (Kinyoun)

250ml CF008



Cat. no. CF008

Methylene Blue Counterstain

For Acid-Fast stain procedures and other uses.

16 oz 675A16

Methyl Alcohol, 100%, Reagent Grade

16 oz	QS1016
32 oz	VMT032
1 gallon	107B128

BlueMount™

A permanent slide mount for mycology specimens that contains the stain lactophenol cotton blue. Produces a long lasting permanently stained slide. Contains polyvinyl alcohol (PVA) that will dry and set up hard. Creates a perfectly preserved slide.

15ml vial Z137

Lactophenol Cotton Blue

For staining fungi on slide wet mounts.

768

Potassium Hydroxide

For use in slide preparations of specimens for the purpose of identifying fungal elements. Dissolves epithelial cells that may mask fungal elements.

10%, KOH, 15ml vial Z77 20%. KOH. 15ml vial Z78

India Ink

For use in the identification of Cryptococcus neoformans by detection of the polysaccharide capsule. India ink is a negative stain that will show a clear zone where the capsule is.

15ml bottle Z64

Reagents and Disks

Caffeic Acid Disks

A rapid test to detect the ability of an organism to produce the enzyme phenyloxidase; useful for the identification of *Cryptococcus neoformans* and *Cryptococcus gattii*.

25 disks/pk Z118

Nitrate Reagents

Recommended for use in the determination of nitrate utilization by *Mycobacterium* spp.

AFB Nitrate Reagent A (Sulfanilamide, 0.2%) 15ml Z124

AFB Nitrate Reagent B (Naphthylethylenediamine Dihydrochloride, 0.1%) 15ml

Z125

Digestion and Decontamination Reagents

MucoGest™ 50

MucoGest™ is composed of dithiothreitol, a mucolytic agent recommended for use in the digestion and decontamination procedures of sputum and other clinical specimens for the recovery of *Mycobacteria* spp. and fungi. Use MucoGest™ with TB Based Digestant (Cat. no. X45) for TB.

0.25 gm (to make 50ml of solution),

20/pk



Phosphate Buffer

Used to break down mucous components of sputum and other clinical specimens and to decontaminate the specimen of normal flora in order to allow slower growing mycobacteria to grow.

30ml, 2 oz bottle, 25/bx X3

30ml, 2 oz bottle, 25/bx	X31
40ml, 2 oz bottle, 25/bx	X43
500ml, 500ml bottle, each	U10

Sputum Digestion And Decontamination Reagents

Used to break down mucous components of sputum and other clinical specimens and to decontaminate the specimen of normal flora in order to culture slower growing mycobacteria.

N-Acetyl-L-Cysteine (NALC)
2.5gm, 16x100mm tube, 20/bx Z161
250mg (prepares 50ml), 16x100mm tube, 20/bx Z60
TB Base Digestant
50ml, 2 oz bottle, 25/bx X45
100ml, 125ml bottle, 12/bx U22

Control Slides

Q-Slides™ AFB Control Slides

Used to test both the stain reagents and user technique. Can be used for Kinyoun, Ziehl-Neelsen, and fluorescent AFB stain methods. Slides are prepared and fixed with a known AFB positive and negative organism. There is also space for four test specimens.

- A convenient, easy to-use-format.
- Good dispersion of cells that stain deeply with excellent contrast.
- Large number of cells per viewing area at 1.000x.
- Large area for patient specimens contained by hydrophobic lines.
- Plastic container protects and allows for easy manipulation of slides.
- White labeling area for patient identification.

5 slides per box Z301



500ml, 500ml bottle, each



U20

For easy QC of your stain and staining technique!



Adenna MIRACLE® Gloves

Light weight, soft, very flexible and 100% rubber latex free

Small, 2,000/case	MIR162
Medium, 2,000/case	MIR165
Large, 2,000/case	MIR166

Adenna Disposable Face Mask

These masks are 100% latex and fiberglass free, as well as non-irritant and odorless. 10x50 case/500 masks FEL110B

Surgical Mask

Soft, cool, and breathable while meeting the ASTM F200-01 testing requirements of submicron filtration above 98%.

500/case 15100

ComfortPRO™ Lab Coat

These affordable, disposable lab coats are made of tri-laminated, spunbound material (SMS) which is designed to be fully breathable and splash resistant.

Medium, 20/case	NEGU6073M
Large, 20/case	NEGU6073L
XLarge, 20/case	NEGU6073XL

Face Shield, Full Face, Disposable

Used for protection of the facial areas (eyes, nose, mouth) from sprays, aerosols, and splashes.

- Ideal for healthcare and laboratory workers
- Made from PETG
- Anti-fogging visor

10/pk MD30331

AloeSafe™ Antiseptic Gel Hand Sanitizer

AloeSafe™ hand sanitize with ethyl alcohol gel with Aloe Vera, Lavender Oil, and Vitamin E, without the harsh chemicals. 16 oz bottle. each AS16HD

Flocked Nasopharangeal (NP) Swab, Sterile, 80mm Breakpoint

Flexible, mini-tip size flocked swab with 80mm breakpoint in peel pouch, individually packaged, sterile, Nasopharyngeal (NP).

100/pk 972012

Mid-Turbinate Adult Flocked Swab w/stopper, 80mm Breakpoint

Flocked tip swab, 80mm breakpoint, in peel pouch - individually packaged, sterile, disposable.

100/pk 972014

Mid-Turbinate Pediatric Flocked Swab w/stopper, 80mm Breakpoint

Regular polyester tip swab, 80mm breakpoint, in peel pouch - individually packaged, sterile, disposable. 100/pk 972015

UV Chamber, N95 Mask Decontamination by UV light

Never run out of N95 masks again. Quickly sanitize them yourself by UV light.

- Sanitizes four N95 masks at once
- Takes only two minutes
- Small footprint
- Two Year Manufacturer's Warranty
- UL/CSA/CE Approved

Each 234100HD

DuraRack™ Petri Plate Holder

A durable, autoclavable, heavy gauge coated steel wire rack that allows for easy loading and unloading of Petri or contact plates.

60 Petri plate holder, each

84 Petri plate holder, each

DURA84

60 Contact plate holder, each

DURA60C















Hardy Diagnostics donates 1% of each sale to charity.



FM 572526

Hardy Diagnostics has a Quality Management System that is certified to ISO 13485 and is a FDA licensed medical device manufacturer.

Headquarters

1430 West McCoy Lane Santa Maria, CA 93455 800.266.2222 Sales@HardyDiagnostics.com HardyDiagnostics.com

Distribution Centers

Santa Maria, California Olympia, Washington Salt Lake City, Utah Phoenix, Arizona Dallas, Texas Springboro, Ohio Lake City, Florida Albany, New York Raleigh, North Carolina

