

# PET FOOD

## Microbiology



**HARDY**  
DIAGNOSTICS

A Culture of Service™

# PET FOOD

## Microbiology

### Contents

- 1 Pathogen Detection
- 1 *E. coli* Media
- 2 *Listeria* spp. Media
- 3 *Salmonella* spp. Media
- 4 General Culture Media
- 5 Control Organisms
- 6 CompactDry™ Dry Media Plates
- 8 The Wizard™ CompactDry™ Plate Reader
- 9 Sample Preparation
- 10 Serial Dilution
- 14 Rapid Latex Agglutination Kits
- 14 Biochemical Tests
- 15 Rapid Tests
- 16 Environmental Monitoring
- 16 Surface Sampling
- 20 TRIO.BAS™ Air Samplers
- 21 Lab Supplies



*We are here  
for you,  
like you are  
for them.*

# PATHOGEN DETECTION

## Escherichia coli Media

### CompactDry™ EC *E. coli* and Coliforms

For the isolation and enumeration of coliforms and *E. coli*. Coliform colonies will appear red, and *E. coli* colonies will appear blue.

240/pk 54082

### CT-SMAC with Cefixime and Tellurite

(MacConkey with Sorbitol, Tellurite and Cefixime) For selection and differentiation of enterohemorrhagic *E. coli* O157.

15x100mm plate, 10/pk G129

### EC Broth with MUG

For the detection of *E. coli* in food and water by fluorescence. Contains methylumbelliferyl glucuronide.

16x125mm tube, 20/pk K64

### HardyCHROM™ ECC

A chromogenic media recommended for the detection, differentiation, and enumeration of *E. coli* and other coliforms in food, water, or environmental samples based on colony color.

15x100mm plate, 10/pk G303

### HardyCHROM™ O157

A selective and differential medium recommended for the isolation of enterohemorrhagic *E. coli* O157 from food and environmental sources.

15x100mm plate, 10/pk G305

### MacConkey Agar with Sorbitol (SMAC)

For the detection of enterohemorrhagic *E. coli* O157 (sorbitol negative).

15x100mm plate, 10/pk G36



Cat. no. 54082

### MacConkey Broth, USP

Used for cultivating Gram-negative, lactose-fermenting bacilli and as a presumptive test for coliform organisms.

180ml bottle, 12/pk U125


### SHIBAM Agar

Used as a selective and differential growth medium for the cultivation of Shiga toxin producing *E. coli* (STEC).

15x100mm plate, 10/pk A146



# Listeria spp. Media



Cat. no. G317

## Buffered Listeria Enrichment Broth Base, BAM

For the isolation of *Listeria monocytogenes* from food samples.  
500ml wide mouth jar, 12/pk U233

## Buffered Listeria Enrichment Broth Selective Supplement

For use as a supplement for Buffered Listeria Enrichment Broth Base (BAM Formulation), Cat. no. U233.  
15x103mm tube, 20/pk K183

## CompactDry™ LS Listeria

For the selective growth, presumptive identification, and enumeration of *Listeria* spp. Growing colonies will appear blue.  
100/pk LS100

## Fraser Broth, Modified

For the selective enrichment of *Listeria* spp. in foods and environmental samples.

16x125mm tube, 20/pk K98

500ml bottle, 10/pk U410

## HardyCHROM™ Listeria

For the selective isolation, differentiation, and enumeration of *Listeria monocytogenes* from food and environmental samples by colony color and appearance.

15x100mm plate, 10/pk G317

## Motility Test Medium

For the detection of motility in Gram-negative enteric bacilli.

16x100mm tube, 20/pk Q10

With TTC 16x100mm tube, 20/pk Q11

## Oxford Medium

For the selective isolation and differentiation of *Listeria monocytogenes*.

15x100mm plate, 10/pk G46



# Salmonella spp. Media

## CompactDry™ SL

### Salmonella

For the presumptive identification of *Salmonella* spp. Growing colonies will appear green or blue-green with black centers.

240/pk 54085

## HardyCHROM™ Salmonella

A differential medium that facilitates the isolation and differentiation of *Salmonella* spp. from other members of the family Enterobacteriales.

15x100mm plate, 10/pk G309

## HE (Hektoen Enteric) Agar

For the selective isolation and differentiation of pathogenic Gram-negative enteric bacteria, such as the non-lactose fermenting *Salmonella* spp. and *Shigella* spp.

15x100mm plate, 10/pk G63

## Iodine-Iodide Solution, for Tetrathionate Broth

Iodine-Iodide Solution to be added to Tetrathionate Broth, Cat. no. K65.

2 oz bottle, each Z129

## Lactose Broth

For the cultivation of coliforms and *Salmonella* spp. in water, food, and dairy.

12 oz wide mouth jar, 12/pk U146

## Lysine Iron Agar (LIA)

For the identification of Gram-negative enteric pathogens.

16x125mm tube, 20/pk L25

## MR-VP Broth

For the identification of Gram-negative bacilli.

15x103mm tube, 20/pk K37

## Rappaport-Vassiliadis Broth, USP

For the selective enrichment of *Salmonella* spp. from food samples.

16x125mm tube, 20/pk K246

## Selenite Cystine Broth

For the selective enrichment of *Salmonella* spp.

15ml dropper vial, 20/pk K69

## Tetrathionate Broth Base


For selective enrichment of *Salmonella* spp. Use with iodine-iodide solution, Cat. no. Z129.

16x125mm tube, 20/pk K65

## XLD (Xylose Lysine Deoxycholate) Agar, USP

For use as a selective and differential medium for the isolation of Gram-negative enteric pathogens.

15x100mm plate, 10/pk G65



Cat. no. G309

# General Culture Media

## BHI Broth

For the cultivation of microorganisms.  
16x125mm tube, 20/pk K25

## Blood Agar Plate, 5% Sheep Blood in Tryptic Soy Agar (TSA) Base

For use as general purpose growth media for the isolation, cultivation, and differentiation of a wide variety of microorganisms.  
15x100mm plate, 10/pk A10

## Brilliant Green Bile Broth

For the detection of coliforms in water and food. Contains a durham tube for gas detection.  
16x125mm tube, 20/pk K66

## Egg Yolk Agar, Modified

For the isolation, cultivation, and differentiation of *Clostridium* spp. and other anaerobic bacteria.  
15x100mm plate, 10/pk G215

## EMB Levine Agar (Eosin Methylene Blue)

For isolation and differentiation of Gram-negative bacilli.  
15x100mm, 10/pk G25

## Lauryl Tryptose Broth (Lauryl Sulfate Broth)

For the detection of coliforms in water and food. Double strength. Contains a durham tube for gas detection.  
20x125mm tube, 20/pk K32

## m Endo LES Agar

For the enumeration of coliforms from water specimens by membrane filter technique.  
15x100mm plate, 10/pk G28

## MacConkey Agar, USP

For the isolation and differentiation of Gram-negative bacteria.  
15x100mm plate, 10/pk G35

## Reinforced Clostridial Medium, USP

For the cultivation and enumeration of *Clostridia* spp. and other anaerobic and facultative bacteria.  
4 oz bottle, 20/pk U172

## SabDex (Sabouraud Dextrose) Agar, USP

Recommended for the isolation, cultivation, and maintenance of non-pathogenic and pathogenic species of fungi and yeasts.  
15x100mm, 10/pk W70

## Standard Methods Agar

For the cultivation and enumeration of microorganisms in dairy products, food, and water.  
15x100mm plate, 10/pk G43  
20x125mm tube, 20/pk Q21

## Tryptic Soy Agar (TSA), USP

For use as a non-selective, general growth medium for the isolation and cultivation of microorganisms (bacteria, yeast, and fungi).  
15x100mm plate, 10/pk G60  
20x125mm tube, 20/pk Q58

## Violet Red Bile Agar (VRBA) with MUG

For the detection of coliforms in food or dairy products.  
15x100mm plate, 10/pk J132





## STEC/EHEC Big 6

Organisms (listed in KWIK-STIK™ format)	2 Pack
<i>Escherichia coli</i> , serotype O103:H11, CDC06-3008 (STEC)	O1101P
<i>Escherichia coli</i> , serotype O111:H8, CDC2010C-3114 (STEC)	O1102P
<i>Escherichia coli</i> , serotype O121:H19, CDC02-3211 (STEC)	O1099P
<i>Escherichia coli</i> , serotype O145:NM, CDC99-3311 (STEC)	O1097P
<i>Escherichia coli</i> , serotype O26:H11, CDC 03-3014 (STEC)	O1100P
<i>Escherichia coli</i> , serotype O45:H2, CDC00-3039 (STEC)	O1098P

## *E. coli* O157

Organisms (listed in KWIK-STIK™ format)	2 Pack
<i>Escherichia coli</i> (O157:H7), ATCC® 35150™	O617P

## *E. coli* non-STEC/EHEC

Organisms (listed in KWIK-STIK™ format)	2 Pack
<i>Escherichia coli</i> , ATCC® 25922™	O335P

## Yeast and Mold

Organisms (listed in KWIK-STIK™ format)	2 Pack
<i>Candida albicans</i> , ATCC® 10231	O443P
<i>Aspergillus brasiliensis</i> , ATCC® 16404™	O392P

## *Listeria monocytogenes*

Organisms (listed in KWIK-STIK™ format)	2 Pack
<i>Listeria monocytogenes</i> , ATCC® 15313™	O727P

## *Salmonella enterica*

Organisms (listed in KWIK-STIK™ format)	2 Pack
<i>Salmonella enterica</i> , ATCC® 14028™	O363P

## Simple and Effective System for Colony Counting

The CompactDry™ plate line presents a variety of organism-specific or total count tests, packaged nicely in a sophisticated and sturdy cassette. Designed to save technician time while performing colony counts on Food, Beverage, Cannabis, Cosmetics, Environmental, Meat, and Raw Material samples.

### CompactDry™ ETB *Enterobacteriaceae*

For the isolation and enumeration of *Enterobacteriaceae* that will appear magenta in color. Genera of *Enterobacteriaceae* consists of: *Citrobacter*, *Enterobacter*, *Escherichia*, *Klebsiella*, *Morganella*, *Proteus*, *Salmonella*, *Serratia*, *Shigella*, *Yersinia* and more.

100/pk

ETB100



### CompactDry™ EC *E. coli* and Coliforms

For the isolation and enumeration of coliforms and *E. coli*. Coliform colonies will appear red, and *E. coli* colonies will appear blue.

240/pk

54082

### CompactDry™ TC Total Count

For total aerobic viable bacterial count. Growing colonies will appear red.

240/pk

54081



### CompactDry™ SL *Salmonella*

For the presumptive identification of *Salmonella* spp. Growing colonies will appear green or blue-green with black centers.

240/pk

54085



### **CompactDry™ LS**

#### ***Listeria***

For the selective growth, presumptive identification, and enumeration of *Listeria* spp. Growing colonies will appear blue.

100/pk

LS100



### **CompactDry™ XSA**

#### ***Staphylococcus aureus***

For the selective growth, enumeration, and differentiation of *Staphylococcus aureus*. Growing colonies will appear blue green.

240/pk

54086



### **CompactDry™ YM**

#### **Yeast and Mold**

For the isolation and enumeration of yeast and mold. Yeast colonies will appear blue, and molds will form cottony colonies with characteristic colors. (5-7 days)

240/pk

54083




### **CompactDry™ YMR**

#### **Yeast and Mold Rapid**

For the isolation and enumeration of yeast and mold. Yeast colonies will appear blue, and molds will form cottony colonies with characteristic colors. (48-72 hrs)

240/pk

54084




## Plate Reading

# The Wizard™

CompactDry™ Reader

**The Wizard CompactDry™ Reader**, a small instrument that will make a big impact on reducing the time spent counting colonies by hand.

**Easy-to-use:** Flip the switch, select your configuration, insert your CompactDry™ plate(s), select read, and save your results!



### Your choice of data retrieval:

- Printout
- Thumb Drive
- LIMS Connection

Cat. no. CDR2

**Automate** your colony counts and **expand** your throughput capabilities.

## Sample Preparation



### MiniMix 100 W CC

The MiniMix 100 W CC is made for the blending of small samples. The patented adjustable blending power enables optimal bacterial extraction, and can be adapted to the nature of the sample.

Each

100WCC



### BagPage® Blender Bags with Filter

Blender bags with a full surface micro-perforated filter. Flora is extracted from the sample and goes through the filter during blending.

Sterile packs of 25, 100ml, 180x95mm,  
500/bx

121025



### BagFilter® 400P Bags for Lab Blender

BagFilter® is a blender bag equipped with a lateral filter, perfect for microbiological analyses of fibrous samples. Flora is extracted from the sample and goes through the filter during blending. You can then pipet behind the filter with no residue or particles from the sample.

Sterile packs of 25, 100ml, 180x300mm,  
500/bx

111425

# Serial Dilution

## Diligent Shaker for use with Dilucup® Elegance!

### by LabRobot

The Diligent Shaker uses orbital rotation to make sure each dilution is thoroughly vortexed. It is activated by either a hands-free optical sensor or the optional foot pedal. The 42 LED indicators light each cup, letting you easily see what dilution well you are in.

### Easy as 1, 2, 3!

- 1 Simply add 1ml sample to the first Dilucup™.
- 2 Start the shaker by waving your hand in front of the motion sensor. When the Dilushaker™ stops, the next dilution is ready.
- 3 Collect 1ml from the first cup and release it into the second cup and start the shaker again. Continue this until the final dilution is reached.



## Features:

- Dimensions: 38cm x 29.5cm x 5cm
- 7" touch screen
- Two optical sensors, one at each side
- Can create and store testing templates, assuring standardization of method
- Programming with intuitive software
- 6 rows for 42 cups (7 x 6)
- Removable magnetic tray for 42 cups
- Export data to USB
- Bar code reading (Dilugent and Diligent Pro only)
- Able to record sample ID and user ID (Dilugent and Diligent Pro only)
- Full connectivity to LIMS (Dilugent Pro only)
- Optional Footswitch, Cat. no. 40FS02

### Diligent Shaker Light

Cat. no.

Store up to 2 templates. Data retrieval is manual only.

40DGT84LT

### Diligent Shaker Standard Version

Cat. no.

Record sample ID, technical or user ID. Bar code scanner capability. Store up to 10 templates. Export data to USB.

40DGT84SD

### Diligent Shaker Pro

Cat. no.

LIMS connectivity and traceability for data. Record sample ID, technical or user ID. Bar code scanner capability. Store up to 10 templates.

40DGT84PO

## Serial Diluents

Product	Specifications	Cat. no.
Buffered Peptone Water	9ml fill, 3 rows, 21 cups	40DEBPW3
Butterfield's Phosphate Buffer	9ml fill, 3 rows, 21 cups	40DEBFD6



# Dilu-Lok™ Dilution Buffers



Our pre-filled Dilu-Lok™ dilution vial is designed especially for the food, dairy, and water industries. Each lot is meticulously tested for pH, sterility, and fill volume. Designed and packaged to eliminate leaking.



## Heavy Duty

Vials are made of sturdy polypropylene with a leak-proof seal that holds up even during air transport.

## Large Opening

A wide 45mm opening accommodates most sample sizes. Each vial is clearly marked with a 90ml and 99ml fill line.

## One-Handed

Flip-top lid allows for easy one-handed opening and closing to make pipeting easier. Saves unnecessary motion! No awkward screw caps or plastic strips to tear off.

## Variety

Available with peptone water, buffered peptone water, butterfield's buffer, deionized water, phosphate buffer with MgCl, and as an empty sterile container (Cat. no. 3538).

## Leak-Proof

Re-engineered for an improved seal. Easy-to-remove, perforated, shrink wrap ensures product integrity.

Product	Specifications	Cat. no.
Butterfield's Phosphate Buffer	90ml fill, 50/pk 99ml fill, 50/pk	D590 D599
Phosphate Buffer with MgCl	90ml fill, 50/pk 99ml fill, 50/pk	D690 D699
Deionized Water	90ml fill, 50/pk 99ml fill, 50/pk	D090 D099
Buffered Peptone Water	90ml fill, 50/pk	D080
Empty Vial	145ml fill 250/case	3538

(For sample collection, transport and storage)

## Other Dilution Buffers

Product	Specifications	Cat. no.
Deionized Water	16x125mm tube, 20/pk 125ml bottle, 12/pk	K259 U85
Butterfield's Phosphate Buffer	500ml bottle, 10/pk	U123
Phosphate Buffered Saline	1L bottle, 10/pk	U138
Buffered Peptone Water	500ml bottle, 10/pk	U142
Peptone Water, 0.1%	500ml bottle, 10/pk	U201



## Liquid Handling

Product	Specifications	Cat. no.
Picus® electronic pipette	1 channel 0.5-10ml, each	735111
Tacta mechanical pipette	1 channel , 1ul-10ml, each	LH729090



Cat. no. 735111

# Rapid Latex Agglutination Kits

## Microgen® Salmonella Latex Test

A rapid alternative to the traditional identification methods and detects *Salmonella* spp. including *Salmonella typhimorium* and *S. enteritidis*. Additionally, it employs highly specific flagella antisera which reduces potential cross-reactivity with non *Salmonella*.  
50/pk

F42

## Microgen® Legionella Latex Test

Rapid latex agglutination test providing results in two minutes directly from a selective medium for the confirmatory identification of *Legionella pneumophila* Serogroup 1 and Serogroup 2-15. Non-*L. pneumophila* species grown on selective media.  
50/pk

M45



# Biochemical Tests

## Microgen® GN-ID A

Microgen® GN-ID A is a convenient 12 substrate ID system for the most commonly isolated Enterobacteriaceae from food samples. Obtain a reliable identification, based on its standardized biochemical substrates, easiness of use and interpretation system in 24 hours.  
60/tests

MID64CE

## Microgen® Listeria-ID

Identification of *Listeria* in foods and environmental samples including built-in micro-haemolysis reaction for optimised differentiation of haemolytic and nonhaemolytic *Listeria* spp. This eliminates the need of further testing.  
24/tests

MID67

## Microgen® GN-ID B

The GN-ID B microwell test strips are intended to be used together with the GN-ID A kit to produce a 24 substrate system to identify non-fastidious Gram-negative bacilli (oxidase negative and positive) in addition to all currently recognised species of the family Enterobacteriaceae.  
24/tests

MID65





## Indole, Kovac's Reagent

Recommended for use in determining the indole reaction of bacteria.

15ml dropper vial, each Z67

## Moellers Lysine Decarboxylase

For the differentiation of Gram-negative enteric bacilli based on th decarboxylation reaction of amino acids.

16x125mm tube, 20/pk Y43

## Nitrate Reagent A, Sulfanilic Acid

For use in determining the nitrate reduction reaction of bacteria, other than *Mycobacterium* species.

15ml dropper vial, each Z71

## Nitrate Reagent B, Naphthylamine

For use in determining the nitrate reduction reaction of bacteria, other than *Mycobacterium* species.

15ml dropper vial, each Z72

## Nitrate Reagent C, Zinc Dust

For the completion of the nitrate reduction test.

5gm, each Z73

## ONPG Disks

Used to differentiate members of the Enterobacterales and other microorganisms based on beta-galactosidase activity.

50 disks/cartridge Z7321

## OxiSticks™ Oxidase Swabs

For use in the detection of cytochrome oxidase activity in bacteria.

25 swabs per vial, each Z193

## OxiStrips™, Oxidase Test

Are used for the detection of cytochrome oxidase activity in bacteria.

25 paper strips/pk Z93

## Potassium Hydroxide Solution, 3%

For use in slide preparations of specimens for the purpose of aiding in identification of Gram-negative bacilli.

15ml dropper vial, each Z173

## Rapid Urea Medium

For the rapid determination of urease activity in Enterobacterales.

13x100mm tube, 20/pk R154

## Simmons Citrate Agar

For the detection of citrate utilization of Gram-negative enteric bacilli.

16x100mm tube, 20/pk L80

## Triple Sugar Iron (TSI) Agar

For the identification of Gram-negative bacilli.

16x125mm tube, 20/pk L50

## Voges-Proskauer Reagent A

For use in determining the Voges-Proskauer (VP) reaction of bacteria.

15ml dropper vial, each Z91

## Voges-Proskauer Reagent B

For use in determining the Voges-Proskauer (VP) reaction of bacteria.

15ml dropper vial, each Z92



Cat. no. Z92

# ENVIRONMENTAL MONITORING

## Surface Sampling

# LOK™ TIGHT CONTACT PLATES



1. Twist and remove lid.



2. Gently press plate to surface without twisting or sliding.



3. Twist clockwise until frosted bands line up and lock lids into place.

### **Tryptic Soy Agar (TSA) with Lecithin and Tween® 80, USP**

For use as a general growth medium.

15x65mm Plate, 10/pk P34

### **SabDex Agar (Sabouraud Dextrose Agar) with Lecithin and Tween® 80**

For the cultivation of yeasts and fungi from environmental samples.

15x65mm Plate, 10/pk P46

### **D/E Neutralizing Agar**

For the broad spectrum neutralization of surface disinfectants and the cultivation of microorganisms from environmental surfaces.

15x65mm Plate, 10/pk P99



# EnviroTrans™

## ENVIRONMENTAL SWAB RINSE KIT

This ready-to-use swab and tube is pre-filled with your choice of sampling diluents. Simply remove the cap, collect your sample by swabbing the surface, recap, and send to the lab. The solution can then be inoculated onto a CompactDry™ plate. Excellent for detection or enumeration of microorganisms from environmental surfaces and hard to reach areas.

### Neutralizing Buffer

2ml, 20/box	SRK20
5ml, 20/box	SRK15

### Lethen Broth

5ml, 20/box	SRK25
-------------	-------

Saline 0.85%	
2ml, 20/box	SRK30

### D/E (Dey-Engley) Neutralizing Broth


5ml, 20/box	SRK45
-------------	-------

### Neutralizing Saline


5ml, 20/box	SRK55
-------------	-------

### Butterfield's Phosphate Buffer

1ml, 20/box	SRK90
-------------	-------



1. Collect sample



2. Safely transport to the lab



3. Cultivate specimen to the lab

## Surface Sampling

## Innovation at Your Fingertips

# EnSURE™ Touch


With implementation of the Food Safety Modernization Act (FSMA) for pet food processors, and greater scrutiny on pet food quality from conscientious pet owners, the need for heightened quality control in pet food manufacturing is greater than ever. Inefficient cleaning and sanitation leaves food residues and microorganisms behind, contaminating product and compromising quality and brand integrity. For decades, quality managers in manufacturing facilities for human food have relied on Hygiena's ATP sanitation monitoring systems and quality tests to validate the cleanliness of production surfaces and to ensure cleaning processes are effective.

### Features:

- Results in 10 seconds
- Test and compare the effectiveness of sanitation products and procedures
- Run multiple tests on one system in just a few taps
- Minimal size, maximum durability
- Cloud Connected & Wireless Enabled

Each

ETOUCH





Run multiple tests on one system in just a few touches.



EnSURE™ Touch monitoring system is designed to be used for multiple quality and food safety tests. Users can use the system for ATP hygiene monitoring or have an expanded program that incorporates cooking efficiency, microorganism and allergen prevention tests for environmental monitoring and finished product testing.



Product	Specifications	Cat. no.
UltraSnap™	ATP surface test, 100/bx	US2020
AquaSnap™ Total	ATP water test, 100/bx	AQ100X
Micro-Snap Test, <i>E. coli</i>	Indicator organism test, 100/bx	MS2ECOLI
MicroSnap™ Coliform	Indicator organism test, 100/bx	MS2COLIFORM
MicroSnap™ Total	Indicator organism test, 100/bx	MS2TOTAL



TRIO.BAS™ Impact Air Samplers introduced the newest generation of microbial air sampling. These ergonomically designed instruments combine precise air sampling with modern connectivity to help you properly assess the air quality of your laboratory and simplify your process.

## Each kit comes with the following:

TRIO.BAS sampler, battery charger and cable, aspirating head, cover head, data transfer cable, ROBUSTUS carrying case, calibration certificates, and fillable IQ, OQ, PQ documents.

## Features:

- Aspirating chambers designed for standard agar plates: contact or mono Petri dishes
- Aspirating head with quick bayonet fixing system for easy manipulation

Product	Cat. no.
MONO Kit, 100 liters/min., contact plate	BAS200K
MONO Kit, 100 liters/min., Petri plate	BAS201K
MONO Kit, 200 liters/min., contact plate	BAS205K
MONO Kit, 200 liters/min., Petri plate	BAS206K
MINI CompactDry™ Kit, 100 liters/min.	BAS255K
DUO Kit, 100 liters/min., contact plate	BAS220K
DUO Kit, 100 liters/min., Petri plate	BAS221K
DUO Kit, 200 liters/min., contact plate	BAS225K
DUO Kit, 200 liters/min., Petri plate	BAS226K

## Culture Media for TRIO.BAS™

Product	Cat no.
Tryptic Soy Agar 15x65mm contact plate	P34
Tryptic Soy Agar 15x100mm petri plate	W64
SabDex Agar 15x65mm contact plate	P36
SabDex Agar 15x100mm petri plate	W70
Malt Extract Agar 15x65mm contact plate	P93
Malt Extract Agar 15x100mm petri plate	W28

Hardy Diagnostics

# DuraRack®



## ComfortPRO™ Lab Coat

These affordable, disposable lab coats are made of tri-laminated, spunbound material (SMS) which is designed to be fully breathable and splash resistant.

- Knit cuffs and collars for added comfort
- Three pockets are featured, one on the chest and two at the hip, with snap front buttons

Medium, 20/case NEGU6073M

Large, 20/case NEGU6073L

XLarge, 20/case NEGU6073XL



## Lab Supplies

### DuraRack™ Petri Plate Holder

For batching, safe transporting and incubating 100mm culture plates and helps streamline benchtop laboratory processing in your microbiology lab.

- Durable
- Autoclavable
- Coated steel wire rack
- Easy loading and unloading from the top

Sturdy welded design

60 Petri plate holder, each DURA60

84 Petri plate holder, each DURA84



### Adenna MIRACLE® Gloves

It is 100% rubber latex free eliminating potential risk of rubber latex sensitivities.

- Saves you shelf space, packaging material, money, and time
- "Skin-like" fit and feel for superb tactile sensitivity
- Light weight, soft, very flexible and 100% rubber latex free

Small, 2,000/case MIR162

Medium, 2,000/case MIR165

Large, 2,000/case MIR166

**Hardy Diagnostics donates 1% of its earnings to non-profit organizations every year as part of our mission to improve lives around the world.**

Our Community Action Committee is made up of Hardy employees that donate their time and resources in ways that strengthen and support the communities we live in. During visits to the Santa Maria Valley Humane Society, our employee volunteers give love and attention to the shelter animals as well as food, toys, and blankets.



FM 572526

Hardy Diagnostics has a Quality Management System that is certified to ISO 13485 and is a FDA licensed medical device manufacturer.



#### Headquarters

1430 West McCoy Lane  
Santa Maria, CA 93455  
800.266.2222  
Sales@HardyDiagnostics.com  
HardyDiagnostics.com

#### Distribution Centers

Santa Maria, California  
Olympia, Washington  
Salt Lake City, Utah  
Phoenix, Arizona  
Dallas, Texas  
Springboro, Ohio  
Lake City, Florida  
Albany, New York  
Raleigh, North Carolina

# PET FOOD

## Microbiology