



Coplan flocked SWABS have no internal mattress core to disperse and entrap the precious sample like traditional fiber wound swabs. In stark contrast the entire sample stays close to the surface for fast and complete elution.



# flocked SWABS

The next generation of sample collection



Anatomic | Ergonomic | Quantitative

- Spray-on Nylon - short perpendicular fiber strands create an absorbent thin layer open structure
- Patient friendly - multiple engineered designs and a custom swab fabrication program maximizes patient comfort and drives proficiency of analyte collection
- High liquid absorbency - strong capillary hydraulics between the strands of nylon draws up maximum liquid sample
- Solid and semi-solid recovery - velvet brush-like texture of flocked nylon helps dislodge, collect and transfer solid and semi-solid materials
- Rapid automatic elution - liquid and solid specimen sample is held close to the surface between the nylon strands and spontaneously drains when placed in liquid or onto solid media
- Entire sample released - no sample entrapment because there is no internal mattress core like traditional fiber wound swabs which disperses and ensnares the sample
- Quantitative - measurable and consistent sample volume transfer from patient to test tube offering potential for improved test sensitivity

Patented Worldwide WO 2004/086979 Kit manufacturers: oemkitmfg@copanusa.com

1.800.226.2222

www.HardyDiagnostics.com



# Anatomic | Ergonomic | Quantitative



502CS01 Regular flocked swab / 80mm breakpoint



501CS01 Minitip flocked swab / 80mm breakpoint



503CS01 Flexible minitip flocked swab



#### Distribution Centers

Phoenix, Arizona  
Lima, Ohio  
Dallas, Texas  
Salt Lake City, Utah  
Tacoma, Washington  
Santa Maria, California

1430 West McCoy Lane  
Santa Maria, CA 93455  
phone: (800) 266-2222  
fax: (805) 346-2760  
email: [sales@HardyDiagnostics.com](mailto:sales@HardyDiagnostics.com)  
web: [www.HardyDiagnostics.com](http://www.HardyDiagnostics.com)

