


Suite Mirror

Cabinet KARA Installation Guide

Part Number: CKARA2432CCT-TS



This cabinet is suitable for installation in Zones 2 and 3 only.
Avoid Installation in Zone 1. See diagram above.

Please read through these instructions carefully and refer back to them during installation to ensure that your product is fitted safely and that it retains its high quality finish.

Please retain this document for future reference.




Handle with care! When unpacked, do not place cabinet upright directly on a hard surface, such as tile floors. Always lay on a soft surface.

Suite Mirror

Cabinet KARA Installation Guide


Part Number: CKARA2432CCT-TS

1




Using a spirit level, mark off a horizontal line and plug holes on proper position of wall.

2




Drill the required holes to a suitable depth.

3




Screw the bracket to the wall by using the screws provided.

4



Hang the cabinet on the wall bracket. The claws on the cabinet hangers must be securely located on the wall bracket. Connect the wire to local power wire.


Wiring Diagram



Black
Green
White

live
earth
neutral

MAINS SUPPLY



WEEE compliance






Must not be mixed with
general household waste

Suite Mirror

Cabinet KARA Installation Guide

Part Number: CKARA2432CCT-TS

Screw support bracket at the bottom of cabinet and wall to stable it.





Suite Mirror

Cabinet KARA Installation Guide

Part Number: CKARA2432CCT-TS

CAUTION: To avoid potential damages to the back of the cabinet, it is highly recommended to use wire gauge less than 12mm in diameter.



Correct Wiring



Incorrect Wiring

Not thicker than 12mm


The cable should not be thicker than 12mm after wiring. Knotting the cable is NOT recommended.



Suite Mirror

Cabinet KARA Installation Guide

Part Number: CKARA2432CCT-TS



HOW TO USE THE TOUCH BUTTON

- ON/OFF: Tap the touch button to turn on the light ON and OFF.
- Color Temperature Change: When the light is on, short press the touch button within 4 seconds to change the color temperature from 3000K to 4000K to 6000K.
- Dimming: When the light is on, press and hold the sensor button to dim the light.
 - ❖ The cabinet is equipped with a memory feature to preserve the previous color temperature and brightness settings.