

**YellowGate** 

Preassembled OSHA compliant  
industrial swing gates

Easy as

**123**



Easily adjusts from  
 24"[609mm] wide to 37"[939mm]  
 in parallel configuration  
 21"[533mm] wide to 33"[838mm]  
 in perpendicular configuration

**One Gate. Fits All. Stops Falls.**

**YellowGate** 

1.888.663.0015

YellowGate.com




YellowGate® Fall Protection

# The Most Adjustable Swing Gate Available

- Universal mount for easy installation – no additional parts to order
- OSHA compliant
- Durable - built to last indoors and out
- In-stock and ready-to-ship



## YellowGate



**Easily adjusts from 24" [609mm] wide to 37" [939mm] in parallel configuration**

Expands an additional 13" [330mm]

**Mounts anywhere with no additional parts to order.**


**21" [533mm] wide to 33" [838mm] in perpendicular configuration**



**NO MEASURING REQUIRED**  
One SKU fits all openings

**YellowGate**  
888.663.0015  
www.yellowgate.com

**OSHA COMPLIANT**  
FALL HAZARD  
GATE MUST BE SECURED PRIOR TO USE



**UNIVERSAL MOUNT** 

**Parallel Mounting Option**

**Perpendicular Mounting Option**

YellowGate® can swing either in or out, with a simple in the field adjustment, for maintenance free closure, every time. Pre-Assembled & Ready to Install - straight from the box. No field cutting, drilling, or special tools required.



Order a pallet of **10** today

**Fork truck and Dock gates**

**YellowGate XL**

Adjustable from 6' [1828mm] to 12' [3657mm] and 42" [1066mm] in height

**Also Available**



# YellowGate **XL**

YellowGate Protection, only **BIGGER** Part No. 108490-XL



Each component is proudly crafted in our South Carolina facility.

## On-site adjustable tension spring.

Three points of adjustment for optimized balance, light touch, smooth operation and easy action movement.


Powder coated safety yellow

## The Most Adjustable Barrier Gate Available.

OSHA Compliant  
Part No. 108490-XL

Durable weather protection design

## Ultra lightweight.



## Lifts and lowers almost effortlessly.

52" [1321 mm]

26" [660 mm]

11" [279 mm]

42" [1067 mm]

90° movement

▲ Easy action movement

### PRODUCT KEY FEATURES:

- ▶ Adjustable from 6' [1829 mm] - 12' [3658 mm], 42" [1067 mm] height
- ▶ Powder coated safety yellow
- ▶ Aluminum extruded, laser precision manufactured
- ▶ Lightweight and easy to raise and lower
- ▶ Maintenance free ergonomic design
- ▶ Locking pin for both the open and closed positions

### Available Power Option

Available with an optional 24 volt powered lift assist system, requiring a 120 volt power supply.

- Standard 50 ft. (customer to cut to desired length) cable run from controller to gate. (max. 150 ft.)
- Retro-fitable to existing manual YGXL rev3 models.
- Easy installation with basic tools
- Some electrical connection by customer required
- 15- 20 second, 90 degree raise or lower

Easily adjusts in the field from ▶  
6' (1829 mm) to 12' (3658 mm)

Give us a call **888.663.0015**

visit us online **YellowGate.com**

# YellowGate **RS**

Product Applications



- ▶ Simple design, for re-purposing rails for constantly changing structures and situations.
- ▶ No tools required. Quick release pins are used to attach the handrails to the base

- ▶ Only 3 individual handrail components
- ▶ Meets OSHA regulations: 1910.23 (e)(1); 1910.23 (e)(3)(ii); 1910.23 (e)(3)(iv); 1910.144 (a)(3) "yellow"

- ▶ 2" (51mm) handrail diameter
- ▶ Highly Mobile with 5" (127mm) rubber wheels
- ▶ Maintenance free ergonomic design


# YellowGate RS



Each component is proudly crafted in our South Carolina facility.



### YellowGate RS Connector Accessories




42"  
(1067mm)

### PRODUCT KEY FEATURES:


- ▶ No Tools required. Rail anchors use quick release stainless steel pins
- ▶ Field adjustable and mobile
- ▶ OSHA Compliant 42" height
- ▶ Powder coated safety yellow
- ▶ Aluminum extruded, laser precision manufactured parts
- ▶ Maintenance free ergonomic design



▶ **No Tools required.**  
Quick release pins



▶ **Highly Mobile** with 5" rubber wheels



▶ **Simple male to female** connectors



Look for our rooftop railing configurator  
**COMING SOON!**

## Order Today!

PRODUCT	SKU#
T Base .....	Part No. <b>50732</b>
Wheel Base.....	Part No. <b>50739</b>
Handrail LH .....	Part No. <b>50734</b>
Handrail RH.....	Part No. <b>50735</b>
Handrail Corner.....	Part No. <b>50736</b>
Handrail Cross .....	Part No. <b>50737</b>
Handrail Middle.....	Part No. <b>50738</b>