

## Non-Controlled Substance Compounded Preparations Available:

| Preparation     | Strength | Dosage Form                                | Size  |
|-----------------|----------|--|-------|
| Apomorphine HCl | 1mg/ml   | Aqueous Injection Solution                 | 10ml  |
| Apomorphine HCl | 3mg/ml   | Aqueous<br>Injection Solution              | 10ml  |
| Budesonide      | 1mg      | TinyTabs <sup>®</sup>                      | 100ct |
| Cidofovir       | 0.5%     | in Artificial Tears<br>Ophthalmic Solution | 5ml   |
| Cisapride       | 2.5mg    | TinyTabs                                   | 100ct |
| Cisapride       | 5mg      | TinyTabs                                   | 100ct |
| Cyclosporine    | 1%       | Aqueous<br>Ophthalmic Suspension           | 15ml  |
| Cyclosporine    | 2%       | Aqueous<br>Ophthalmic Suspension           | 10ml  |
| Cyclosporine    | 2%       | Aqueous<br>Ophthalmic Suspension           | 15ml  |
| Cyclosporine    | 0.2%     | in Corn Oil<br>Ophthalmic Solution         | 10ml  |
| Cyclosporine    | 0.2%     | in Corn Oil<br>Ophthalmic Solution         | 15ml  |
| Cyclosporine    | 1%       | in Corn Oil<br>Ophthalmic Solution         | 10ml  |
| Cyclosporine    | 1%       | in Corn Oil<br>Ophthalmic Solution         | 15ml  |
| Cyclosporine    | 2%       | in Corn Oil<br>Ophthalmic Solution         | 10ml  |
| Cyclosporine    | 2%       | in Corn Oil<br>Ophthalmic Solution         | 15ml  |
| Cyclosporine    | 1%       | in MCT Oil<br>Ophthalmic Solution          | 15ml  |
| Cyclosporine    | 2%       | in MCT Oil<br>Ophthalmic Solution          | 10ml  |

| Preparation                   | Strength | Dosage Form                        | Size  |
|-------------------------------|----------|------------------------------------|-------|
| Cyclosporine                  | 2%       | in MCT Oil<br>Ophthalmic Solution  | 15ml  |
| Cyclosporine/Tacrolimus       | 2%/0.02% | in Corn Oil<br>Ophthalmic Solution | 15ml  |
| Cyclosporine/Tacrolimus       | 2%/0.03% | in Corn Oil<br>Ophthalmic Solution | 15ml  |
| Cyclosporine/Tacrolimus       | 2%/0.2%  | in Corn Oil<br>Ophthalmic Solution | 15ml  |
| Demecarium Bromide            | 0.125%   | Aqueous<br>Ophthalmic Solution     | 5ml   |
| Demecarium Bromide            | 0.25%    | Aqueous<br>Ophthalmic Solution     | 5ml   |
| Desmopressin Acetate          | 0.01%    | Aqueous<br>Injection Solution      | 5ml   |
| Desmopressin Acetate          | 0.01%    | Aqueous<br>Ophthalmic Solution     | 10ml  |
| Desmopressin Acetate          | 0.02%    | Aqueous<br>Ophthalmic Solution     | 10ml  |
| Doxycycline (as Hyclate)      | 100mg    | Chicken<br>Flavored QuadTabs®      | 100ct |
| Doxycycline (as Hyclate)      | 200mg    | Chicken<br>Flavored QuadTabs       | 100ct |
| Doxycycline (as Hyclate)      | 200mg    | Chicken<br>Flavored QuadTabs       | 500ct |
| Doxycycline (as Hyclate)      | 300mg    | Chicken<br>Flavored QuadTabs       | 100ct |
| Doxycycline (as Hyclate)      | 400mg    | Chicken<br>Flavored QuadTabs       | 100ct |
| Doxycycline (as Hyclate)      | 400mg    | Chicken<br>Flavored QuadTabs       | 500ct |
| Edetate Disodium              | 1%       | Aqueous<br>Ophthalmic Solution     | 15ml  |
| Flurbiprofen Sodium Dihydrate | 0.04%    | Aqueous<br>Ophthalmic Solution     | 10ml  |
| Gabapentin*                   | 25mg     | TinyTabs                           | 100ct |
| Gabapentin*                   | 25mg     | TinyTabs                           | 500ct |
| Gabapentin*                   | 50mg     | TinyTabs                           | 100ct |

| Preparation                 | Strength | Dosage Form                                 | Size  |
|-----------------------------|----------|---|-------|
| Gabapentin*                 | 50mg     | TinyTabs                                    | 500ct |
| Ketoconazole                | 100mg    | Chicken<br>Flavored QuadTabs                | 100ct |
| Meloxicam                   | 2mg/ml   | in Polymer<br>Injection Solution            | 5ml   |
| Metronidazole (as Benzoate) | 50mg     | TinyTabs                                    | 100ct |
| Metronidazole (as Benzoate) | 50mg     | TinyTabs                                    | 500ct |
| Metronidazole (as Benzoate) | 62.5mg   | TinyTabs                                    | 100ct |
| Metronidazole (as Benzoate) | 100mg    | Chicken<br>Flavored QuadTabs                | 100ct |
| Metronidazole (as Benzoate) | 50mg/ml  | Chicken Pot Pie<br>Flavored Oral Suspension | 460ml |
| Metronidazole (as Benzoate) | 100mg/ml | Chicken Pot Pie<br>Flavored Oral Suspension | 460ml |
| Pimobendan                  | 1.25mg   | TinyTabs                                    | 100ct |
| Pimobendan                  | 1.25mg   | TinyTabs                                    | 500ct |
| Pimobendan                  | 1.5mg    | TinyTabs                                    | 100ct |
| Pimobendan                  | 2mg      | TinyTabs                                    | 100ct |
| Pimobendan                  | 5mg      | TinyTabs                                    | 100ct |
| Pimobendan                  | 7.5mg    | TinyTabs                                    | 100ct |
| Pimobendan                  | 10mg     | TinyTabs                                    | 100ct |
| Pimobendan                  | 5mg      | QuadTabs                                    | 100ct |
| Pimobendan                  | 5mg      | QuadTabs                                    | 500ct |
| Pimobendan                  | 10mg     | QuadTabs                                    | 100ct |
| Pimobendan                  | 10mg     | QuadTabs                                    | 500ct |
| PrednisoLONE Acetate        | 1.25%    | Aqueous<br>Ophthalmic Suspension            | 15ml  |
| PrednisoLONE Acetate        | 1.5%     | Aqueous<br>Ophthalmic Suspension            | 15ml  |
| Tacrolimus                  | 0.02%    | Aqueous Ophthalmic Suspension               | 10ml  |
| Tacrolimus                  | 0.03%    | Aqueous<br>Ophthalmic Suspension            | 10ml  |
| Tacrolimus                  | 0.03%    | Aqueous<br>Ophthalmic Suspension            | 15ml  |

| Preparation  | Strength | Dosage Form                                  | Size  |
|--------------|----------|--|-------|
| Tacrolimus   | 0.02%    | in Corn Oil<br>Ophthalmic Solution           | 10ml  |
| Tacrolimus   | 0.02%    | in Corn Oil<br>Ophthalmic Solution           | 15ml  |
| Tacrolimus   | 0.03%    | in Corn Oil<br>Ophthalmic Solution           | 10ml  |
| Tacrolimus   | 0.03%    | in Corn Oil<br>Ophthalmic Solution           | 15ml  |
| Tacrolimus   | 0.1%     | in Corn Oil<br>Ophthalmic Solution           | 15ml  |
| Tacrolimus   | 0.02%    | in MCT Oil Ophthalmic<br>Solution            | 10ml  |
| Tacrolimus   | 0.02%    | in MCT Oil Ophthalmic<br>Solution            | 15ml  |
| Tacrolimus   | 0.03%    | in MCT Oil<br>Ophthalmic Solution            | 10ml  |
| Tacrolimus   | 0.03%    | in MCT Oil<br>Ophthalmic Solution            | 15ml  |
| Tacrolimus   | 0.1%     | in MCT Oil<br>Ophthalmic Solution            | 15ml  |
| Tacrolimus   | 1%       | in MCT Oil<br>Ophthalmic Solution            | 15ml  |
| Tacrolimus   | 0.03%    | in Castor Oil Aqueous Ophthalmic<br>Emulsion | 15ml  |
| Theophylline | 100mg    | Chicken<br>Flavored QuadTabs                 | 100ct |





