

M-K Kit

Medetomidine HCL & Ketamine HCl

Description

M-K is a safe anesthesia combination of Medetomidine HCl and Ketamine HCl, that can be used to immobilize a broad range of species. These two pharmaceuticals when used in combination of: Medetomidine HCl (5 mg/ml) and Ketamine HCl (150 mg/ml), provides smooth induction times and excellent recovery. M-K immobilization can be easily reversed after 20 minutes with a single injection of Atipamezole HCl.

Background

This highly effective combined formulation has been used in thousands of immobilizations and controlled studies for many years. As stated by Dr. Harry Jalanka in his noted 1990 study entitled: The Use of Medetomidine HCL, Medetomidine HCl-Ketamine HCl Combinations, and Atipamezole HCl in Nondomestic Mammals: A Review, "Medetomidine, a potent alpha2-agonist, in combination with the dissociative anesthetic ketamine, has been used to immobilize a variety of nondomestic mammals. The recent development of potent and specific alpha2 adrenoc eptor agonists and antagonists has enhanced their use in nondomestic animal immobilization and reversal.

“While Medetomidine alone induces sedation in a dose-dependent way, and complete immobilization has been achieved with high doses in non-domestic animals, we feel that ketamine should be added to the immobilization mixture to ensure complete immobilization and operator safety. Clinically, the resulting immobilization is characterized by a smooth onset, good to excellent myorelaxation. We have had no fatalities attributable to this immobilization mixture (1,240 immobilizations).”

The alpha2 adrenoceptor antagonist, Atipamezole HCl, is highly effective in reversing the immobilization induced by Medetomidine HCl-Ketamine HCl combinations. In ruminants, carnivores, marsupials, primates, and rodents the Medetomidine HCl - Ketamine HCl induced immobilization has shown to be rapidly and persistently reversed with the Atipamezole HCl antagonist.

Indications:

Wildlife Management

Our M-K premixed formulation was developed to provide veterinarians and wildlife biologists with a convenient immobilization anesthesia option that is effective in broad species applications; safe and easily reversible; with a simple, small volume dosing schedule.

How Supplied:

Each M-K Kit includes the following components:

Vial 1

M-K Combo 10ml Vial containing Medetomidine HCl 5mg/ml Ketamine HCl 150mg/ml

Vial 2

Atipamezole 10ml Vial at a concentration of 25mg/ml

Chemistry & Pharmacology

The combination of these two pharmaceuticals provides effective induction and smooth recovery based on the following characteristics.

Medetomidine HCl

- Uses, dose and efficacy in wildlife was widely known when used with Carfentanil, A3080, Ketamine HCl and Telazol
- Application in combination with Butorphanol and Azaperone (BAM) was a new concept in 2003
- With a good intramuscular dart hit, induction begins in 3-5 minutes and continues to sternal or lateral position in 8 to 12 minutes (in most deer)
- If no effect, or only a partial effect in 15 minutes, you can give a full dose again since the drugs are fully reversible

Ketamine HCl (CIII)

- Widely used in veterinary medicine for its analgesic and anesthetic effects in small animals
- Veterinarians often use ketamine HCl in combination with sedative drugs to produce a balanced anesthesia and to prevent pain by a constant rate infusion
- Ketamine HCl has a wide and vast use in non-domestic species. More recently it has found a broader species use combined with the newer more potent alpha-two agonist medetomidine HCl
- Ketamine HCl has a synergistic effect with medetomidine HCl in elk, which has been reported anecdotally by many field studies

*The information is intended for use by veterinary professionals only and is made available on the express condition that no liability, expressed or implied, is accepted by Wedgewood for the accuracy, content, or use thereof. The information is to be used entirely at the reader's discretion. Practitioners and wildlife industry professionals should rely on their own expertise, knowledge and judgment and the particular circumstances of each patient when determining the appropriate dose for administration in target species. Wedgewood does not make claims for the safety or efficacy of our compounded medications. © Wedgewood. All rights reserved. 0424