




DRIFTWOOD
DESIGN LAB



Cotto AndaluzTM

Cotto Andaluz™



Cotto Andaluz recalls the antique terracotta of Spain and Morocco, where it has been used as flooring for hundreds of years. As was common in the past, but is uncommon today, our Cotto Andaluz is completely handmade, from the clay preparation to the forming of the shapes. After firing, we add old world texture with the Rustico finish, creating a terracotta of unique lasting beauty. Perfectly suited for interior and exterior spaces, Cotto Andaluz can fit effortlessly into traditional or contemporary design.

Available Shapes in Red Terracotta



2" x 9" Rustico



4" x 8" Rustico



6" x 6" Rustico



6" Hexagon Rustico

All tiles are approximately $\frac{3}{4}$ " thick. All sizes noted are nominal.

Available Shapes in Yellow Terracotta



2" x 9" Rustico



4" x 8" Rustico



6" x 6" Rustico



6" Hexagon Rustico

All tiles are approximately 3/4" thick. All sizes noted are nominal.

Variation, Usage & Technical Information

Variation

Cotto Andaluz terracotta tiles are made entirely by hand and antiqued to create a unique patina. Each tile will be different from the next. Please expect the following characteristics which are inherent and intended characteristics in authentic handmade tiles.

- Chips and imperfections on the tile face
- Variation in thickness and flatness
- Variation in color/shade between tile pieces
- Lime pops
- Efflorescence on some tiles
- Color tone variation in different production lots

Variation between samples and tiles received is possible, as handmade techniques make shade and color variation an inherent part of the product. Samples received before shipments should be considered indicative of color only.

All Cotto Andaluz tiles should be laid out and approved by owner or owner's representative for approval prior to installation. Driftwood Design Lab cannot honor any claims made for the characteristics listed above if claimed as defects after installation.

Cotto Andaluz Recommended Usage			
Wall Application		Suitable	
Interior Wall/Backsplash		Yes*	
Fireplace/Cooktop Surround		Yes**	
Shower Wall		Yes*	
Steam Shower		No	
Exterior Wall		Yes***	
Pool, Spa or Water Feature (fully submerged)		No	
Floor Application		Interior	Exterior
Shower		No	No
Light Residential		Yes	Yes*, ***
Residential		Yes	Yes*, ***
Light Commercial		Yes	Yes*, ***
Outdoor residential floors - Yes *** Note: when used for an exterior floor Cotto Andaluz will develop a natural patina over time and is to be expected. Chipping, cracking and increased wear are natural when placed in an exterior environment.			
Application Notes	Floor Application Definitions		
<p>* With proper sealing and maintenance per setting material and sealer manufacturer recommendations.</p> <p>** Acceptable for limited and sporadic exposure near open flame or heat source, including fireplace wall/cooktop surround. It is not recommended for placement inside a firebox.</p> <p>*** ONLY acceptable in non-freeze thaw climates unless otherwise stated by setting material and sealer manufacturer in writing.</p>	<p><u>LIGHT RESIDENTIAL</u> - for residential areas with light foot traffic. It can include a bathroom, bedroom, formal dining, and living room. Please note the following: suitable for soft soled shoes, hard soled shoes and heels should be avoided. The floor must be kept clean from abrasive debris (gravel, mud, salt, etc.) Immediately clean all stains.</p> <p><u>RESIDENTIAL</u> - for residential areas with continuous foot traffic. It can include entry, hallway, kitchen, foyer, laundry, and mud rooms. Please note the following: the floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.) Immediately clean all stains.</p> <p><u>LIGHT COMMERCIAL</u> - for commercial areas with light foot traffic. It can include commercial offices, doctor's offices, and boutiques. Please note the following: The floor must be kept clean from abrasive debris (sand, gravel, mud, salt, etc.). Immediately clean all stains.</p>		
Notes			
<p>Since variations are common in artistic ceramic tile, we recommend final selection be made from an actual tile mock-up. To achieve optimal results in shading, layout and design, tile should be randomly selected from multiple boxes during installation. We recommend a minimum of 10% overage on all orders. Installation constitutes acceptance. We advise retaining control samples to aid in color matching if additional material is required (match not guaranteed).</p> <p>MAINTENANCE - Please see Laticrete MCI-118, routine cleaning can be done with light duty, diluted close to neutral pH detergent cleaner, or any non-abrasive cleaning solutions.</p>			

Cotto Andaluz Installation Guidelines include important methods that if not followed may result in an unsatisfactory installation. For installation instructions, please visit: [DriftwoodDesignLab.com](https://www.driftwooddesignlab.com)

