

Mosaico

Ceramic Wall & Glazed Porcelain



11.8" x 11.8"
30x30 cm



Libertas



11.8" x 11.8"
187600

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Water Absorption	ISO 10545-3	E > 10%



Mosaico Libertas 11.8" x 11.8"

Packaging Info


Size	SF per carton	PC per carton	BX per pallet
11.8" x 11.8"	119.58	8	48

Mosaico

Ceramic Wall


5mm

11.8" x 11.8"
 30x30 cm



Glass Mirror

10.4" x 11.2"
 186384



Copper Mirror

10.4" x 11.2"
 186917

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
10.4" x 11.2"	142.51	20	54

Mosaico

Ceramic Wall & Glazed Porcelain

10mm   **12.8" x 12.8"**
32.5x32.5 cm




Diurne Sand



12.8" x 12.8"
187770



Mosaico Diurne Sand 12.8" x 12.8"



Diurne Grey



12.8" x 12.8"
187772

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO 10545-2	± 0.5%
Water Absorption	ISO 10545-3	E > 10%
Chemical Resistance	ISO 10545-13	GLA
Flatness	ISO 10545-2	± 0.5%
Crazing Resistance	ISO 10545-11	Accomplish
Resistance to Stains	ISO 10545-14	5
Chemical Resistance Swimmingpool	ISO 10545-13	GA
Breaking Strength	ISO 10545-4:9	> = 125 lbf
Frost Resistance	ISO 10545-12	Accomplish
Resistance to Thermal Shock	ISO 10545-9	Accomplish

Packaging Info


Size	SF per carton	PC per carton	BX per pallet
12.8" x 12.8"	101.93	6	66

Mosaico

Ceramic Wall & Glazed Porcelain



12.8" x 12.8"
32.5 x 32.5 cm



Karakter



12.8" x 12.8"
18/77/5

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO 10545-2	± 0.5%
Water Absorption	ISO 10545-3	E > 10%
Chemical Resistance	ISO 10545-13	GLA
Flatness	ISO 10545-2	± 0.5%
Crazing Resistance	ISO 10545-11	Accomplish
Resistance to Stains	ISO 10545-14	5
Chemical Resistance Swimmingpool	ISO 10545-13	GA
Breaking Strength	ISO 10545-4:9	> = 125 lbf
Frost Resistance	ISO 10545-12	Accomplish
Resistance to Thermal Shock	ISO 10545-9	Accomplish



Mosaico-Karakter 12.8" x 12.8"

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
12.8" x 12.8"	101.93	9	54

Mosaico

Ceramic Wall & Glazed Porcelain



Lux



11.8"x11.8"
187585

Technical Specifications

CHARACTERISTICS	STANDARD	DECLARED ASTM
Dimensions	ISO 10545-2	± 0.5%
Water Absorption	ISO 10545-3	E>10%
Chemical Resistance	ISO 10545-13	GLA
Flatness	ISO 10545-2	± 0.5%
Crazing Resistance	ISO 10545-11	Accomplish
Resistance to Stains	ISO 10545-14	5
Chemical Resistance Swimmingpool	ISO 10545-13	GA
Breaking Strength	ISO 10545-4:9	>= 125 lbf
Frost Resistance	ISO 10545-12	Accomplish
Resistance to Thermal Shock	ISO 10545-9	Accomplish



Mosaico Lux 12.8"x12.8"

Packaging Info

Size	SF per carton	PC per carton	BX per pallet
11.8"x11.8"	119.58	7	64