

WALKER ZANGER™

ACCENT BLEU



Accent Bleu

Embrace the luxury of Walker Zanger's newest creative masterpiece, Accent Bleu. Exotic blues in natural stone, highlighted against clean, white Thassos marble. These uniquely designed patterns will create harmony in any environment. Design with a brilliant balance of natural elements combined with an effortless color palette that showcases the unique patterns. Accent Bleu is a classically elegant collection that captures the essence of nature's beauty.



SHOWN

Pointe Bleu Mosaic (On Right)
Candy Dot Mosaic (Front Cover)

RECOMMENDED USAGE

- 

Commercial Interior Wall
- 

Commercial Interior Floor
- 

Residential Interior Wall
- 

Residential Interior Floor
- 


Fireplace Surround
- 

Shower Floor*
- 

Shower Wall



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
2" x 12"	3/8"	0.167	Natural Stone	Honed



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
3" x 12"	3/8"	0.25	Natural Stone	Polished



CELESTE
2" x 12" FIELD TILE
2ABLCEL2X12



CELESTIAL
3" x 12" FIELD TILE
2ABLCEL3X12

SHOWN | Celestial 3" x 12" (Wall)



For installation on shower floors on all products, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. All Accent Bleu products are made of natural stone product. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. White thin-set or mortar is required for the following: light limestone, tumbled stones, "antiquated stones" and light-colored marbles. It is possible that dry seams, pits, fossils, and glass veins are often filled at the factory. The fill may perhaps leak through the voids. In this case, refilling the voids may be a necessary maintenance procedure. For further questions/information about additional usages, please consult with your installer.



RECOMMENDED USAGE

- 

Commercial Interior Wall
- 

Commercial Interior Floor
- 

Residential Interior Wall
- 

Residential Interior Floor
- 

Fireplace Surround
- 

Shower Floor*
- 

Shower Wall

PENCIL



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
1/2" x 12"	3/8"	0.033	Natural Stone	Polished



THASSOS
PENCIL LINER
2ABLTHAPEN



CELESTE
PENCIL LINER
2ABLCELPEN

For installation on shower floors on all products, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. All Accent Bleu products are made of natural stone product. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. White thin-set or mortar is required for the following: light limestone, tumbled stones, "antiquated stones" and light-colored marbles. It is possible that dry seams, pits, fossils, and glass veins are often filled at the factory. The fill may perhaps leak through the voids. In this case, refilling the voids may be a necessary maintenance procedure. For further questions/information about additional usages, please consult with your installer.



SHOWN | Bleu Celeste 2" x 12" (Lower Backsplash) & Thassos Pencil Liner (Backsplash)

RECOMMENDED USAGE



Commercial Interior Wall



Commercial Interior Floor



Residential Interior Wall



Residential Interior Floor



Fireplace Surround




Shower Floor*




Shower Wall

HEXY BLEU MOSAIC




SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
9" x 11"	3/8"	0.73	Natural Stone	Polished

CANDY DOT MOSAIC




SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
11-3/5" x 11-3/5"	3/8"	0.846	Natural Stone	Polished


GEMS MOSAIC




SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
10-2/5" x 11-3/10"	3/8"	0.8026	Natural Stone	Polished



HEXY BLEU MOSAIC
2ABLHEXMOS



CANDY DOT MOSAIC
2ABLCDTMOS



GEMS MOSAIC
2ABLGEMMOS

For installation on shower floors on all products, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. All Accent Bleu products are made of natural stone product. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. White thin-set or mortar is required for the following: light limestone, tumbled stones, "antiquated stones" and light-colored marbles. It is possible that dry seams, pits, fossils, and glass veins are often filled at the factory. The fill may perhaps leak through the voids. In this case, refilling the voids may be a necessary maintenance procedure. For further questions/information about additional usages, please consult with your installer.

RECOMMENDED USAGE

- 

Commercial Interior Wall
- 

Commercial Interior Floor
- 

Residential Interior Wall
- 


Residential Interior Floor
- 

Fireplace Surround
- 

Shower Floor*
- 


Shower Wall

BLISS MOSAIC




SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
11-3/5" x 11-9/10"	3/8"	0.927	Natural Stone	Polished


POINTE BLEU MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
11-3/10" x 11-1/5"	3/8"	0.968	Natural Stone	Polished



BLISS MOSAIC
2ABLBLSMOS



POINTE BLEU MOSAIC
2ABLPNTMOS

For installation on shower floors on all products, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. All Accent Bleu products are made of natural stone product. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. White thin-set or mortar is required for the following: light limestone, tumbled stones, "antiquated stones" and light-colored marbles. It is possible that dry seams, pits, fossils, and glass veins are often filled at the factory. The fill may perhaps leak through the voids. In this case, refilling the voids may be a necessary maintenance procedure. For further questions/information about additional usages, please consult with your installer.



SHOWN | Bliss Mosaic & Celeste Pencil Liner

WALKER ZANGER™

CALIFORNIA | GEORGIA | NEVADA | NEW YORK | NORTH CAROLINA | TEXAS

WALKERZANGER.COM