

Basalt

Porcelain Stone[®]

Features and Benefits

- Competitively priced for exceptional value
- Inspired by genuine basalt volcanic rock
- Finely grained with subtle undertones of crystallized magma
- Available in two modular sizes and five earthen colors
- Trim includes 4 x 12 single bullnose and 6 x 12 Cove base with a universal flat top
- Cross-Sheen[®] finish for easy cleaning
- Green SquaredSM certified and Made in the U.S.A.

Color Palette



AV291 ▶ Silica



AV293 ▶ Bedrock



AV292 ▶ Caldera



AV295 ▶ Magma



AV294 ▶ Mafic



Basalt

Porcelain Stone®

Sizes & Finishes

Field Tile - Calibrated

Available in all colors

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
12 x 12	11-13/16 x 11-13/16	3/8	3/16	UPS
12 x 24	11-13/16 x 23-13/16	3/8	3/16	UPS

All field tile is calibrated (non-rectified).

Crossville recommends a minimum 3/16" grout joint.

Coordinating Trim

Available in all colors

Nominal (in)	Actual (in)	Thickness (in)	Grout Joint (in)	Finish
6 x 12 Cove Base	5-7/8 x 11-3/4	3/8	3/16	UPS
4 x 12 Bullnose	3-3/4 x 11-3/4	3/8	3/16	UPS



4 x 12 Single Bullnose
(available in all colors)



6 x 12 Cove Base
(Universal, flat top)

Product Performance


Breaking Strength	≥400 lbf	ASTM C648
Bond Strength	>200 psi	ASTM C482
Chemical Resistance	Unaffected	ASTM C650
Frost Resistance	Resistant	ASTM C1026
Water Absorption	<0.50%	ASTM C373
Scratch Hardness	7	Mohs Scale

Wet Dynamic Coefficient of Friction Range

UPS	0.50 - 0.60	ANSI A326.3
-----	-------------	-------------

Shade & Texture Index

Basalt has a shade variation of V3.



This porcelain tile product is produced with a V3 variation. Inspect the product upon delivery and for best results, blend tile from several cartons during installation.

Application Areas

Finish	Interior Floors (dry)	Interior Walls (wet/dry)	Exterior Walls	Interior Floors (Standing water/shower floors)	Exterior/Paving	Pool/Fountain Full Lining**	Water Line Pool/Fountains
UPS	✓	✓	✓			✓	✓

** Excludes mesh mounted mosaics. Crossville recommends face mounted or edge mounted mosaics for fully submerged applications. Contact your Crossville sales representative for more information.

NOTE: Trim applications will differ from field tile applications for the same series.

For more information on ANSI- A362.3 visit our website at <https://www.crossvilleinc.com/Resources/Tile-101/DCOF?tab=1>

Sizes (Available in all colors)

12 x 24



12 x 12



Get Planked!

Our Porcelain Stone® products are available in popular plank shapes with no minimum order and quick fulfillment. Depending on the product, there are up to 4 widths and 7 lengths, creating more than 2,796 combinations.



Basalt

Crossville, Inc.

PO Box 1168
Crossville, TN
38557

Phone 931.484.2110
Fax 931.456.2956
E-Mail Crossc@CrossvilleInc.com
Web CrossvilleInc.com

Recommended Use

Basalt is recommended for interior floors, interior walls, countertops, exterior walls, pool waterlines and full linings[†] in both residential and commercial applications. Basalt is not recommended for exterior horizontal surfaces or exterior paving. See CrossvilleInc.com for detailed installation instructions.

[†]Excludes mesh mounted mosaics.

Care and Maintenance

Regular cleaning is the best way to keep Basalt tile looking good for years to come. Use clean, hot water (combined with a household cleaner for more aggressive cleaning). Rinse thoroughly and dry with a soft cloth. No waxes are needed. More information regarding the care and maintenance of Crossville® products is available at CrossvilleInc.com.

▶▶ Crossville® Sample Express

Visit the website to learn more:
CrossvilleInc.com/Products/Basalt

Loose Tile Samples

Sizes may vary depending on product series
Max. of 4 large field tile per order

Standard Shipping

FedEx Ground

National Accounts

For over 20 years we have been offering Porcelain tile to commercial customers at National Accounts pricing programs with special discounts. The National Accounts department provides materials forecasting, sales support and samples.

CrossvilleInc.com

If you want a better idea of what Crossville tile would look like in a particular room setting, simply visit our website and click on Cross-Vision. This powerful software tool allows you to visualize different types of Crossville tile. In addition, you'll find comprehensive information about Crossville's entire portfolio of products. You can also learn about the latest styles and trends from industry experts, download detailed care and maintenance instructions for our various products, or browse electronic versions of Crossville's product brochures. So whether you need information about Crossville products or tile in general, please visit us at CrossvilleInc.com. Information listed here is subject to change.

Our Warranty

Crossville Inc. guarantees that its products will meet or exceed the performance specifications outlined in ANSI A137.1-2022 and in the performance data section of the Crossville, Inc. general product catalog. For complete details check our website at CrossvilleInc.com.



Photo left: **AV294** ▶ Mafic 12 x 24 UPS

Trade Organizations



Environmentally Aware

