Safety Data Sheet ULTRAFLEX LFT GRAY

Safety Data Sheet dated: 09/18/2024 - version 7 Date of first edition: 05/18/2015



### **1. IDENTIFICATION**

Product identifier Mixture identification: Trade name: ULTRAFLEX LFT GRAY Trade code: 9029053 Recommended use of the chemical and restrictions on use Recommended use: Polymer modified mortar Restrictions on use: Not available Name, address, and telephone number of the chemical manufacturer, importer, or other responsible party Company: MAPEI CORP. (USA and Puerto Rico) 1144 East Newport Center Drive - 33442 - Deerfield Beach - FL - USA Phone: 954-246-8888 Responsible: RDProductSafety@mapei.com Emergency 24 hour numbers: Emergency Number (USA/Canada) CHEMTREC 1(800) 424-9300 / 1(703) 527-3887 Emergency Transport CANUTEC (Canada) 1-613-996-6666

# 2. HAZARD(S) IDENTIFICATION



### **Classification of the chemical**

Skin corrosion, Category 1A	Causes severe skin burns and eye damage.
Serious eye damage, Category 1	Causes serious eye damage.
Skin Sensitization, Category 1	May cause an allergic skin reaction.
Carcinogenicity, Category 1A	May cause cancer if inhaled.
Specific target organ toxicity following single exposure, Category 3	May cause respiratory irritation.
Specific target organ toxicity following repeated exposure, Category 1	Causes damage to organs through prolonged or repeated exposure if inhaled.

### Label elements

#### Hazard pictograms and Signal Word



#### Hazard statements

- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- H350 May cause cancer if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure if inhaled.

#### **Precautionary statements**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust.
P264	Wash skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P33 1	IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
P302+P352	IF ON SKIN: Wash with plenty of water.
P303+P361+P35 3	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P33 8	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a doctor.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Wash contaminated clothing before reuse.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P501	Dispose of contents/container in accordance with applicable regulations.
Ingredient(s) w	vith unknown acute toxicity:
None	

Hazards not otherwise classified identified during the classification process:

None

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

### Substances

Not Relevant

### Mixtures

Hazardous components within the meaning of 29 CFR 1910.1200 and related classification:

#### List of components

Qty	Name	Ident. Numb.	Classification	<b>Registration Number</b>
25-50 %	silica sand; quartz	CAS:14808-60-7 EC:238-878-4	' STOT RE 1, H372; Carc. 1A, H350	
25-50 %	portland cement; cement, portland, chemicals		STOT SE 3, H335; Eye Dam. 1, H318; Skin Sens. 1, H317; Skin Corr. 1A, H314	

# 4. FIRST AID MEASURES

#### **Description of first aid measures**

In case of skin contact:

Immediately take off all contaminated clothing.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Obtain medical attention if skin related symptoms persist.

Remove contaminated clothing immediately and dispose of safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an opthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not induce vomiting, get medical attention showing the SDS and the hazard label.

In case of Inhalation:

If breathing is irregular or stopped, administer artificial respiration.

In case of inhalation, consult a doctor immediately and show him packing or label.

## Most important symptoms/effects, acute and delayed

Eye irritation

Eye damages

Skin Irritation

Erythema

# Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Treatment:

(see paragraph 4.1)

### **5. FIRE-FIGHTING MEASURES**

### **Extinguishing media**

Suitable extinguishing media:

Water.

Carbon dioxide (CO2).

# Unsuitable extinguishing media:

None in particular.

### Specific hazards arising from the chemical

Do not inhale explosion and combustion gases. Burning produces heavy smoke. Hazardous combustion products: Not available Explosive properties: Not Relevant

Oxidizing properties: Not Relevant

### Special protective equipment and precautions for fire-fighters

Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Move undamaged containers from immediate hazard area if it can be done safely.

### **6. ACCIDENTAL RELEASE MEASURES**

### Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Limit leakages with earth or sand.

## Methods and material for containment and cleaning up

Take up mechanically and dispose of according to local/state/federal regulations

Scoop into containers and seal for disposal.

Retain contaminated washing water and dispose it.

# 7. HANDLING AND STORAGE

### Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Exercise the greatest care when handling or opening the container.

Do not use on extensive surface areas in premises where there are occupants.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

### Conditions for safe storage, including any incompatibilities

#### Always keep in a well ventilated place.

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Cool and adequately ventilated.

Storage temperature: Not available

# 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

#### **Control parameters**

### **Community Occupational Exposure Limits (OEL)**

	OE	L Countr	y Occu	pational E	xposure Limit
--	----	----------	--------	------------	---------------

Production Name

silica sand; quartz CAS: 14808-60-7	<b>Type</b> ACGIH	-	Long Term: 0.025 mg/m3 A2 - Suspected Human Carcinogen;lung cancer;pulmonary fibrosis
	MAK	AUSTRIA	Long Term: 0.15 mg/m3
	ACGIH		Long Term: 0.025 mg/m3 (R), A2 - Pulm fibrosis, lung cancer
	MAK	SWITZERLAN D	Long Term: 0.15 mg/m3
	EU		Long Term: 0.1 mg/m3 Behaviour Binding
portland cement; cement, portland, chemicals CAS: 65997-15-1	OSHA		Long Term: 15 mg/m3
	OSHA		Long Term: 5 mg/m3
	ACGIH		Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma;
	ACGIH		Long Term: 1 mg/m3 A4 - Not Classifiable as a Human Carcinogen;pulmonary function;respiratory symptoms;asthma
	MAK	AUSTRIA	Long Term: 5 mg/m3
	MAK	SWITZERLAN D	Long Term: 5 mg/m3

Appropriate engineering controls: Not available

# Individual protection measures

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Suitable materials for safety gloves; 29 CFR 1910.138 - ANSI/ISEA 105:

Polychloroprene - CR: thickness >=0,5mm; breakthrough time >=480min.

Nitrile rubber - NBR: thickness >=0,35mm; breakthrough time >=480min.

Butyl rubber - IIR: thickness >=0,5mm; breakthrough time >=480min.

Fluorinated rubber - FKM: thickness >=0,4mm; breakthrough time >=480min.

Use impervious gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Respiratory protection must be used where exposure levels exceed workplace exposure limits. Refer to 29 CFR 1910.134 - CSA Z94.4 for information on selection and use of appropriate respiratory protection equipment. Use adequate protective respiratory equipment.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical state: Solid Appearance and colour: powder grey Odour: characteristic Odour threshold: Not Relevant pH: Not Relevant pH (water dispersion, 10%): 12.50 Melting point / freezing point: Not Relevant Initial boiling point and boiling range: Not Relevant Flash point: Not Relevant Evaporation rate: Not Relevant Upper/lower flammability or explosive limits: Not Relevant Vapour density: Not Relevant Vapour pressure: Not Relevant Relative density: 1.50 g/cm3 Solubility in water: dispersible Solubility in oil: Not Relevant

Partition coefficient (n-octanol/water): Not Relevant Auto-ignition temperature: Not Relevant Decomposition temperature: Not Relevant Viscosity: Not Relevant Explosive properties: Not Relevant Oxidizing properties: Not Relevant Solid/gas flammability: Not Relevant **Other information** Substance Groups relevant properties Not Relevant Miscibility: Not Relevant Fat Solubility: Not Relevant Conductivity: Not Relevant

### **10. STABILITY AND REACTIVITY**

#### Reactivity

Stable under normal conditions

### Chemical stability

Data not available.

# Possibility of hazardous reactions

None.

### Conditions to avoid

Stable under normal conditions.

# Incompatible materials

None in particular.

Hazardous decomposition products

None.

# **11. TOXICOLOGICAL INFORMATION** Information on toxicological effects

#### Toxicological Information of the Preparation

a) acute toxicity	Not classified
	Based on available data, the classification criteria are not met
b) skin corrosion/irritation	The product is classified: Skin corrosion, Category 1A(H314)
c) serious eye damage/irritation	The product is classified: Serious eye damage, Category 1(H318)
d) respiratory or skin sensitisation	The product is classified: Skin Sensitization, Category 1(H317)
e) germ cell mutagenicity	Not classified
	Based on available data, the classification criteria are not met
f) carcinogenicity	The product is classified: Carcinogenicity, Category 1A(H350)
g) reproductive toxicity	Not classified
	Based on available data, the classification criteria are not met
h) STOT-single exposure	The product is classified: Specific target organ toxicity following single exposure, Category 3(H335)
i) STOT-repeated exposure	The product is classified: Specific target organ toxicity following repeated exposure, Category 1(H372)
j) aspiration hazard	Not classified
	Based on available data, the classification criteria are not met

### Toxicological information on main components of the mixture:

silica sand; quartz a) acute toxicity LD50 Oral > 2000 mg/kg

LD50 Skin > 2000 mg/kg

Substance(s) listed on the IARC Mor	ographs:
silica sand; quartz	Group 1

### Substance(s) listed as OSHA Carcinogen(s):

silica sand; quartz

### Substance(s) listed as NIOSH Carcinogen(s):

#### Substance(s) listed on the NTP report on Carcinogens:

silica sand; quartz

#### **12. ECOLOGICAL INFORMATION**

#### Toxicity

Adopt good working practices, so that the product is not released into the environment.

Eco-Toxicological Information:

### List of Eco-Toxicological properties of the product

Not classified for environmental hazards.

Based on available data, the classification criteria are not met

#### Persistence and degradability

N.A.

#### **Bioaccumulative potential**

N.A.

Mobility in soil

N.A.

### Other adverse effects

N.A.

### **13. DISPOSAL CONSIDERATIONS**

#### Waste treatment methods

The generation of waste should be avoided or minimized wherever possible. Recover if possible.

### Methods of disposal:

Disposal of this product, solutions, packaging and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements.

Dispose of surplus and nonrecyclable products via a licensed waste disposal contractor.

Do not dispose of waste into sewers.

### Disposal considerations:

Do not allow to enter drains or watercourses.

Dispose of product according to all federal, state and local applicable regulations.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

Dispose of containers contaminated by the product in accordance with local or national legal provisions. For further information, contact your local waste authority.

### Special precautions:

This material and its container must be disposed of in a safe way. Care should be taken when handling untreated empty containers. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Do not re-use empty containers.

## **14. TRANSPORT INFORMATION**

Not classified as dangerous in the meaning of transport regulations.

### **UN number**

DOT-UN Number: Not Applicable ADR-UN number: Not Applicable IATA-Un number: Not Applicable IMDG-Un number: Not Applicable

#### **UN proper shipping name**

DOT-Proper Shipping Name: Not Applicable ADR-Shipping Name: Not Applicable IATA-Technical name: Not Applicable IMDG-Technical name: Not Applicable

### Transport hazard class(es)

DOT-Hazard Class: Not Applicable ADR-Class: Not Applicable IATA-Class: Not Applicable IMDG-Class: Not Applicable

Packing group					
DOT Packing Grou					
ADR-Packing Gro					
IATA-Packing gro IMDG-Packing gro					
Environmental hazards	μαρ. Νοι Αρ	plicable			
Marine pollutant:	No				
Environmental Po		Applicable			
DOT-RQ: No					
Transport in bulk accord	ling to Anı	nex II of MARPOL73	/78 and the IBC Code		
Not Applicable Special precautions					
Department of Transportat	ion (DOT).				
Not Applicable					
Road and Rail ( ADR-RID )	:				
Not Applicable					
Air ( IATA ) :					
Not Applicable					
Sea ( IMDG ) :					
Not Applicable					
15. REGULATORY INF	ORMATIC	ON			
USA - Federal regulat	ions				
TSCA - Toxic Substance	s Control A	Act			
		l on the TSCA invento	Ŷ		
TSCA listed sub	stances:				
silica sand; quart	Z	is listed in TSC	A Section 8b		
portland cement; portland, chemica		is listed in TSC	A Section 8b		
SARA - Superfund Amer	ndments ar	nd Reauthorization	Act		
Section 302 - Ex	ctremely H	azardous Substance	25:		
No substances lis	ted				
Section 304 - H	azardous s	ubstances:			
No substances lis	ted				
Section 313 - To	oxic chemi	cal list:			
No substances lis	ted				
		-	ompensation, and Liability Act		
Substance(s) lis		CERCLA:			
No substances lis	ted				
CAA - Clean Air Act					
CAA listed subs					
No substances lis	ted				
CWA - Clean Water Act					
CWA listed subs					
No substances lis					
USA - State specific r California Proposition 6	-	IS			
Substance(s) lis	sted under	California Proposit	on 65:		
silica sand; quart	z	Listed as carcir	logen		
Massachusetts Right to					
		Massachusetts Rig	τι το κποw:		
silica sand; quart					
portland cement;		ortland, chemicals			
Pennsylvania Right to k					
		Pennsylvania Right	to know:		
silica sand; quart					
portland cement;	cement, po	ortland, chemicals			
Print date 09	9/18/2024	Production Name	ULTRAFLEX LFT GRAY	Page n.	7 of 9

### New Jersey Right to know

#### Substance(s) listed under New Jersey Right to know:

silica sand; quartz

portland cement; cement, portland, chemicals

### **Canada - Federal regulations**

### **DSL - Domestic Substances List**

All the substances are listed in the DSL.

### **NDSL - Non Domestic Substances List**

This product complies with NDSL inventory

#### NPRI - National Pollutant Release Inventory

#### NPRI (National Pollutant Release Inventory) - List of substances listed.

No substances listed

## **16. OTHER INFORMATION**

#### Safety Data Sheet dated: 9/18/2024 - version 7

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use. The information herein is presented in good faith and believed to be accurate as of the effective date given. It is the buyer's responsibility to ensure that its activities comply with Federal, State or provincial, and local laws.

This document was prepared by a competent person who has received appropriate training.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This SDS cancels and replaces any preceding release.

Code	Description		
H314	Causes severe skin burns and eye damage.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H335	May cause respiratory irritation.		
H350	May cause cancer.		
H372	Causes damage to organs through prolong	ed or repeated exposure.	
Code	Hazard class and hazard category	Description	
A.2/1A	Skin Corr. 1A	Skin corrosion, Category 1A	
A.3/1	Eye Dam. 1	Serious eye damage, Category 1	
A.4.2/1	Skin Sens. 1	Skin Sensitization, Category 1	
A.6/1A	Carc. 1A	Carcinogenicity, Category 1A	
A.8/3	STOT SE 3	Specific target organ toxicity following single exposure, Category 3	
A.9/1	STOT RE 1	Specific target organ toxicity following repeated exposure, Category 1	
Legend to abbreviations and acronyms used in the safety data sheet:			
ADR:	European Agreement concerning the Interna	tional Carriage of Dangerous Goods by Road.	
RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.			
IMDG: International Maritime Code for Dangerous Goods.			
IATA: International Air Transport Association.			
IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).			
ICAO: International Civil Aviation Organization.			
ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).			
GHS: Globally Harmonized System of Classification and Labeling of Chemicals.			
CLP: Classification, Labeling, Packaging.			
EINECS	S: European Inventory of Existing Commerci	ial Chemical Substances.	

INCI: International Nomenclature of Cosmetic Ingredients.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

- GefStoffVO: Ordinance on Hazardous Substances, Germany.
- LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

DNEL: Derived No Effect Level.

PNEC: Predicted No Effect Concentration.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day. (ACGIH Standard).

# STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

WGK: German Water Hazard Class.

KSt: Explosion coefficient.

## Paragraphs modified from the previous revision:

- 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING
- 2. HAZARDS IDENTIFICATION
- 3. COMPOSITION/INFORMATION ON INGREDIENTS
- 5. FIRE-FIGHTING MEASURES
- 7. HANDLING AND STORAGE
- 8. EXPOSURE CONTROLS/PERSONAL PROTECTION
- 9. PHYSICAL AND CHEMICAL PROPERTIES
- 11. TOXICOLOGICAL INFORMATION
- 12. ECOLOGICAL INFORMATION
- 14. TRANSPORT INFORMATION
- 15. REGULATORY INFORMATION
- 16. OTHER INFORMATION