

Crossville LVT Application Guide

Luxury Vinyl Tile



Our flooring recommendations can help you quickly identify products designed to work in specific spaces and beyond. Partner with your Crossville sales representative as your trusted resource to help you with all the information you need to successfully select and install the right floor for all types of environments, spaces and buildings.

- Recommended flooring choice(s) for the space.

	Crossville LVT 2.5 mm	Crossville LVT 2 mm
Healthcare/Hospital Environments (a)		
Cafeteria, Dining Area (d)	●	
Chapel	●	
Commercial Parking Garage Walkways (covered)		
Computer Training Rooms (5)	●	
Corridors	●	
Critical/Intensive Care	●	
Data Warehousing		
Dialysis (f)	●	
Dry Physical Therapy	●	
Elevators	●	
Emergency Rooms	●	
Exam/Procedure Rooms	●	
Gift Shop	●	
Hydro Physical Therapy	(3)	(3)
Hyperbaric Room	(5)	(5)
Labor Delivery Rooms	●	
Laboratories	● (g)	
Lavatories	●	
Lobby	●	
Nurses Station	●	
Office/Administrative/Conference Room	●	
Operating Rooms (b)	(1)	(1)
Patient Rooms	●	
Pharmacy	●	
Ramps/Ramped Corridors (dry)	(3)	(3)
Scrub Areas	(1)	(1)
Stairways/Landings	●	
Staff Lounge	●	
Telecommunications Center		
Utility/Storage Room/Filing	●	
Waiting Rooms	●	
Around Swimming Pools		
Around Whirlpools/Spas		
Showers/Shower Rooms		

Crossville LVT Application Guide

Luxury Vinyl Tile



	Crossville LVT 2.5 mm	Crossville LVT 2 mm
Assisted Living		
Activity Rooms/Common Areas	●	●
Beauty Salon/Barber Shop	●	●
Corridors	●	●
Main Dining Areas (d)	●	
Doctor/Dentist Office	●	●
Lobby	●	
Residence Bathrooms (f)	●	●
Residence Kitchens	●	●
Residence Rooms	●	●
Around Swimming Pools		
Around Whirlpools/Spas		
Showers/Shower Rooms		
Exercise Rooms/Yoga, Fitness & Dance Studios	●	
Education		
Auditoriums	●	
Cafeteria, Dining Area (d)	●	
Classrooms/Lecture Halls	●	
Commercial Parking Garage Walkways (covered)		
Computer Repair Areas		
Computer Training Rooms (5)	●	
Corridors		
Data Warehousing		
Dormitory Rooms	●	●
Elevators	●	
Entryways/Foyers (f)		
Food Service Area (d)	●(f)	
Gymnasium	●	
Laboratories	●(g)	
Lavatories	●	
Library	●	
Locker Rooms (no spikes)	(3)	(3)
Multipurpose Room/Cafetorium	●	
Office/Administrative/Conference Room	●	
Ramps/Ramped Corridors (dry)	(3)	(3)
Stairways/Landings	●	
Teacher's Lounge	●	
Telecommunications Center		
Utility/Storage Areas	●	
Around Swimming Pools		
Around Whirlpools/Spas		
Showers/Shower Rooms		

Crossville LVT Application Guide

Luxury Vinyl Tile



	Crossville LVT 2.5 mm	Crossville LVT 2 mm
Hospitality		
Commercial Parking Garage Walkways (covered)		
Corridors	●	
Dance Floors	●	
Dining Areas (d)	●	
Elevators	●	
Entryways/Foyers (f)		
Exercise Rooms/Yoga, Fitness & Dance Studios	●	
Guest Bathrooms (f)	● (4)	
Guest Rooms	● (4)	
Lobby	●	
Lounge	●	
Stairways/Landings	●	
Vending Areas (f)	●	
Around Swimming Pools		
Around Whirlpools/Spas		
Showers/Shower Rooms		
Commercial Kitchen (d)		
Guest Room Kitchenette	● (4)	● (4)
Breakroom	●	●
Office	●	●
Retail/Stores		
Automobile Showrooms	●	
Checkout/Cash Wrap	●	
Computer Repair Areas		
Entryways/Foyers (f)		
Fast Food Counters (in front)	●	
Floral Areas	●	
Food Service (d)	● (f)	
Frozen Food	●	
Indoor Mall Common Areas	●	
Laundromats	●	
Pet Shops	●	
Produce Area	●	
Sales Floor – Department Stores	●	
Sales Floor – Grocery	●	
Sales Floor – Mass Merchant	●	
Public Venues		
Office/Retail (Airport/Railway/Bus Terminals)	●	
Office/Meeting Rooms (Civic/Convention Centers)	●	
Museums/Cultural Centers	●	

Crossville LVT Application Guide

Luxury Vinyl Tile



	Crossville LVT 2.5 mm	Crossville LVT 2 mm
Military Housing/Light Commercial		
Activity Rooms/Common Areas	●	●
Beauty Salon/Barber Shop	●	●
Corridors	●	●
Daycare Areas	●	●
Dining Areas (d)	●	●
Doctor/Dentist Office	●	●
Residence Bathrooms (f)	●	●
Residence Kitchens	●	●
Residence Rooms/Barracks	●	●
Exercise Rooms/Yoga, Fitness & Dance Studios	●	
Showers/Shower Rooms		
Corporate Environments		
Cafeteria, Dining Area (d)	●	
Commercial Parking Garage Walkways (covered)		
Computer Repair Areas		
Computer Training Rooms (5)	●	
Corridors	●	
Data Warehousing		
Elevators	●	
Entryways/Foyers (f)		
Lavatories	●	
Lobby	●	
Lunchrooms (d)	●	
Offices/Conference Rooms	●	
Stairways/Landings	●	
Telecommunication Center		
Utility/Storage Rooms	●	
Exercise Rooms/Yoga, Fitness & Dance Studios	●	
Showers/Shower Rooms		
Light Industrial (e)		
Clean Rooms		
Computer Lab Repair Areas	(5)	(5)
Computer Training Rooms (5)	●	
Data Warehousing		
Electronic Testing Lab	(5)	(5)
Electronics Manufacturing	(5)	(5)
Environmental Conditioning Lab (h)		
Offices/Conference Rooms	●	
Photo Processing	●	
Production Laboratory		
Research Laboratory		
Small Parts Assembly		
Sterile Packaging		
Telecommunications Center		

IN ADDITION TO SPACES LISTED ON THESE CHARTS: Commercial Products from Crossville's Access Point LVT may be used on stairsteps, risers and landings. A manufactured slip-retardant nosing should always be applied on steps; Most commercial floors can be flash coved (integral cove). Most building codes consider flash coving in the same category as baseboard trim with respect to fire rating. Consult applicable codes for the particular project to determine the interpretation of allowable height for flash cove; commercial products from Crossville's Access Point LVT are not recommended for exterior use, for interior spaces where pointed spike golf or track shoes will be used, or in areas where the floor will be subjected to unusually concentrated static or dynamic loads; commercial commercial LVT products from Crossville should not be used as a wall covering or wall surfacing..

NOTES: Numerical footnotes (1, 2, 3, etc.) apply to the space requirements; Alpha footnotes (a, b, c, etc.) apply to the product's suitability for the space. The numerical and alpha footnotes are consistent across all Recommended Applications Charts. Depending upon the category, product and space requirements, some footnotes may not appear.

- (a) In most cases veterinary applications are similar.
 - (b) Only operating rooms not requiring conductive flooring.
 - (c) Only recommended for accents and borders.
 - (d) Access Point LVT is not recommended for commercial kitchens and commercial food processing areas, including behind fast-food counters.
 - (e) Most Access Point LVT floors are not recommended for heavy industrial areas.
 - (f) No standing water; walk-off mats required.
 - (g) Not recommended in laboratories that require special decontamination procedures on surfaces, including floors.
 - (h) Only homogeneous products are recommended in low temperature environmental conditioning units NOT below 34° F.
 - (j) Safety Zone Sheet is only recommended for certain areas where people will be walking with bare feet or soft- soled footwear. Safety Zone Sheet is not recommended for areas over 150 sq. ft., nor around swimming pools.
-
- (1) Aseptic Area - hygienic conditions are of critical importance.
 - (2) Recommended for use without grout.
 - (3) Slip Retardance - a more secure walking surface is required.
 - (4) May be installed with Armstrong™ Flooring S-1840 Quiet Comfort™ Luxury Flooring Underlayment. The installation must be double stick (underlayment adhered to flooring and subfloor).
 - (5) Not recommended in applications that require electrostatic discharge control.
 - (6) Glue down installation.
 - (7) Not recommended in areas where heavy free weights are used.
 - (8) Water resistance - wet area installation is needed (flash coving, sealed seams).
 - (9) Full Spread or Modified Loose Lay with Perimeter Adhesive recommended. In spaces where the room does NOT exceed 20 ft. in any direction, floor can be installed without adhesive.