

# CARMEN

true tiles

## SAVANNAH WHITE 5X25

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038441</b>	5X25	9,10	REVESTI



### DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality      UNE-EN 14411      It accomplished all requirements

### PHYSICAL PROPERTIES


Water absorption capacity	EN ISO 10545-03	>10%
Thermal shock resistance	EN ISO 10545-09	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

### CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

# CARMEN

true tiles



## SAVANNAH WHITE 10X10

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038444</b>	10X10	9,80	REVESTI

### DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality	UNE-EN 14411	It accomplished all requirements
---	--------------	----------------------------------

### PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	>10%
Thermal shock resistance	EN ISO 10545-09	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

### CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

# CARMEN

true tiles

## EDGE STICK SAVANNAH WHITE

### 1,5X25

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038947</b>	1,5X25	8,00	REVESTI

#### DIMENSIONS AND SURFACE PROPERTIES

#### PHYSICAL PROPERTIES

Frost resistance	EN ISO 10545-12	Not pass the test
------------------	-----------------	-------------------

#### CHEMICAL PROPERTIES

# CARMEN

true tiles

## SAVANNAH GREY 5X25

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038442</b>	5X25	9,10	REVESTI



### DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality      UNE-EN 14411      It accomplished all requirements

### PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	>10%
Thermal shock resistance	EN ISO 10545-09	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

### CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

# CARMEN

true tiles

## SAVANNAH GREY 10X10

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038445</b>	10X10	10,00	REVESTI



### DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality      UNE-EN 14411      It accomplished all requirements

### PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	>10%
Thermal shock resistance	EN ISO 10545-09	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

### CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

# CARMEN

true tiles

## EDGE STICK SAVANNAH GREY

### 1,5X25

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038948</b>	1,5X25	8,00	REVESTI



#### DIMENSIONS AND SURFACE PROPERTIES

#### PHYSICAL PROPERTIES

Frost resistance	EN ISO 10545-12	Not pass the test
------------------	-----------------	-------------------

#### CHEMICAL PROPERTIES

# CARMEN

true tiles

## SAVANNAH BERILO 5X25

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038443</b>	5X25	9,10	REVESTI



### DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality      UNE-EN 14411      It accomplished all requirements

### PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	>10%
Thermal shock resistance	EN ISO 10545-09	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

### CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5

# CARMEN

true tiles

## SAVANNAH BERILO 10X10

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038446</b>	10X10	9,80	REVESTI



### DIMENSIONS AND SURFACE PROPERTIES

Size, thickness, side straightness, flatness, orthogonality      UNE-EN 14411      It accomplished all requirements

### PHYSICAL PROPERTIES

Water absorption capacity	EN ISO 10545-03	>10%
Thermal shock resistance	EN ISO 10545-09	It stands the test
Frost resistance	EN ISO 10545-12	Not pass the test

### CHEMICAL PROPERTIES

Resistance to acids	EN ISO 10545-13	GLA
Resistance to alcalis	EN ISO 10545-13	GA
Stains resistance	EN ISO 10545-14	5



# CARMEN

true tiles

## EDGE STICK SAVANNAH BERILO

### 1,5X25

REFERENCE	SIZE (cm)	THICKNESS (mm)	GROUP
<b>A038949</b>	1,5X25	8,00	REVESTI



#### DIMENSIONS AND SURFACE PROPERTIES

#### PHYSICAL PROPERTIES

Frost resistance	EN ISO 10545-12	Not pass the test
------------------	-----------------	-------------------

#### CHEMICAL PROPERTIES